
Program



**The 36th Meeting of Japanese Society of
Hepato-Biliary-Pancreatic Surgery**

■ Presidential Address

June 28 (Fri.) 11:10-11:30 [Room 1 (B2F Phoenix Hall)]

Moderator: Toshimasa Asahara (Hiroshima University, Japan)

- MPA-1 Beyond the Scalpel in Liver Surgery: Finding Harmony between Science and Art
Hideki Ohdan (Department of Gastroenterological Surgery, Hiroshima University Hospital, Japan)

■ JSHBPS Presidential Address

June 28 (Fri.) 11:30-11:50 [Room 1 (B2F Phoenix Hall)]

Moderator: Masakazu Yamamoto (Utsunomiya Memorial Hospital, Japan)

- JPA-1 Mission and Achievements of JSHBPS 2024
Itaru Endo (Department of Gastroenterological Surgery, Yokohama City University, Japan)

■ Overseas Honorary Members Commendation

June 28 (Fri.) 11:50-12:10 [Room 1 (B2F Phoenix Hall)]

Moderator: Itaru Endo (Department of Gastroenterological Surgery, Yokohama City University, Japan)

- OHM-1 Advances in Liver Surgery
René Adam (Centre Hépatobiliaire, Hôpital Paul Brousse, Université Paris-Saclay, Villejuif, France)

■ Project study organized by JSHBPS

June 28 (Fri.) 13:20-14:50 [Room 1 (B2F Phoenix Hall)]

Moderators: Etsuro Hatano (Department of Surgery, Graduate School of Medicine, Kyoto University, Japan)
Akihiko Horiguchi (Department of gastroenterological surgery, Fujita-Health University, Bantane Hospital, Japan)

- PSH-1 The project study regarding whether extrahepatic bile duct resection improves the prognosis of patients with T2 gallbladder cancer using data from the Japanese Biliary Tract Cancer Registry
Hiroyuki Kato (Department of Gastroenterological Surgery, Fujita Health University School of Medicine Bantane Hospital, Nagoya, Japan)
- PSH-2 Impact of antithrombotic therapy on postpancreatectomy hemorrhage in 7,116 patients: A project study by the Japanese Society of Hepato-Biliary-Pancreatic Surgery
Kota Nakamura (Department of Surgery, Nara Medical University, Nara, Japan)
- PSH-3 Morbidity after Left Trisectonectomy for Hepato-Biliary Malignancies: An Analysis of the National Clinical Database of Japan
Fumihiko Terasaki (Division of Hepato-Biliary-Pancreatic Surgery, Shizuoka Cancer Center, Shizuoka, Japan)
- PSH-4 The clinicopathologic features and the validity of the new T1 pancreatic cancer defined by the 8th edition AJCC cancer staging system
Wooil Kwon (Department of Surgery, Seoul National University Hospital, Korea)

■ Japan-Korea Collaborative Project Study

June 29 (Sat.) 8:50-10:20 [Room 1 (B2F Phoenix Hall)]

Moderators: Dongho Choi (Department of Surgery, Hanyang University, Korea)

Masafumi Nakamura (Department of Surgery and Oncology, Graduate School of Medical Sciences,
Kyushu University, Japan)

- JKP-1 Impact of neo-glasgow prognostic score based on albumin-bilirubin grade for prognostic prediction following hepatectomy of hepatocellular carcinoma
Hisashi Kosaka (Department of Surgery, Kansai Medical University, Japan)
- JKP-2 Association between Unplanned Conversion and Patient Survival after Laparoscopic Liver Resection for Hepatocellular Carcinoma: Korea-Japan Collaboration Study
Jai Young Cho (Department of Surgery, Seoul National University, Korea)
- JKP-3 Validation of the anatomical classification in peripheral and proximal type of intrahepatic cholangiocarcinoma
Shintaro Yagi (Department of Hepato-Biliary-Pancreatic Surgery and Transplantation, Kanazawa University, Japan)
- JKP-4 Exploration of optimal surgical extent for T1 and T2 gallbladder cancer according to T category
Wooil Kwon (Department of Surgery, Seoul National University Hospital, Korea)
- JKP-5 Clinical impact of 18F-fluorodeoxyglucose positron emission tomography/computed tomography in the patients with pancreatic ductal adenocarcinoma treated with neoadjuvant therapy
Naoki Ikenaga (Department of Surgery and Oncology, Kyushu University, Japan)
- JKP-6 Comparative analysis of preoperative nutrition & inflammatory marker in borderline/ resectable pancreatic cancer patients [Neoadjuvant treatment vs upfront surgery patients]
Hyung Sun Kim (Gangnam Severance Hospital, Yonsei University, Korea)
- JKP-7 Implementation status of indocyanine green fluorescence-guided laparoscopic liver resection: an international multicenter study in Asian countries
Taiga Wakabayashi (Department of Surgery, Ageo Central General Hospital, Japan)
- JKP-8 Development of a difficulty scoring system for minimally invasive pancreatoduodenectomy based on the analysis of clinical outcomes and learning curve of laparoscopic and robotic surgery: A Korea-Japan multicenter study
Sang Hyun Shin (Department of Surgery, Samsung Medical Center, Sungkyunkwan University School of Medicine, South Korea)

■ Plenary Session

June 28 (Fri.) 16:15-17:00 [Special Site at EDION PEACE WING HIROSHIMA]

Moderators: Satoshi Hirano (Department of Gastroenterological Surgery II, Hokkaido University Faculty of Medicine, Japan)

Ken Shirabe (Division of Hepatobiliary and pancreatic surgery, Gunma University, Japan)

- PL-1 Safety and efficacy of living donor liver transplantation for unresectable perihilar cholangiocarcinoma
Takashi Ito (Department of Surgery, Graduate School of Medicine, Kyoto University, Japan)

- PL-2 Gut Microbiota in Pancreatic Cancer and Cholangiocarcinoma: Implications for Anticancer Drug Sensitivity
Ryosuke Kashiwagi (Department of Surgery, Graduate School of Medicine, Tohoku University Graduate School of Medicine / Division of Hepato-Biliary-Pancreatic Surgery, Shizuoka Cancer Center, Japan)
- PL-3 Evaluation of Prognostic Efficacy of Liver immune status index in Predicting Postoperative Outcomes in Hepatocellular Carcinoma Patients: A Multi-Institutional Retrospective Study
Yuki Imaoka (Department of Gastroenterological Surgery, Hiroshima University Hospital, Japan)

■ Educational Symposium

Educational Symposium 1

June 28 (Fri.) 8:00-9:30 [Room 1 (B2F Phoenix Hall)]

Evidence from Clinical Study Groups

Moderators: Naoto Gotohda (Department of Hepatobiliary and Pancreatic Surgery, National Cancer Center Hospital East, Japan)

Michiaki Unno (Department of Surgery, Tohoku University, Japan)

- ESY01-1 The influence of socioeconomic inequity on guidelines compliance and mortality of patients with acute biliary pancreatitis. An international multicentric cohort study
Marcello Di Martino (Department of Health Sciences, University of Piemonte Orientale, Novara, Italy / Department of Surgical Science, University of Cagliari, Cagliari, Italy)
- ESY01-2 Pre-compression vs. Non-compression During Distal Pancreatectomy: A Randomized Clinical Trial (Hisco 10 trial)
Shingo Seo (Department of Surgery, Kure Kyosai Hospital, Japan)
- ESY01-3 A Multicenter, single-blind, randomized, parallel-group trial comparing stapler closure with Clip on Staple method with stapler closure alone during Distal Pancreatectomy. (KSCC:CLIP-DP trial)
Norifumi Harimoto (Division of Hepatobiliary and Pancreatic Surgery, Department of General Surgical Science, Gunma University / Department of Hepato-Biliary Pancreatic Surgery, National Hospital Organization Kyushu Cancer Center, Japan)
- ESY01-4 Management and operational practice of multicenter clinical trials
Kazuto Shibuya (Department of Surgery and Science, Faculty of Medicine, Academic Assembly, University of Toyama, Japan)
- ESY01-5 Evidence (international multicenter studies) of laparoscopic liver resection from clinical study group related to international laparoscopic liver society
Zenichi Morise (Department of Surgery, Fujita Health University School of Medicine Okazaki Medical Center, Japan)
- ESY01-6 Initiatives and Achievements of the Hiroshima Clinical Oncology and Surgery Research Group (HiSCO)
Masahiro Ohira (Department of Gastroenterological Surgery, Hiroshima University Hospital, Japan)
- ESY01-7 Phase III trials on novel surgical treatment strategies for biliary and pancreatic cancers: Insights from the Hepatobiliary and Pancreatic Oncology Group of Japan Clinical Oncology Group (JCOG)
Satoshi Nara (Department of Hepatobiliary and Pancreatic Surgery, National Cancer Center Hospital, Japan)

Educational Symposium 2

June 29 (Sat.) 10:30-12:00 [Room 1 (B2F Phoenix Hall)]

Being a Modern Surgeon-scientist

Moderators: Hideki Ohdan (Department of Gastroenterological Surgery, Hiroshima University Hospital, Japan))

Masayuki Sho (Department of Surgery, Nara Medical University, Japan)

Special Remarks: Tadahiro Takada (Emeritus Professor, Department of Surgery, Teikyo University School of Medicine, Japan)

ESY02-1 Keynote Lecture: Five Strategies for being a Modern Surgeon-Scientist

Hideki Ohdan (Department of Gastroenterological Surgery, Hiroshima University Hospital, Japan))

ESY02-2 Perspectives on Basic Research in Hepatobiliary and Pancreatic Surgery through the Experience as a Program Officer at the Research Center for Science Systems (2019-2023) Diversity & Science in Surgery

Shinji Tanaka (Department of Molecular Oncology, Institute of Science Tokyo, Japan)

ESY02-3 Do we prefer to be surgical technicians rather than surgical scientists?

Tatsuya Oda (Dpt. GI & HBP Surgery, University of Tsukuba, Japan)

ESY02-4 Is the involvement into basic research required for Surgeon? –Trials to train Surgeon-Scientist–

Yoichiro Uchida (Division of Hepato-Biliary-Pancreatic Surgery and Transplantation, Department of Surgery, Graduate School of Medicine, Kyoto University / Department of Gastroenterological Surgery and Oncology, Kitano Hospital Medical Research Institute, Japan)

ESY02-5 As a modern Surgeon-Scientist to develop novel treatments for pancreatic cancer

Kohei Nakata (Department of Surgery and Oncology, Kyushu University, Japan)

Educational Symposium 3

June 29 (Sat.) 13:10-14:40 [Room 1 (B2F Phoenix Hall)]

Translational medicine in HBP surgery

Moderators: Kenichi Hakamada (Department of Gastroenterological Surgery, Hirosaki University, Japan)

Mitsuo Shimada (Department of Surgery, Tokushima University, Japan)

ESY03-1 The role of NK cells during liver transplantation. Basic research and clinical appliance of liver NK cells

Ryosuke Nakano (Department of Gastroenterological Surgery, Hiroshima University Hospital, Japan)

ESY03-2 Toward academic surgeons: The importance of research in surgery

Hiroshi Kono (University of Yamanashi Hospital, Japan)

ESY03-3 Overcoming Unmet Medical Needs in Hepatobiliary and Pancreatic Surgery and Developing Medical-Engineering Innovation in the Field of Surgical Training

Takashi Kimura (Department of Hepato-Biliary-Pancreatic and Transplant Surgery, Fukushima Medical University, Japan)

ESY03-4 Translational research for regenerative medicine by hepato-biliary-pancreatic surgeons

Tetsuya Ikemoto (Department of Digestive and Transplant Surgery, Tokushima University, Japan)

ESY03-5 A potential of spatial analysis using resected tumor samples in pancreatic cancer

Shuichi Aoki (Department of Surgery, Tohoku University Graduate School of Medicine, Japan)

- ESY03-6 Comparing Clinical and Genomic Features Based on the Tumor Location in a Resected Pancreatic Cancer
Youngmin Han (Department of Surgery and Cancer Research Institute, Seoul National University College of Medicine, Seoul, South Korea)
- ESY03-7 Non-invasive diagnosis of graft damage focusing on differences in DNA between donor and recipient ~progress of liquid biopsy technique in liver transplantation and future prospects~
Masahiro Shinoda (Digestive Disease Center, Mita Hospital, International University of Health and Welfare, Tokyo, Japan)

■ Symposium

Symposium 1

June 28 (Fri.) 13:20-14:50 [Room 2 (B2F Dahlia 1)]

Treatment Strategies for Unresectable Pancreatic Cancer

Moderators: Fuyuhiko Motoi (Department of Surgery I, Yamagata University, Japan)
Hideyuki Yoshitomi (Department of Surgery, Dokkyo Medical University Saitama Medical Center, Japan)

- SY01-1 Update on treatment strategies for unresectable pancreatic cancer
Jin-Young Jang (Department of Surgery, Seoul National University Hospital, Korea)
- SY01-2 Treatment Strategies for Unresectable Pancreatic Cancer: Technical Considerations in Cavernous Transformation of the Portal-Superior Mesenteric Venous Axis
Christopher L. Wolfgang (Division of Hepatobiliary and Pancreatic Surgery, NYU Langone Health, NYU Langone Medical Center, USA)
- SY01-3 Advantages and disadvantages of conversion surgery for unresectable pancreatic cancer
Toshimichi Asano (Department of Gastroenterological II, Hokkaido University, Japan)
- SY01-4 The optimal indication of conversion surgery for initially-unresectable pancreatic cancer
Shuichi Aoki (Department of Surgery, Tohoku University Graduate School of Medicine, Japan)
- SY01-5 The significance of conversion surgery for UR pancreatic cancer patients
Hirofumi Akita (Osaka International Cancer Institute, Japan)
- SY01-6 Surgical resection in advanced pancreatic cancer with arterial encasement: A high-volume single-center study
Hiroyuki Ishida (Division of Surgical Oncology, Department of Surgery, University of Colorado Anschutz Medical Campus, Aurora, United States / Department of Hepatobiliary and Pancreatic Surgery, Tokyo Medical and Dental University, Tokyo, Japan)
- SY01-7 Conversion surgery for unresectable pancreatic cancer
Seiji Natsume (Aichi Cancer Center, Gastroenterological Surgery, Japan)
- SY01-8 Surgical outcomes and survival benefits after multi-modal treatment with Proton Beam Therapy for locally advanced PDAC
Osamu Shimomura (Department of GI and HBP Surgery, University of Tsukuba, Japan)

Symposium 2

June 29 (Sat.) 8:50-10:20 [Room 3 (B2F Dahlia 2)]

Surgical Treatment Strategies for Intrahepatic Recurrence of Hepatocellular Carcinoma

Moderators: Kiyoshi Hasegawa (Hepato-Biliary-Pancreatic Surgery Division, the University of Tokyo, Japan)
Masaki Kaibori (Department of Liver Surgery, Kansai Medical University, Japan)

- SY02-1 Treatment strategy for recurrent HCC based on genomic discrimination between multicentric occurrence (MC) and intrahepatic metastasis (IM)
Yuji Iimuro (Department of Gastrointestinal Surgery, Yamanashi Central Hospital, Japan)
- SY02-2 Can laparoscopic repeat liver resection prolong the overall survival of HCC patients, as a new category of powerful local therapy which can be applied repeatedly with minimal damage on liver function?
Zenichi Morise (Department of Surgery, Fujita Health University School of Medicine Okazaki Medical Center, Japan)
- SY02-3 Prognostic factors of recurrent HCC requiring liver transplantation as a surgical treatment option: a retrospective study with the Hiroshima Surgical Study Group of Clinical Oncology (HiSCO)
Hiroshi Sakai (Department of Gastroenterological Surgery, Hiroshima University Hospital, Japan)
- SY02-4 Usefulness of the laparoscopic liver resection for locally recurrent hepatocellular carcinoma after locoregional therapy
Daisuke Nagashima (Department of Hepato-Biliary-Pancreatic Surgery, Osaka City General Hospital, Japan)
- SY02-5 The time between first and second hepatectomy is prognostic factor after repeat hepatectomy for recurrent hepatocellular carcinoma
Takehiro Noda (Department of Gastroenterological Surgery, Osaka University, Japan)
- SY02-6 Prognostic significance of early and multiple recurrences after curative resection for hepatocellular carcinoma
Akihiro Tanemura (Department of Hepatobiliary Pancreatic and Transplant Surgery, Mie University, Japan)
- SY02-7 Effectiveness of repeat hepatectomy for intrahepatic recurrent hepatocellular carcinoma
Takahiro Nishio (Department of Surgery, Kyoto University, Japan)
- SY02-8 Impact of molecular targeted drugs for postoperative recurrence in hepatocellular carcinoma
Yoh Asahi (Department of Gastroenterological Surgery 1, Hokkaido University, Japan)

Symposium 3

June 29 (Sat.) 10:30-12:00 [Room 5 (B2F Cosmos 2)]

Med- and long-term results of laparoscopic anatomical liver resection

Moderators: Takeaki Ishizawa (Osaka Metropolitan University, Japan)
Minoru Tanabe (Department of Hepatobiliary and Pancreatic Surgery, Tokyo Medical and Dental University, Japan)

Discussant: Go Wakabayashi (Center for Advanced Treatment of HBP Diseases, Japan)

- SY03-1 Laparoscopic Versus Open Anatomical Liver Resection for Hepatocellular Carcinoma: A Systematic Review and Meta-Analysis
Ki-Hun Kim (Division of Liver Transplantation and Hepatobiliary Surgery, Department of Surgery, Asan Medical Center, University of Ulsan College of Medicine, Seoul, Korea)

- SY03-2 A comparative analysis of short- and long-term outcomes in laparoscopic and open anatomic liver resection for hepatocellular carcinoma using propensity score matching
Genki Watanabe (Department of Hepato-Biliary-Pancreatic Surgery, Osaka City General Hospital, Japan)
- SY03-3 Laparoscopic Major Hepatectomy for Hepatocellular Carcinoma: Impacts on Survival Outcomes and Liver Function at the Time of Post-hepatectomy Recurrence
Satoshi Ogiso (Department of Surgery, Kyoto University, Japan)
- SY03-4 Long-term outcomes of laparoscopic anatomical liver resection for solitary hepatocellular carcinoma
Naruhiko Honmyo (Department of Gastroenterological Surgery, Hiroshima University Hospital / Hiroshima Surgical study group of Clinical Oncology (HiSCO), Japan)
- SY03-5 Comparison of surgical outcomes between laparoscopic and open anatomical liver resection of hepatocellular carcinoma: A multicenter study based on propensity score matching analysis
Hiroji Shinkawa (Department of Hepatobiliary-Pancreatic Surgery, Osaka Metropolitan University Graduate School of Medicine, Japan)
- SY03-6 Outcomes of laparoscopic anatomical hepatectomy using ICG navigation for hepatocellular carcinoma: comparison with open procedure by propensity matched analysis
Kenichiro Araki (Division of Hepatobiliary and Pancreatic Surgery, Gunma University Graduate School of Medicine, Japan)
- SY03-7 Laparoscopic limited anatomic liver resection: Promising oncological outcomes and exploring robotic implementation of this approach
Taiga Wakabayashi (Department of Surgery, Ageo Central General Hospital, Japan)
- SY03-8 Long-term outcomes of minimally invasive anatomic liver resection for newly developed hepatocellular carcinoma using the Glissonean approach
Yutaro Kato (Department of Surgery, Fujita Health University Bantane Hospital, Japan)

■ Panel Discussion

Panel Discussion 1

June 28 (Fri.) 9:30-11:00 [Room 4 (B2F Cosmos 1)]

Biological Borderline Resectable Pancreatic Cancer in the Era of Preoperative Treatment

Moderators: Goro Honda (Institute of Gastroenterology, Tokyo Women's Medical University, Japan)

Manabu Kawai (Second Department of Surgery, Wakayama Medical University, Japan)

Discussant: Timothy Donahue (Department of Surgery, University of California (UCLA), USA)

PD01-1 Novel Neoadjuvant Chemoimmunotherapy Treatment Approaches for Borderline Resectable Pancreatic Cancer

Timothy Donahue (Department of Surgery, University of California (UCLA), USA)

PD01-2 Biological Borderline Resectable Pancreatic Cancer in the Era of Preoperative Treatment

Marco Del Chiaro (Division of Surgical Oncology, Department of Surgery, University of Colorado School of Medicine, Colorado (USA))

PD01-3 Biological assessment combining FDG-PET/CT and CA19-9 measurements identifies biological unresectable pancreatic cancer after neoadjuvant therapy.

Naoki Ikenaga (Department of Surgery and Oncology, Kyushu University, Japan)

- PD01-4 Resectable pancreatic body/tail cancer with radiographic splenic arteriovenous involvement might be biological BR - prospective study of safety and efficacy of preoperative chemotherapy-
Kyohei Matsumoto (Second Department of Surgery, Wakayama Medical University, Japan)
- PD01-5 Identification of Biological Borderline Resectable Pancreatic cancer and Optimal treatment strategy.
Minako Nagai (Department of Surgery, Nara Medical University, Japan)
- PD01-6 Prognostic impact of biological factors in patients with resectable pancreatic adenocarcinoma treated with preoperative chemoradiotherapy
Yasuhiro Murata (Department of the Hepatobiliary Pancreatic and Transplant Surgery, Mie University, Japan)
- PD01-7 Redefining Biological Borderline Resectable Pancreatic Cancer: A Combined Approach Using Serum CA19-9 and DUPAN2 Levels
Kenichiro Uemura (Department of Gastroenterological Surgery, Hiroshima University Hospital, Japan)

Panel Discussion 2

June 29 (Sat.) 8:50-10:20 [Room 2 (B2F Dahlia 1)]

Challenging the Limits of Resection for Perihilar Cholangiocarcinoma: Combined Vascular Resection and Liver Transplantation

Moderators: Tomoki Ebata (Department of Surgery, Nagoya University Hospital, Japan)

Taizo Hibi (Department of Pediatric Surgery and Transplantation, Kumamoto University Graduate School of Medical Sciences, Japan)

Discussant: Julie K. Heimbach (Mayo Clinic College of Medicine, Rochester, MN, USA)

- PD02-1 Challenging the Limits of Resection: Liver transplantation for Perihilar Cholangiocarcinoma
Julie K. Heimbach (Mayo Clinic College of Medicine, Rochester, MN, USA)
- PD02-2 Resection and transplantation are mutually exclusive and collectively exhaustive for perihilar cholangiocarcinoma: A multicenter, prospective Japanese study under the concept of transplant oncology
Taizo Hibi (Department of Pediatric Surgery and Transplantation, Kumamoto University Graduate School of Medical Sciences, Japan)
- PD02-3 Limits of Resection for Perihilar Cholangiocarcinoma -Trisectionectomy with Vascular Resection
Tsukasa Takayashiki (Department of General Surgery, Chiba University, Japan)
- PD02-4 Outcome of trisectionectomy with combined vascular resection and reconstruction for perihilar cholangiocarcinoma
Yasuhiro Yabushita (Department of Gastroenterological Surgery, Yokohama City University School of Medicine, Japan)
- PD02-5 Left trisectionectomy for perihilar cholangiocarcinoma with left-sided predominance
Yu Takahashi (Division of Hepatobiliary and Pancreatic Surgery, Cancer Institute Hospital, Japanese Foundation for Cancer Research, Japan)
- PD02-6 Limitations and challenges of vascular resection and reconstruction in surgery for perihilar cholangiocarcinoma with a focus on the time and type of initial recurrence.
Minoru Esaki (Department of hepatobiliary and pancreatic surgery, National Cancer Center Hospital, Tokyo, Japan)
- PD02-7 Combined vascular resection provides substantial survival benefit in patients with advanced perihilar cholangiocarcinoma: long-term survival analysis
Takashi Mizuno (Department of Surgical Oncology, Nagoya University Graduate School of Medicine, Japan)

- PD02-8 Living Donor Liver Transplantation as Treatment Option for Unresectable Perihilar Cholangiocarcinoma
Etsuro Hatano (Department of Surgery, Graduate School of Medicine, Kyoto University, Japan)

Panel Discussion 3

June 29 (Sat.) 14:50-16:20 [Room 1 (B2F Phoenix Hall)]

Definition of the Borderline Resectable for Colorectal Liver Metastases

Moderators: Toru Beppu (Department of Surgery, Yamaga City Medical Center, Japan)
Kuniya Tanaka (Department of General and Gastroenterological Surgery, Showa University Fujigaoka Hospital, Japan)

Discussant: René Adam (Centre Hépatobiliaire, Hôpital Paul Brousse, Université Paris-Saclay, Villejuif, France)

- PD03-1 Surgical treatment of Colorectal Liver Metastases (CLM)
René Adam (Centre Hépatobiliaire, Hôpital Paul Brousse, Université Paris-Saclay, Villejuif, France)
- PD03-2 Definition of oncological borderline resectable colorectal liver metastases using the Beppu score
Toru Beppu (Department of Surgery, Yamaga City Medical Center, Japan)
- PD03-3 Analysis of Risk Factors for Recurrence and Prognostic Improvement after Liver Resection in CRLM: A Retrospective Study of 203 Cases at a Single Institution
Takamune Yamaguchi (Department of hepato-biliary and pancreatic surgery, Dokkyo medical university, Japan)
- PD03-4 Borderline resectable for synchronous colorectal liver metastasis: a Multicenter retrospective cohort study
Keiso Matsubara (Department of Gastroenterological Surgery, Hiroshima University Hospital, Japan)
- PD03-5 Evaluation of risk factors for recurrence according to the timing of onset of colorectal liver metastasis
Hitoshi Masuo (Department of Surgery, University of Shinshu Medicine., Japan)
- PD03-6 RAS mutation status in combination with the JSHBPS nomogram may be useful for preoperative identification of colorectal liver metastases with high risk of recurrence and cancer death after hepatectomy
Toru Takematsu (Department of Gastroenterological Surgery, Graduate School of Medical Sciences, Kumamoto University, Japan)
- PD03-7 Definition of Borderline resectable colorectal cancer liver metastasis in the perspective of recurrence risk factors after hepatectomy and evaluation the usefulness of NAC
Kazuhiisa Takeda (Yokohama City University Medical Center Gastroenterological Center, Japan)
- PD03-8 Assessment of the appropriateness of treatment strategy for borderline resectable colorectal liver metastases: combination pre- and postoperative adjuvant chemotherapy
Kosuke Kobayashi (Division of Hepatobiliary and Pancreatic Surgery, Cancer Institute Hospital, Japanese Foundation for Cancer Research, Tokyo, Japan)

■ Debate

June 28 (Fri.) 9:30-11:00 [Room 3 (B2F Dahlia 2)]

Treatment Strategies for Anatomical Resectable Pancreatic Cancer: Upfront surgery vs. Neoadjuvant therapy

Moderators: Akihiko Horiguchi (Department of Gastroenterological Surgery, Fujita Health University, Bantane Hospital, Japan)

Wenhui Lou (Department of Pancreatic Surgery, Zhongshan Hospital, Fudan University, China)

DB-1 Treatment Strategies for Anatomically Resectable Pancreatic Cancer: Upfront Surgery vs. Neoadjuvant Therapy - Pro: Neoadjuvant Therapy

Ching-Wei D. Tzeng (MD Anderson Cancer Center, Houston, Texas, USA)

DB-2 Is neoadjuvant therapy really beneficial to obtain cure in patient with resectable pancreatic ductal adenocarcinoma? Our experiences and current evidence.

Yosuke Inoue (Division of Hepatobiliary and Pancreatic Surgery, Cancer Institute Hospital, Japanese Foundation for Cancer Research, Tokyo, Japan)

■ Workshop

Workshop 1

June 28 (Fri.) 8:00-9:30 [Room 2 (B2F Dahlia 1)]

Optimal surgical approach for intrahepatic cholangiocarcinoma

Moderators: Etsuro Hatano (Department of Surgery, Graduate School of Medicine, Kyoto University, Japan)

Tsuyoshi Kobayashi (Department of Gastroenterological Surgery, Hiroshima University Hospital, Japan)

Discussant: Shoji Kubo (Department of Education, Shitennoji University/Department of Hepato-Biliary-Pancreatic Surgery, Osaka Metropolitan University Graduate School of Medicine, Japan)

WS01-1 Treatment Strategies for Peripheral Mass-forming Intrahepatic Cholangiocarcinoma

Masakazu Hashimoto (Department of Gastroenterological Surgery, Hiroshima Prefectural Hospital / Hiroshima Surgical study group of Clinical Oncology (HiSCO), Japan)

WS01-2 Analysis of the preoperative detectability of lymph node metastasis in resected intrahepatic cholangiocarcinoma

Kei Hagiwara (Division of Hepatobiliary and Pancreatic Surgery, Gunma University Graduate School of Medicine, Japan)

WS01-3 Outcomes and Role of Lymphadenectomy in Mass-forming Type Intrahepatic Cholangiocarcinoma; Lessons from the CT-Vascularity

Tomoaki Yoh (Department of Surgery, Kyoto University, Japan)

WS01-4 Is preoperative chemotherapy for advanced intrahepatic cholangiocarcinoma useful?

Shinsei Yumoto (Department of Gastroenterological Surgery, Graduate School of Medical Sciences, Kumamoto University, Japan)

WS01-5 Surgical procedures according to tumor localization and the significance of lymph node dissection in intrahepatic cholangiocarcinoma

Takuma Izumi (Department of Surgery and Science, Kyushu University, Japan)

- WS01-6 Potential benefit of regional lymph node dissection during radical surgical resection for intrahepatic cholangiocarcinoma
Kensuke Suzuki (Department of General Surgery, Chiba university School of Medicine, Japan)
- WS01-7 Questionnaire survey on surgical indications of intrahepatic cholangiocarcinoma for board-certified expert surgeons and instructors (HBP field). -JSHBPS2024-ICC survey-
Shintaro Kuroda (Department of Gastroenterological Surgery, Hiroshima University Hospital, Japan)

Workshop 2

June 28 (Fri.) 8:00-9:30 [Room 3 (B2F Dahlia 2)]

Treatment strategies for octogenarian patients with pancreatic cancer

Moderators: Tsutomu Fujii (Department of Surgery and Science, University of Toyama, Japan)

Kenichiro Uemura (Department of Gastroenterological Surgery, Hiroshima University Hospital, Japan)

Special Remarks: Ching-Wei D. Tzeng (MD Anderson Cancer Center, Houston, Texas, USA)

- WS02-1 Short-term outcomes of pancreatoduodenectomy in older individuals. Is it really safe?: A multilevel analysis based on a nationwide administrative database in Japan.
Yasuhisa Mori (Department of Surgery 1, School of Medicine, University of Occupational and Environmental Health, Japan)
- WS02-2 Validity of neoadjuvant chemotherapy for resectable pancreatic cancer in patients over 80 years old.
Takumi Harada (Department of Gastroenterological Surgery, Hiroshima University Hospital, Japan)
- WS02-3 Outcomes of neoadjuvant chemotherapy and pancreatectomy for elderly pancreatic cancer patients over 80 years old
Kojiro Omiya (Division of Hepatobiliary and Pancreatic Surgery, Cancer Institute Hospital, Japanese Foundation for Cancer Research, Japan)
- WS02-4 What is an optimal treatment approach for octogenarians with resectable pancreatic ductal adenocarcinoma?
Motokazu Sugimoto (Department of Hepatobiliary and Pancreatic Surgery, National Cancer Center Hospital East, Japan)
- WS02-5 Risk evaluation using the NCD Risk Calculator for pancreaticoduodenectomy in the elderly
Nana Kimura (Department of Surgery and Science, Faculty of Medicine, Academic Assembly, University of Toyama, Japan)
- WS02-6 Predictive model using PNI and CK for adjuvant therapy completion with PDAC in elderly patients
Yuichiro Kohara (Department of Surgery, Nara Medical University, Japan)
- WS02-7 Significance of neoadjuvant therapy in elderly patients over 80 years old with resectable/borderline resectable pancreatic ductal adenocarcinoma
Kazuki Matsumura (Department of Surgery, Kansai Medical University, Japan)

Workshop 3

June 28 (Fri.) 8:00-9:30 [Room 4 (B2F Cosmos 1)]

Strategies for liver transplant marginal donors

Moderators: Yasuhiro Ogura (Department of Transplantation Surgery, Nagoya University Hospital, Japan)

Yuji Soejima (Department of Surgery, Shinshu University, Japan)

Discussant: Nam-Joon Yi (Seoul National University College of Medicine, Korea)

- WS03-1 Marginal parental donors for pediatric living donor liver transplantation
Nam-Joon Yi (Seoul National University College of Medicine, Korea)
- WS03-2 Where Is the Edge of the Cliff?: Finding the Absolute Contraindication of Marginal Donors and Exploring the Indication of Machine Perfusion Techniques
Kazunari Sasaki (Division of Abdominal Organ Transplant, Stanford University School of Medicine, USA)
- WS03-3 Management Strategies for Marginal Donors in Liver Transplantation at Hiroshima University Hospital
Ryosuke Nakano (Department of Gastroenterological Surgery, Hiroshima University Hospital, Japan)
- WS03-4 Risk factors of elderly donor for living donor liver transplantation
Junichiro Kawamoto (Department of Surgery, Keio University School of Medicine, Japan)
- WS03-5 The impact of preoperative living donor weight reduction on postoperative outcomes
Shohei Yoshiya (Department of Surgery and Science, Kyushu University, Japan)
- WS03-6 Clinical Significance of Grade A Small-for-Size Syndrome after Living-Donor Liver Transplantation Using the New Definition of Diagnostic Criteria: An International Multicenter Study
Hye-Sung Jo (Division of HBP Surgery and Liver Transplantation, Department of Surgery, Korea University College of Medicine, Seoul, South Korea)
- WS03-7 Introduction of a machine perfusion for marginal donor graft considering the current state of liver transplantation in Japan
Akihiko Soyama (Department of Innovative Surgical Technology, Nagasaki University Graduate School of Biomedical Sciences / Department of Surgery, Nagasaki University Graduate School of Biomedical Sciences, Japan)

Workshop 4

June 28 (Fri.) 9:30-11:00 [Room 2 (B2F Dahlia 1)]

Defining the borderline resectable for hepatocellular carcinoma from the perspective of both tumor factors and liver function

Moderators: Susumu Eguchi (Nagasaki University Graduate School of Biomedical Sciences, Japan)

Keiji Sano (Department of Surgery, Teikyo University School of Medicine, Japan)

Discussant: Norihiro Kokudo (National Center for Global Health and Medicine, Japan)

- WS04-1 Defining the borderline resectable for hepatocellular carcinoma
Koo Jeong Kang (Keimyung University Dongsan Hospital, Korea)
- WS04-2 Clinical impact of technical and oncological grades of resectability on surgical outcomes of hepatocellular carcinoma
Junichi Shindoh (Department of Gastroenterological Surgery, Toranomon Hospital, Japan)
- WS04-3 Assessment of resectability of hepatocellular carcinoma using oncological factors and the VIPP score, a prediction model for post-hepatectomy liver failure: A multicenter retrospective analysis
Ko Oshita (Department of Gastroenterological Surgery, Hiroshima University Hospital, Japan)

- WS04-4 Reconsideration of resectability classification for hepatocellular carcinoma based on oncologic factors and ALBI grade.
Kei Kitamura (Department of digestive surgery, Saitama Prefectural Cancer Center, Japan)
- WS04-5 A retrospective study on the resectability of hepatocellular carcinoma with oncological criteria and liver function
Yoshifumi Iwagami (Department of Gastroenterological Surgery, Graduate School of Medicine, Osaka University, Japan)
- WS04-6 A Proposal of an Integrated Staging System for Predicting Prognosis and Identifying Borderline Resectable Hepatocellular Carcinoma Patients: Combining preoperative ALBI Grade and AFP Values
Takatsugu Matsumoto (Department of HBP Surgery, Dokkyo Medical University, Japan)
- WS04-7 Treatment outcomes of hepatectomy and systemic chemotherapy based on the oncological criteria of resectability
Shohei Komatsu (Department of Surgery, Division of Hepato-Biliary-Pancreatic Surgery, Kobe University Graduate School of Medicine, Japan)
- WS04-8 External Validation of Oncologic Criteria of Borderline Resectable Hepatocellular Carcinoma by 2023; Importance of Macrovascular Invasion
Tomoaki Yoh (Department of Surgery, Kyoto University, Japan)
- WS04-9 Proposal Process of Oncological Resectability Criteria for Hepatocellular Carcinoma in the Era of Novel Systemic Therapies
Keiichi Akahoshi (Department of Hepatobiliary and Pancreatic Surgery, Tokyo Medical and Dental University, Japan)
- WS04-10 Preoperative Prediction of Very Early Recurrence of Hepatocellular Carcinoma Outside Milan Criteria
Satoshi Yasuda (Nara Medical University, Japan)

Workshop 5

June 29 (Sat.) 8:50-10:20 [Room 4 (B2F Cosmos 1)]

Treatment Strategies for Peritoneal Cytology Positive Pancreatic Cancer

Moderators: Ippei Matsumoto (Department of Surgery, Kindai University Faculty of Medicine, Japan)
Sohei Satoi (Department of Pancreatobiliary Surgery, Kansai Medical University, Japan)

- WS05-1 Treatment strategy for pancreatic cancer with positive peritoneal cytology
Masamichi Mizuma (Department of Surgery, Tohoku University, Japan)
- WS05-2 Appropriate treatment strategy for pancreatic cancer by preoperative prediction of positive peritoneal cytology
Tomohiro Yoshimura (Second Department of Surgery, School of Medicine, Wakayama Medical University, Japan)
- WS05-3 Clinical impact of high-quality liquid biopsy for peritoneal lavage cytology in pancreatic cancer
Masahiro Tanemura (Department of Surgery, Rinku General Medical Center, Japan)
- WS05-4 Re-examination of peritoneal washing cytology for surgical resection-intended pancreatic cancer cases: High CA19-9 or DUPAN-2 levels may be CY-positive.
Hideki Takami (Department of Gastroenterological Surgery, Nagoya University Graduate School of Medicine, Japan)
- WS05-5 Timing and patient selection for staging laparoscopy in pancreatic cancer
Kenta Baba (Department of Gastroenterological Surgery, Hiroshima University Hospital, Japan)

- WS05-6 Treatment strategies for pancreatic cancer with positive peritoneal washing cytology
Mina Fukasawa (Department of Surgery and Science Faculty of Medicine, Academic Assembly,
University of Toyama, Japan)

Workshop 6

June 29 (Sat.) 8:50-10:20 [Room 5 (B2F Cosmos 2)]

Surgical treatment strategies for hepatocellular carcinoma with extrahepatic lesions.

Moderators: Taku Aoki (Department of Hepato-Biliary-Pancreatic Surgery, Dokkyo Medical University, Japan)
Takumi Fukumoto (Department of Surgery, Kobe University, Japan)

Special Remarks: Katsuhiko Yanaga (International University of Health and Welfare, Graduate School of Medicine,
Japan)

- WS06-1 Surgery for Recurrent Hepatocellular Carcinoma with Extrahepatic Metastasis
Tomoaki Yoh (Department of Surgery, Graduate School of Medicine, Kyoto University, Japan)
- WS06-2 Clinical significance of hepatectomy for hepatocellular carcinoma associated with lymph node and/
or distant metastases
Kenji Fukushima (Department of Surgery, Division of Hepato-Biliary-Pancreatic Surgery, Kobe
University Graduate School of Medicine, Japan)
- WS06-3 Cytoreduction surgery with or without hyperthermic intraperitoneal chemotherapy for peritoneal
metastasis of hepatocellular carcinoma in Japan
Kenya Yamanaka (Department of Surgery, Shiga General Hospital / Department of Surgery, Hyogo
Prefectural Amagasaki General Medical Center, Japan)
- WS06-4 Outcomes of Resected Extrahepatic Lesions in Hepatocellular Carcinoma with Distant Metastasis: A
Multicenter Retrospective Study
Michinori Hamaoka (Department of Gastroenterological Surgery, Hiroshima Prefectural Hospital /
Hiroshima Surgical study group of Clinical Oncology (HiSCO), Japan)
- WS06-5 Results of preoperative chemotherapy and aggressive re-resection for extrahepatic metastasis of
hepatocellular carcinoma
Nobuyuki Takemura (Hepato-Biliary Pancreatic Surgery Division, Department of Surgery, NCGM,
Japan)
- WS06-6 Surgical treatment for extrahepatic metastases of hepatocellular carcinoma
Chikato Koga (Department of Surgery, Kindai University Nara Hospital, Japan)
- WS06-7 Comparing Clinical Outcomes Between PD-1 and PD-L1 Inhibitors Plus Bevacizumab Combined
with Hepatic Arterial Interventional Therapies in Unresectable Hepatocellular Carcinoma
Yangxun Pan (Sun Yat-sen University Cancer Center, Guangzhou, China)

Workshop 7

June 29 (Sat.) 8:50-10:20 [Room 6 (B2F Ran 1)]

Innovative and up-to-date approaches to pancreas transplantation surgical techniques

Moderators: Hidetoshi Eguchi (Department of Gastroenterological Surgery, Graduate School of Medicine, Osaka
University, Japan)

Keiichi Okano (Department of Gastroenterological Surgery, Kagawa University, Japan)

Special Remarks: Yasuyuki Suzuki (Hyogo Prefectural Awaji Medical Center, Japan)

- WS07-1 New insights and innovations in surgical techniques for pancreas transplantation
Keizo Kaku (Department of Surgery and Oncology, Graduate School of Medical Sciences, Kyushu
University, Fukuoka, Japan)

- WS07-2 Optimal approaches to minimize complications in pancreas transplantation
Yoshihide Nanno (Department of Surgery, Division of HBP Surgery, Kobe University Graduate School of Medicine, Japan)
- WS07-3 Challenges and Innovations in Pancreas Transplantation as a Multiple Transplants
Taihei Ito (Department of Transplantation and Regenerative Medicine, Fujita Health University, Japan)
- WS07-4 Our innovation in surgical procedures and its outcomes in pancreas transplantation
Yoshito Tomimaru (Department of Gastroenterological Surgery, Osaka University, Japan)
- WS07-5 Innovations and changes in pancreas transplant surgery techniques aimed at reducing complications
Hiroyuki Tahara (Department of Gastroenterological Surgery, Hiroshima University Hospital, Japan)
- WS07-6 Initial results from introduction of pancreas transplant.
Akira Maki (Saitama Medical University Medical Center, Japan)

Workshop 8

June 29 (Sat.) 10:30-12:00 [Room 2 (B2F Dahlia 1)]

Pre-transplant anti-tumour therapy in liver transplantation for hepatocellular carcinoma

Moderators: Shintaro Yagi (Department of Hepato-Biliary-Pancreatic Surgery and Transplantation, Kanazawa University, Japan)

Tomoharu Yoshizumi (Department of Surgery and Science, Kyushu University, Japan)

Discussant: Wei-Chen Lee (Division of Liver and Transplantation Surgery, Department of General Surgery, Chang-Gung Memorial Hospital, LinKou, Taoyuan, Taiwan)

- WS08-1 Pre-transplant anti-tumor therapy in liver transplantation for hepatocellular carcinoma
Wei-Chen Lee (Division of Liver and Transplantation Surgery, Department of General Surgery, Chang-Gung Memorial Hospital, LinKou, Taoyuan, Taiwan)
- WS08-2 Impact of bridging and downstaging therapy for hepatocellular carcinoma toward liver transplantation
Shinya Okumura (Division of HBP surgery and transplantation, Department of surgery, Kyoto University, Japan)
- WS08-3 Response for pre-transplant treatment significantly affects outcome of living donor liver transplantation for hepatocellular carcinoma
Norio Kawamura (Department of Transplant Surgery, Hokkaido University Graduate School of Medicine, Japan)
- WS08-4 The prognostic value of preoperative antitumor therapy in HCC liver transplantation
Kazuki Sasaki (Osaka University, Graduate School of Medicine, Department of Gastroenterological Surgery, Japan)
- WS08-5 Downstaging strategy and outcome focused on Japanese Criteria in living-donor liver transplantation for hepatocellular carcinoma
Takeo Toshima (Department of Surgery and Science, Kyushu University, Japan)
- WS08-6 Outcomes of Liver Transplantation vs. Resection in Hepatocellular Carcinoma: A Longitudinal Study
Masahiro Ohira (Department of Gastroenterological Surgery, Hiroshima University Hospital, Japan)

Workshop 9

June 29 (Sat.) 10:30-12:00 [Room 3 (B2F Dahlia 2)]

Defining borderline resectable (BR) and unresectable (UR) in biliary tract cancer

Moderators: Shugo Mizuno (Department of Hepatobiliary Pancreatic & Transplant Surgery, Mie University, Japan)
Hiroaki Nagano (Department of Gastroenterological, Breast and Endocrine Surgery, Yamaguchi University Graduate School of Medicine., Japan)

Discussant: Masato Nagino (Department of Surgery, Daido Hospital, Japan)

Special Remarks: Masato Nagino (Department of Surgery, Daido Hospital, Japan)

WS09-1 Exploring the Definition of Borderline Resectable Extrahepatic Cholangiocarcinoma through Analysis of Factors Influencing Postoperative Recurrence in Surgically Resectable Patients

Akira Kenjo (Department of Hepato-Biliary-Pancreatic and Transplant Surgery, Fukushima Medical University, Japan)

WS09-2 Proposal of criteria for resectability in gallbladder cancer

Jun Sakata (Division of Digestive and General Surgery, Niigata University Graduate School of Medical and Dental Sciences, Japan)

WS09-3 The preoperative staging system may forecast a borderline resectable intrahepatic cholangiocarcinoma

Hisashi Kosaka (Department of Surgery, Kansai Medical University, Japan)

WS09-4 The impact of resection margin positive according to lymph node metastasis status in survival of perihilar cholangiocarcinoma.

Poowanai Sarkhampee (Sunpasitthiprasong Hospital, Ubon Ratchathani, Thailand)

WS09-5 Attempt to Extract Borderline Resectable Cases of Perihilar Cholangiocarcinoma: Evaluation Based on Postoperative Outcomes of Resected Cases

Daisaku Yamada (Department of Gastroenterological surgery, Graduate school of medicine, Osaka university, Japan)

WS09-6 Preoperative Predictive Factors for Pathological Lymph Node Metastasis in Perihilar Cholangiocarcinoma and Their Impact on Prognosis

Shimpei Otsuka (Division of hepato-biliary-pancreatic surgery, Shizuoka Cancer Center, Japan)

WS09-7 The definition of "Borderline Resectable" in perihilar cholangiocarcinoma

Takahiro Mizui (Department of Hepatobiliary and Pancreatic Surgery National Cancer Center Hospital, Japan)

WS09-8 Impact of anatomical resectability classification based on tumor biliary and vascular extensions in localized perihilar cholangiocarcinoma

Naohisa Kuriyama (Department of Hepatobiliary Pancreatic and Transplant Surgery, Mie University Graduate School of Medicine, Japan)

WS09-9 Borderline resectable perihilar cholangiocarcinoma based on liver function and remnant liver volume

Shiori Yamazaki (Division of Gastroenterological, Hepato-Biliary-Pancreatic, Transplantation and Pediatric Surgery, Department of Surgery, Shinshu University School of Medicine, Japan)

Workshop 10

June 29 (Sat.) 10:30-12:00 [Room 4 (B2F Cosmos 1)]

Diagnostic and therapeutic strategies for Intraductal Papillary Neoplasm with an associated invasive carcinoma of the pancreas

Moderators: Masafumi Nakamura (Department of Surgery and Oncology Graduate School of Medical Sciences Kyushu University, Japan)

Takao Ohtsuka (Department of Digestive Surgery, Kagoshima University, Japan)

Discussant: Marco Del Chiaro (Division of Surgical Oncology, Department of Surgery, University of Colorado School of Medicine, Colorado, USA)

- WS10-1 Diagnostic and therapeutic strategies for Intraductal Papillary Neoplasm with an associated invasive carcinoma of the pancreas.
Marco Del Chiaro (Division of Surgical Oncology, Department of Surgery, University of Colorado School of Medicine, Colorado (USA))
- WS10-2 Validation of the International Association of Pancreatology (IAP) 2023 Guidelines on Resection Strategies for Branch-Duct (BD) or Mixed-type Intraductal Papillary Mucinous Neoplasms (IPMN)
Hye-Sol Jung (Department of Surgery and Cancer Research Institute, Seoul National University Hospital, Seoul, South Korea)
- WS10-3 The size of main pancreatic duct and the serum level of CA19-9 represent lymph node metastasis in IPMC
Yasuhide Kofunato (Department of Hepato-Biliary-Pancreatic and Transplant Surgery, Fukushima Medical University, Japan)
- WS10-4 Predictors and treatment strategy for invasive intraductal papillary mucinous carcinoma
Seiko Hirono (Division of Hepato-Biliary-Pancreatic Surgery, Department of Gastroenterological Surgery, Hyogo Medical University, Japan)
- WS10-5 Treatment outcomes and clinicopathological analysis of intraductal papillary mucinous neoplasm (IPMN) associated invasive carcinoma.
Takashi Mishima (Department of General Surgery, Graduate School of Medicine, Chiba University, Japan)
- WS10-6 Current status of our management of invasive carcinoma associated with IPMN in comparison to conventional PDAC.
Noboru Ideno (Department of Surgery and Oncology, Graduate School of Medical Sciences, Kyushu University, Japan)
- WS10-7 The clinicopathological characteristics and prognostic impact for invasive intraductal papillary mucinous carcinoma patients who underwent curative surgery
Ryuta Shintakuya (Department of Gastroenterological Surgery, Hiroshima University Hospital, Japan)
- WS10-8 Optimal diagnostic and treatment strategies for pancreatic invasive ductal carcinoma derived from intraductal papillary mucinous neoplasm. -A Review of Resected 202 IPMN cases-
Yoshiki Fujiyama (Department of General Pediatric Hepatobiliary Pancreatic Surgery, Kitasato University, Japan)
- WS10-9 Impact of nodal status of intraductal papillary mucinous carcinoma (IPMC) on the long-term outcomes after surgical resection
Hiromichi Ito (Division of HBP Surgery, Cancer Institute Hospital, Japan)
- WS10-10 The significance of perioperative chemotherapy for intraductal papillary mucinous neoplasm with an associated invasive carcinoma
Yusuke Kazami (Hepato-Biliary-Pancreatic Surgery Division, Department of Surgery, Graduate School of Medicine, The University of Tokyo, Japan)

- WS10-11 Adjuvant chemotherapy after pancreatectomy for invasive intraductal papillary mucinous neoplasm
Yoshinori Takeda (Department of Hepatobiliary-Pancreatic Surgery, Juntendo University, Japan)

Workshop 11

June 29 (Sat.) 13:10-14:40 [Room 2 (B2F Dahlia 1)]

Challenging the limits of resection for locally advanced liver cancer: Ex-situ, and Ante-situ liver resection

Moderators: Shigeru Marubashi (Department of Hepato-Biliary-Pancreatic and Transplant Surgery, Fukushima Medical University, Japan)

Hideki Ohdan (Department of Gastroenterological Surgery, Hiroshima University Hospital, Japan))

Discussant: Karl J. Oldhafer (Division of HBP Surgery, Asklepios Hospital Barmbek, Semmelweis University, Campus Hamburg, Germany)

- WS11-1 Experience with Ante-situm and In.-situ Liver Resections.
Karl J. Oldhafer (Division of HBP Surgery, Asklepios Hospital Barmbek, Semmelweis University, Campus Hamburg, Germany)
- WS11-2 Liver resection under total hepatic vascular exclusion with or without in situ hypothermic isolated hepatic perfusion: Surgical indications, strategies, and techniques
Hiroshi Sadamori (Department of Surgery, Fukuyama City Hospital, Japan)
- WS11-3 Liver resection for patients with cancer invasion into the root of three main hepatic veins and IVC
Yu Sawada (Department of Gastroenterological Surgery, Yokohama City University Graduate School of Medicine, Japan)
- WS11-4 Experience with in vivo partial hepatectomy followed by ex vivo liver resection and autotransplantation for locally advanced liver cancer
Tsuyoshi Kobayashi (Department of Gastroenterological Surgery, Hiroshima University Hospital, Japan)

Workshop 12

June 29 (Sat.) 14:50-16:20 [Room 2 (B2F Dahlia 1)]

Experience with genome-informed surgical treatment of the HBP cancer

Moderators: Yasutsugu Takada (JCHO Yamatokoriyama Hospital, Japan)

Toshifumi Wakai (Division of Digestive and General Surgery, Niigata University, Japan)

Special Remarks: Jiro Fujimoto (Osaka Heavy Ion Therapy Center, Japan)

- WS12-1 Experience with genome-informed surgical treatment of the HBP cancer
Joon Seong Park (Department of Surgery, Seoul National University, Seoul, Korea)
- WS12-2 Next Generation Sequencing and treatment strategies for biliary tract cancer
Kei Nakagawa (Department of Surgery, Tohoku University, Japan)
- WS12-3 Metastatic Forms of Hepatocellular Carcinoma from Longitudinal Genomic Analysis
Shuichi Watanabe (Hepatobiliary and Pancreatic Surgery, Tokyo Medical and Dental University, Japan / Molecular Oncology, Tokyo Medical and Dental University, Japan)
- WS12-4 Therapeutic strategy of gastroenteropancreatic neuroendocrine neoplasms(GEP-NENs) based on comprehensive genomic profiling tests.
Suguru Miyazawa (Department of Hepatobiliary and Pancreatic Surgery, Tokyo Medical and Dental University, Japan)

- WS12-5 Current status in the application of cancer genomic profiling to pancreatic cancer treatment
Takayuki Anazawa (Department of Surgery, Kyoto University, Japan)
- WS12-6 Clinical outcomes of genomic medicine and conversion surgery for pancreatic cancer
Ryo Muranushi (Department of Surgery and Science, Faculty of Medicine, Academic Assembly,
University of Toyama, Japan)

■ Video Workshop

Video Workshop 1

June 28 (Fri.) 9:30-11:00 [Room 1 (B2F Phoenix Hall)]

Liver transplantation for polycystic liver disease: techniques and innovations

Moderators: Masahiro Shinoda (Digestive Disease Center, Mita Hospital, International University of Health and Welfare, Japan)

Akinobu Taketomi (Department of Gastroenterological Surgery, Hokkaido University, Japan)

Special Remarks: Hiroto Egawa (Hamamatsu Rosai Hospital, Japan)

- VWS01-1 Technical tips of living donor liver transplantation using left liver graft for polycystic liver disease.
Mitsuhisa Takatsuki (Department of Digestive and General Surgery, University of the Ryukyus, Japan)
- VWS01-2 A case of liver transplant recipient with a giant multiple liver cyst excised by splitting
Hiroshi Sakai (Department of Gastroenterological Surgery, Hiroshima University Hospital, Japan)
- VWS01-3 Living donor liver transplant for polycystic liver disease
Katsunori Sakamoto (Department of Surgery, Ehime University, Japan)
- VWS01-4 Early high hilar dissection makes the total hepatectomy easier in the living donor liver transplantation for polycystic liver disease
Koichiro Haruki (Division of Hepatobiliary and Pancreatic Surgery, Department of Surgery, The Jikei University School of Medicine, Japan)
- VWS01-5 En bloc excision of a giant polycystic liver with hepatic cava and its auto-transplant caval reconstruction as a safe surgical procedure for liver transplantation
Koichiro Hata (Dept of Surgery, Kyoto City Hospital, Japan)
- VWS01-6 Extracorporeal circulation in liver transplantation for polycystic liver disease
Masato Kamiyama (Department of Surgery, Keio University School of Medicine, Japan)
- VWS01-7 Liver Transplantation for the patients with Polycystic liver disease (PLD)
Yoshihito Kotera (Department of Hepato-Biliary-pancreatic surgery, Juntendo University, Japan /
Department of Surgery, Institute of Gastroenterology, Tokyo Women's Medical University, Japan)

Video Workshop 2

June 28 (Fri.) 13:20-14:50 [Room 3 (B2F Dahlia 2)]

Knack and pitfalls of liver resection requiring biliary reconstruction and vascular resections

Moderators: Masayuki Ohtsuka (Department of General Surgery, Graduate School of Medicine, Chiba University, Japan)

Katsuhiko Uesaka (Division of Hepato-Biliary-Pancreatic Surgery, Shizuoka Cancer Center, Japan)

Discussant: Karl J. Oldhafer (Division of HBP Surgery, Asklepios Hospital Barmbek, Semmelweis University, Campus Hamburg, Germany)

VWS02-1 The significance of vascular combined resection and reconstruction for locally advanced perihilar cholangiocarcinoma

Ryusei Matsuyama (Department of Gastroenterological Surgery, Yokohama City University, Japan)

VWS02-2 Radical hepatectomy with reconstruction of inferior vena cava using peritoneal tubular graft

Mamiko Miyashita (Department of Hepatobiliary-Pancreatic Surgery, Juntendo University Graduate School of Medicine, Japan)

VWS02-3 Technique and Perioperative Outcome of Left Hepatectomy Combined with Vascular Resection for Perihilar Cholangiocarcinoma in our Department

Kimitaka Tanaka (Department of Gastroenterological surgery 2, Hokkaido University Faculty of Medicine, Japan)

VWS02-4 Knack and pitfalls of major hepatectomy with combined vascular resection for perihilar cholangiocarcinoma

Yu Takahashi (Division of Hepatobiliary and Pancreatic Surgery, Cancer Institute Hospital of the Japanese Foundation for Cancer Research, Japan)

VWS02-5 Surgical outcomes of major hepatectomy with combined hepatic artery resection and reconstruction for perihilar cholangiocarcinoma

Teiichi Sugiura (Division of Hepato-Biliary-Pancreatic Surgery, Shizuoka Cancer Center, Japan)

VWS02-6 Left hepatic trisectionectomy combined with vascular resection for biliary cancer

Shoji Kawakatsu (Division of Surgical Oncology, Department of Surgery, Nagoya University Graduate School of Medicine, Japan)

Video Workshop 3

June 29 (Sat.) 8:50-10:20 [Room 7 (B2F Ran 2)]

Surgical techniques in liver resection for giant hepatic haemangiomas

Moderators: Atsushi Nanashima (Department of Surgery, University of Miyazaki, Japan)

Satoru Seo (Department of Surgery, Kochi Medical School, Japan)

Special Remarks: Yonson Ku (Konan Medical Center, Japan)

VWS03-1 Pure laparoscopic right hemihepatectomy for huge hemangioma using the caudodorsal side approach

Kazuyasu Shinmura (Department of gastroenterological surgery, Saitama Red Cross Hospital, Japan)

VWS03-2 Laparoscopic liver resection for giant liver hemangioma

Marie Uchida (Department of Gastroenterology and General Surgery, Showa University, Japan)

VWS03-3 Usefulness of the laparoscopic liver resection for the huge hemangioma

Akishige Kanazawa (Hepato-Biliary-Pancreatic Surgery, Osaka City General Hospital, Japan)

VWS03-4 Minimally invasive liver surgery for Giant hemangioma: a study of 17 cases

Takashi Kaizu (Kitasato University Medical Center, Japan)

- VWS03-5 Surgery for giant liver hemangioma
Nobuyuki Watanabe (Division of Surgical Oncology, Nagoya University, Japan)
- VWS03-6 9-years outcomes after liver resection for giant and enormous hepatic hemangioma: A single center experience in Vietnam
Hieu Trung Le (108 Military Central Hospital, Hanoi, Vietnam)
- VWS03-7 Usefulness of volume reduction surgery in giant hemangioma
Yosuke Namba (Department of Gastroenterological Surgery, Hiroshima University Hospital, Japan)
- VWS03-8 Our experience with hepatic resection for giant hepatic hemangiomas
Tatsuhiko Kakisaka (Department of Gastroenterological Surgery I, Hokkaido University Graduate School of Medicine, Japan)

Video Workshop 4

June 29 (Sat.) 10:30-12:00 [Room 6 (B2F Ran 1)]

Standardize minimally invasive surgery for biliary disease

Moderators: Minoru Kitago (Department of Surgery, Keio University School of Medicine, Japan)
Toshio Nakagohri (Department of Surgery, Shiroy Seijinkai Hospital, Japan)

- VWS04-1 Minimally invasive surgery for preoperative and postoperatively diagnosed gallbladder cancers
Yoo-Seok Yoon (Department of surgery, Seoul National University Bundang Hospital, Korea)
- VWS04-2 The laparoscopic approach to secure the cystic plate as the landmark of gallbladder dissection for suspected gallbladder cancer
Yuta Kimura (Department of Gastroenterological, Breast and Endocrine Surgery, Yamaguchi University Graduate School of Medicine, Japan)
- VWS04-3 Treatment strategy aiming the standardization of minimally invasive surgery for suspected gallbladder cancer
Yuki Kitano (Department of Gastroenterological Surgery, Kumamoto University, Japan)
- VWS04-4 Standardization of pure laparoscopic extended cholecystectomy with en-bloc lymphadenectomy of the hepatoduodenal ligament for gallbladder cancers
Akira Umemura (Department of Surgery, Iwate Medical University, Japan)
- VWS04-5 Surgical outcome of robotic and laparoscopic bile duct resection for congenital biliary dilatation
Akira Matsushita (Department of Gastrointestinal and Hepato-Biliary- Pancreatic Surgery, Nippon Medical School, Japan)
- VWS04-6 Minimally invasive surgery for congenital biliary dilatation: Laparoscopic vs Robotic surgery
Yusuke Watanabe (Department of Surgery and Oncology, Kyushu University, Japan)
- VWS04-7 Total Robotic Resection of Choledochal Cyst with Roux-en-Y Hepaticojejunostomy in Adults: Initial Experience
Vaibhav Kumar Varshney (Department of Surgical Gastroenterology, All India Institute of Medical Sciences, Jodhpur, India)
- VWS04-8 Surgical introduction and treatment outcomes for congenital Biliary Dilation
Chie Takishita (Department of Surgery, Toda Chuo General Hospital / Department of Gastrointestinal and Pediatric Surgery, Tokyo Medical University, Japan)

Video Workshop 5

June 29 (Sat.) 13:10-14:40 [Room 3 (B2F Dahlia 2)]

Surgical approach to pancreatic cancer with arterial contact or invasion

Moderators: Takashi Hatori (Digestive Disease Center, International University of Health and Welfare, Mita Hospital, Japan)

Akio Saiura (Department of Hepatobiliary-Pancreatic Surgery, Juntendo University, Japan)

Discussant: Masaru Miyazaki (Mita Hospital, International University of Health and Welfare / Department of Surgery of IUHW / Chiba University, Japan)

VWS05-1 Pancreatic Cancer Involvement of the Superior Mesenteric Artery: Irradiate, Divest or Resect?

Christopher L. Wolfgang (Division of Hepatobiliary and Pancreatic Surgery, NYU Langone Health, NYU Langone Medical Center, USA)

VWS05-2 Necessity of nerve plexus dissection for pancreatic cancer with contact to the SMA

Katsuhisa Ohgi (Division of Hepato-Biliary-Pancreatic Surgery, Shizuoka Cancer Center, Japan)

VWS05-3 Optimal surgical approach to arterial involvement in pancreatic cancer -arterial resection vs divestment-

Kenjiro Okada (Department of Gastroenterological Surgery, Hiroshima University Hospital, Japan)

VWS05-4 Case presentation of surgery in locally advanced pancreatic cancer with SMA and SMV resection

Asif Halimi (Umeå University Hospital, Umeå, Sweden)

VWS05-5 Outcome of pancreaticoduodenectomy with vascular reconstruction for pancreatic cancer

Hirokazu Momose (Department of Hepato-Biliary-Pancreatic Surgery, Kyorin University Hospital, Japan)

VWS05-6 Technique and result of arterial divestment and resection for locally advanced pancreatic cancer

Isamu Makino (Department of Hepato-Biliary-Pancreatic Surgery and Transplantation, Kanazawa University, Japan)

VWS05-7 The impact of distal pancreatectomy with en-bloc celiac axis resection for locally advanced pancreatic cancer

Akihiro Takeuchi (Department of Second Surgery, Wakayama Medical University, Japan)

VWS05-8 Aorto-common hepatic bypass with pancreaticoduodenectomy for celiac artery stenosis in borderline resectable carcinoma head of pancreas

Nirjhar Raj Rakesh (All India Institute of Medical Sciences, Rishikesh, Rishikesh, India)

Video Workshop 6

June 29 (Sat.) 13:10-14:45 [Room 4 (B2F Cosmos 1)]

Standardization of robot-assisted surgery for pancreatic cancer

Moderators: Yuichi Nagakawa (Department of Gastrointestinal and Pediatric Surgery, Tokyo Medical University, Japan)

Kohei Nakata (Department of Surgery, Kyushu University Hospital, Japan)

Discussant: Jin He (Johns Hopkins University School of Medicine, USA)

VWS06-1 Vascular Approaches in Robotic Pancreaticoduodenectomy

Jin He (Johns Hopkins University School of Medicine, USA)

VWS06-2 Usefulness of robot-assisted distal pancreatectomy for left-sided pancreatic cancer -Left Renal Vein First Approach-

Kenta Saito (Department of Gastroenterological surgery, Nagoya City University, Japan)

- VWS06-3 Robotic anastomosis in pancreaticoduodenectomy using the SP system compared to the Xi system
Yoo Jin Choi (Korea University Medical Center, Seoul, South Korea)
- VWS06-4 The technique and short-term outcome of robotic pancreaticoduodenectomy for pancreatic cancer
Yutaka Takeda (Department of Surgery, Kansai Rosai Hospital, Japan)
- VWS06-5 Initial outcomes of robotic pancreatectomy for pancreatic cancer
Kosei Takagi (Department of Gastroenterological Surgery, Okayama University Graduate School of Medicine, Dentistry, and Pharmaceutical Sciences, Japan)
- VWS06-6 Approaches from multiple directions including mesenteric approach for invasive PDAC during robotic pancreatoduodenectomy
Kohei Nakata (Department of Surgery and Oncology, Kyushu University, Japan)
- VWS06-7 Robot-assisted laparoscopic pancreatoduodenectomy for pancreas head cancer: concept of artery first approach
Kosuke Kobayashi (Division of Hepatobiliary and Pancreatic Surgery, Cancer Institute Hospital, Japanese Foundation for Cancer Research, Japan)
- VWS06-8 Mesenteric Approach Based on the Anatomical Patterns of the Jejunal Arteries and Veins in Robot-Assisted Pancreaticoduodenectomy
Yoshitaka Kiya (Department of Gastrointestinal and Pediatric Surgery, Tokyo Medical University, Japan)

Video Workshop 7

June 29 (Sat.) 13:10-14:40 [Room 6 (B2F Ran 1)]

Treatment strategies for bile duct injury after cholecystectomy

Moderators: Toshiki Rikiyama (Department of Surgery, Saitama Medical Center, Jichi Medical University, Japan)
Hiroaki Shimizu (Department of Surgery, Teikyo University Chiba Medical Center, Japan)

- VWS07-1 Treatment for stricture after accidental bilio-enteric anastomosis for biliary injury during laparoscopic cholecystectomy (LC).
Atsushi Takebe (Department of Surgery, Kindai Hospital, Japan)
- VWS07-2 Treatment strategy for two patients diagnosed as bile duct injury after cholecystectomy
Hiroyuki Nishino (Department of Surgery, Kyoto University, Japan)
- VWS07-3 The investigation of Bile Duct Injuries in laparoscopic cholecystectomy
Katsunori Matsushita (Department of Surgery, Toyonaka Municipal Hospital, Japan)
- VWS07-4 How to deal with bile duct injury recognized during laparoscopic cholecystectomy
Ryo Ga (Department of surgery, Nippon Medical School, Japan)
- VWS07-5 Management of Intraoperative Bile Duct Injury in Cholecystectomy
Tomohiro Kubo (Department of surgery, Nara Prefecture General Medical Center, Nara, Japan)
- VWS07-6 Treatment Strategy for Bile Duct Injury during Cholecystectomy
Kojiro Taura (Medical Research Institute, KITANO Hospital, Japan)
- VWS07-7 Prevention and Treatment of Bile Duct Injury During Cholecystectomy
Yasuhiro Morita (Department of Surgery, Tokyo Metropolitan Tama Medical Center, Japan)
- VWS07-8 Management of bile duct injury during or after laparoscopic cholecystectomy
Takuya Minagawa (Department of Hepato-Biliary-Pancreatic and Gastrointestinal Surgery, School of Medicine, International University of Health and Welfare, Japan)

VWS07-9 Experience in the management of referral cases of bile duct injuries in cholecystectomy at our institution

Takayuki Miura (Department of Surgery, Tohoku University, Japan)

VWS07-10 Management of vascular and bile duct injury for cholecystitis with severe inflammation

Mitsuyoshi Okazaki (The department of Hepato-Biliary-Pancreas surgery and Liver Transplantation, Kanazawa University Hospital, Japan)

Video Workshop 8

June 29 (Sat.) 14:50-16:20 [Room 3 (B2F Dahlia 2)]

Techniques for liver parenchymal transection in robot-assisted liver resection

Moderators: Osamu Itano (Department of Hepato-Biliary-Pancreatic & Gastrointestinal Surgery, International University of Health and Welfare, Japan)

Yutaro Kato (Department of Surgery, Fujita Health University Bantane Hospital, Japan)

Discussant: Brendan Visser (Department of Surgery, Stanford University, USA)

VWS08-1 Techniques for liver parenchymal transection in robot-assisted liver resection

Brendan Visser (Department of Surgery, Stanford University, USA)

VWS08-2 Current Trends in Hepatic Parenchymal Transection with Clamp Crush Technique Using Double Bipolar Method: Robotic-Assisted Liver Resection at Our Institution and Future Applications with Novel Robots

Masayuki Kojima (Department of Surgery, Fujita Health University, Japan)

VWS08-3 Hepatic parenchymal transection by Cranial Ventral Approach from the Root of middle hepatic vein in Robotic anatomical liver resection

Taku Iida (Department of Surgery, New Tokyo Hospital, Japan)

VWS08-4 Hepatic parenchymal dissection in robot-assisted hepatectomy "Pick and Crush Method" using continuous suction sponge and Maryland bipolar forceps

Yuta Abe (Department of Surgery, Keio University, Japan)

VWS08-5 Feasibility of CUSA assisted robotic major hepatectomy

Hiromitsu Hayashi (Department of Gastroenterological Surgery, Kumamoto University, Japan)

VWS08-6 Robotic liver parenchymal transection utilizing the saline-linked cautery (SLiC) method, with a special focus on the SLiC monopolar scissors technique

Takahisa Fujikawa (Dept of Surgery, Kokura Memorial Hospital, Japan)

VWS08-7 Surgical techniques of liver parenchymal transection in robot-assisted liver resection

Yukio Tokumitsu (Department of Gastroenterological, Breast and Endocrine Surgery, Yamaguchi University Graduate School of Medicine, Japan)

VWS08-8 Liver parenchyma transection in totally robotic liver surgery using the Robotic Harmonic curved shears

Takashi Hamada (Afdeling for Organkirurgi og Transplantation, Rigshospitalet, Denmark / Nagasaki University Graduate School of Biomedical Sciences, Japan)

VWS08-9 Robot-assisted liver resection using water jet device

Masayasu Aikawa (Saitama Medical University, International Medical Center, Japan)

Video Workshop 9

June 29 (Sat.) 15:00-16:30 [Room 4 (B2F Cosmos 1)]

Use and ingenuity of shunts and bypasses in liver transplant

Moderators: Toru Ikegami (Hepatobiliary and Pancreas Surgery, Department of Surgery, The Jikei University School of Medicine, Japan)

Mureo Kasahara (National Center for Child Health and Development, Japan)

Special Remarks: Hiroyuki Furukawa (Department of Surgery, Asahikawa Medical University, Japan)

VWS09-1 Practices and Strategies for Shunt Creation in Liver Transplantation

Ichiya Chogahara (Medical center for Translational and Clinical Research, Department of Gastroenterological Surgery, Hiroshima University Hospital, Japan)

VWS09-2 How to overcome the difficulty and severity using shunt procedure in liver transplantation

Shoichi Kageyama (Department of Surgery, Kyoto University, Japan)

VWS09-3 Extracorporeal circulation using a biotechnological pump in liver transplantation

Yasushi Hasegawa (Department of Surgery, Keio University School of Medicine, Japan)

VWS09-4 Liver transplantation using Venovenous bypass in the recipient with advanced hepatoblastoma

Mureo Kasahara (National Center for Child Health and Development, Japan)

■ Next Generation Program

Next Generation Program 1

June 28 (Fri.) 8:00-9:30 [Room 5 (B2F Cosmos 2)]

Liver resection by the surgeons of the next generation

Moderators: Yutaro Kato (Department of Surgery, Fujita Health University Bantane Hospital, Japan)

Tsuyoshi Sano (Department of Gastroenterological surgery, Aichi Medical University, Japan)

NGP01-1 What is the safe and shortest way to learn laparoscopic liver surgery? DSS-based training system and safety use of CUSA

Daisuke Asano (Department of HBP surgery, Tokyo Medical and Dental University, Japan)

NGP01-2 The way to be a board certified expert surgeon with laparoscopic liver resection. My preoperative preparation, training methods and ingenuity.

Jun Muto (Department of General Surgery, Kurashiki Central Hospital, Japan)

NGP01-3 Standardization of Laparoscopic Anatomical Liver Resection and Training System

Masashi Yoshimoto (Hiroshima City Hiroshima Citizens Hospital, Japan)

NGP01-4 How Can Young HBP Surgeon Trainees Make Progress in Minimal Invasive Surgery Era? Importance of Sustainable Training on Gastrointestinal Surgery

Hiroki Aoyama (Department of Gastroenterological Surgery, New Tokyo Hospital, Japan)

NGP01-5 Surgical training for liver surgery in the era of robotic surgery from trainees' point of view

Motohiko Yamada (Department of Gastroenterological Surgery, Okayama University Graduate School of Medicine, Dentistry, and Pharmaceutical Sciences, Japan)

NGP01-6 Safety donor hepatectomy by younger generation in our LDLT program

Kentaro Kadono (Kyoto University, Division of Hepatobiliary-Pancreatic Surgery and Transplantation, Japan)

Next Generation Program 2

June 28 (Fri.) 13:20-14:50 [Room 4 (B2F Cosmos 1)]

Meet the Japan-Korea U-45 HBP Surgeons; Past, Present, and Future

Moderators: Jeong-Ik Park (Ulsan University Hospital, University of Ulsan, Korea)

Tomoaki Yoh (Department of Surgery, Kyoto University, Japan)

NGP02-1 Recruitment and Training of sustainable HBP surgeons

Yasuko Matsuo (Department of Surgery, Nara Medical University, Japan)

NGP02-2 Initiatives at the Facility Level for Training the Next-Generation of Hepato-Biliary-Pancreatic Surgeons

Takanobu Hara (Department of Surgery, Nagasaki University Graduate School of Biomedical Sciences, Japan)

NGP02-3 Immune Cell Analysis in Pancreatic Cancer by KRAS Subtype

Dakyum Shin (Division of Hepato-Biliary-Pancreatic Surgery and Transplantation Surgery, Department of Surgery, Chosun University Hospital, Gwangju, Korea)

NGP02-4 Unusual Journey to be Usual HBP Surgeon

Young Mok Park (Pusan National University School of Medicine, Korea)

Next Generation Program 3

June 29 (Sat.) 13:10-14:40 [Room 7 (B2F Ran 2)]

Empowering Women in HPB Surgery: Expert Perspectives

Moderators: Seiko Hirono (Division of Hepato-Biliary-Pancreatic Surgery, Department of Gastroenterological Surgery, Hyogo Medical University, Japan)

Ken Shirabe (Division of Hepatobiliary pancreatic surgery, Gunma university, Japan)

Discussant: Julie K. Heimbach (Mayo Clinic College of Medicine, Rochester, MN, USA)

NGP03-1 Empowering Asian Women Surgeons through Professional Development

Monica Makiko Dua (Stanford University, Stanford, United States)

NGP03-2 A Quantitative analysis for performance of manipulation for laparoscopic instruments between genders: An ergonomic study

Hye-Sol Jung (Seoul National University Hospital, Seoul, South Korea)

NGP03-3 In the era of minimally invasive surgery, the current status of my career after getting the certificate

Chie Takishita (Department of Gastrointestinal and Pediatric Surgery, Tokyo Medical University / Department of Surgery, Toda Chuo General Hospital, Japan)

NGP03-4 Forging New Paths: Empowering young female surgeons in the HBP surgical Field

Hiroko Okinaga (Department of Hepato-Biliary-Pancreatic Surgery, Tokyo Metropolitan Cancer and Infectious Diseases Center Komagome Hospital, Japan)

NGP03-5 Barriers to Choosing Hepatobiliary Pancreatic Surgery for Female Physicians: Insights from Survey Analysis

Ikumi Hamano (Department of Surgery, Keio University, Japan)

NGP03-6 Gender diversity in HPB surgery in Europe

Barbara M. Zonderhuis (Department of HPB Surgery, Amsterdam University Medical Center, The Netherlands)

NGP03-7 Need HPB surgery: your surgeon won't be a woman

Aiste Gulla (Department of Surgery, Vilnius University, Vilnius, Lithuania / Department of Surgery, School of Medicine and Health Sciences, The George Washington University, Washington DC, USA)

Next Generation Program 4

June 29 (Sat.) 14:50-16:10 [Room 6 (B2F Ran 1)]

Pancreatic resection by the surgeons of the next generation

Moderators: Daisuke Ban (Department of Hepatobiliary and Pancreatic Surgery, National Cancer Center Hospital, Japan)

Keiichi Okano (Department of Gastroenterological Surgery, Kagawa University, Japan)

NGP04-1 My career development as chief of Upper GI surgery and pancreatic surgeon doing vascular resections at the age of 35 years

Asif Halimi (Umeå University Hospital, Umeå, Sweden)

NGP04-2 How can we learn to safely perform laparoscopic distal pancreatectomy with limited opportunities of on-site training?

Hitoe Nishino (Department of General Surgery, Chiba University, Japan)

NGP04-3 Training and qualification initiatives for pancreatectomy in our hospital

Toru Watanabe (Department of Surgery and Science, Faculty of Medicine, Academic Assembly, University of Toyama, Japan)

NGP04-4 Our training of pancreatic surgery to acquire board certification of hepatobiliary pancreatic surgery and endoscopic surgery

Nobuhiko Nakagawa (Department of Surgery, Nagoya University, Japan)

NGP04-5 Comprehensive Education for Advanced Pancreatic Surgery: Expanding Expertise Beyond Pancreatic Resections

Kei Yamane (Division of Hepato-Biliary-Pancreatic surgery and Transplantation, Department of Surgery, Graduate School of Medicine, Kyoto University, Japan)

NGP04-6 Establishment of preoperative difficulty assessment of pancreaticoduodenectomy procedure for the education of young surgeons

Yutaro Kikuchi (Department of Gastroenterological Surgery Yokohama City University School of Medicine, Japan)

NGP04-7 Difficulty factor and learning curve analysis for pancreaticoduodenectomy performed by trainee of board-certified expert hepato-biliary-pancreatic surgeons: A multicenter, cohort study of 448 PD

Tomokazu Fuji (Department of Gastroenterological Surgery, Okayama University Graduate School of Medicine Dentistry and Pharmaceutical Sciences, Okayama, Japan)

NGP04-8 Experience of laparoscopic pancreatectomy for next-generation hepato-biliary-pancreatic surgeons

Shigeki Nakagawa (Dep. of GEsurg, Kumamoto University Hospital, Japan)

■ English presentation skill up session

English presentation skill up session 1

June 29 (Sat.) 13:10-14:10 [Room 9 (B1F Conference Management Room 5+6)]

English presentation skill up session for young HPB surgeons

Moderator: Mitsuhsu Takatsuki (Department of Digestive and General Surgery, University of the Ryukyus, Japan)

Native English Communicator: Clive S. Langham (Nihon University School of Dentistry, Japan)

EPS01-1 Pancreatoduodenectomy for intraductal papillary mucinous carcinoma after prior Peustow procedure: A case report

Yuiko Nagasawa (Department of Gastroenterological and Pediatric Surgery, Oita University Faculty of Medicine, Oita, Japan)

EPS01-2 The efficacy of laparoscopy-assisted transduodenal papillectomy for neoplasms of ampulla of Vater.

Hiroataka Yuki (Department of Gastrointestinal Surgery, Ishikawa Prefectural Central Hospital, Japan)

EPS01-3 Gallbladder Metastasis of Malignant Fibrous Histiocytoma: The First Case Report

Takeshi Sakata (Department of Surgery, Nara Medical University, Japan)

EPS01-4 A case of right hepatectomy for primary hepatic neuroendocrine carcinoma

Shinta Nagano (Department of surgery, Meiwa hospital, Japan)

EPS01-5 The Comparison of Postoperative Recovery After Advanced Hepatectomies Between Open and Laparoscopic Approach

Keisuke Okura (Department of Surgery, Graduate School of Medicine, Kyoto University, Japan)

English presentation skill up session 2

June 29 (Sat.) 14:10-15:10 [Room 9 (B1F Conference Management Room 5+6)]

English presentation skill up session for young HPB surgeons

Moderator: Yoshihiro Sakamoto (Department of Hepato-Biliary-Pancreatic Surgery, Kyorin University Hospital, Japan)

Native English Communicator: Raoul Breugelmanns (Department of English, Kansai Medical University, Japan)

EPS02-1 A case of mixed acinar-neuroendocrine cell carcinoma arising from the ectopic pancreas in the duodenum

Katsuki Miyazaki (Department Of Surgery, Takamatsu Municipal Hospital, Japan)

EPS02-2 A case of sickle cell disease with repeated attacks of anemia treated with splenectomy

Mayuko Ohara (Department of Surgery, National Defense Medical College, Japan)

EPS02-3 A resection case of huge primary hepatic neuroendocrine tumor

Ryohei Aoyama (Department of surgery, Japanese Red Cross Wakayama Medical Center, Japan)

EPS02-4 Effect of preoperative interventional radiology for distal pancreatectomy with celiac axis resection

Shingo Yoshimachi (Department of Surgery, Tohoku University Graduate School of Medicine, Japan)

EPS02-5 Short-term outcome of Gemcitabine+Cisplatin+Durvalumab combination therapy for unresectable advanced biliary tract cancer

Satoshi Mii (Department of Surgery, Fujita Health University, Japan)

■ Campfire session

Campfire session 1

June 28 (Fri.) 9:30-11:00 [Campfire Site (B2F Himawari)]

Nightmare case session

Moderators: Nobuhisa Akamatsu (Artificial Organ and Transplantation Surgery Division, Department of Surgery, Graduate School of Medicine, University of Tokyo, Japan)

Masaaki Hidaka (Department of Digestive and General Surgery, Shimane University, Japan)

- CFS01-1 Refractory postoperative bleeding requiring two emergent interventional radiological procedures and two emergent laparotomies after living donor liver transplantation
Kazuya Hirukawa (Department of Pediatric Surgery and Transplantation, Kumamoto University Hospital, Japan)
- CFS01-2 Emergency Anthron Bypass Catheter for Intraoperative Unexpected Portal Vein Thrombus Occlusion
Yoshiyasu Kato (Division of Hepato-Biliary-Pancreatic Surgery, Shizuoka Cancer Center, Japan)
- CFS01-3 Learning from postoperative complications and their treatment after hepato-pancreato-biliary operation
Yoshihiro Ono (Division of Hepatobiliary Pancreatic Surgery, Cancer Institute Hospital of JFCR, Japan)
- CFS01-4 Disappearance of hepatic arterial flow after division of IPDA during pancreaticoduodenectomy in a patient with celiac axis stenosis
Nobuhiro Hasui (Department of Hepato-Biliary-Pancreatic Surgery, Kyorin University hospital, Japan)
- CFS01-5 Nightmare for a 16-year-old man who presented with undiagnosed severe diabetes-induced NOMI and required a total pancreatectomy and massive enterectomy
Taisuke Okawa (Division of Hepato-Biliary-Pancreatic Surgery Kobe University Graduate School of Medicine, Japan)
- CFS01-6 A Case of Mixed Neuroendocrine and Non-Neuroendocrine Neoplasms of the Bile duct with Rapid Progression of Postoperative Metastatic Recurrence
Shiho Nagai (Department of Gastrointestinal and Hepato-biliary-pancreatic Surgery, University of Tsukuba, Japan)

Campfire session 2

June 28 (Fri.) 14:20-15:50 [Campfire Site (B2F Himawari)]

Nightmare case session

Moderators: Minoru Esaki (Department of hepatobiliary and pancreatic surgery, National Cancer Center Hospital, Japan)

Yoshihito Kotera (Department of Hepato-Biliary-Pancreatic Surgery, Juntendo University, Japan)

- CFS02-1 Emergent reoperation for life-threatening portal vein thrombosis after right hemihepatectomy with caudate lobe resection
Yoshikuni Inokawa (Department of Surgery, Nagoya University Graduate School of Medicine, Japan)
- CFS02-2 Abandoned proceeding right hepatectomy at the second stage of two-staged hepatectomy associated with right portal ligation and in situ splitting
Yasuhito Iwao (Ohta Nishinouchi Hospital, Japan)

- CFS02-3 Postoperative hemorrhage with portal venous gas following pancreatoduodenectomy: a case study
Naoto Koike (Department of Surgery, Seirei Sakura Citizen Hospital, Japan)
- CFS02-4 Lessons Learned from Experience in Treating Intractable Pancreatic Fistula after Distal Pancreatectomy
Yoshihiro Miyazaki (Department of GI &HBP Surgery, University of Tsukuba, Japan)
- CFS02-5 The nightmare began with the pancreatic fistula-pseudoaneurysm rupture, portal vein obstruction, portal hypertension-related bleeding, ultimately leading to liver failure in five years
Chie Kitami (Department of Surgery, Nagaoka Chuo General Hospital, Japan)
- CFS02-6 A case of portal vein thrombus, arterial pseudoaneurysm, and gastrointestinal bleeding after left hepatectomy with concomitant hepatic artery and portal vein resection for perihilar cholangiocarcinoma
Takehiro Noji (Department of Gastroenterological surgery II, Hokkaido University, Japan)
- CFS02-7 A case of postoperative portal vein thrombosis formed by stenosis between a drain and reconstructed hepatic artery with hilar cholangiocarcinoma
Yusuke Wakasa (Department of Gastroenterological Surgery, Hirosaki University Graduate School of Medicine, Japan)

■ Requested Oral

Requested Oral 1

June 28 (Fri.) 8:00-9:00 [Room 6 (B2F Ran 1)]

Prevention and Treatment of Postoperative Pancreatic Fistula

Moderators: Takeyuki Misawa (Department of Surgery, Teikyo University Hospital, Japan)
Masaji Tani (Department of Surgery, Shiga University of Medical Science, Japan)

- RO01-1 Risk factor analysis of postoperative pancreatic fistula after distal pancreatectomy, with a focus on peritoneum - portal vein distance on computed tomography
Sho Uemura (Department of Hepatobiliary and pancreatic Surgery, National Cancer Center Hospital, Japan)
- RO01-2 Prevention and Treatment of Pancreatic Fistula in Pancreatoduodenectomy
Shinjiro Kobayashi (Department of Gastroenterological and General Surgery, St. Marianna University School of Medicine, Japan)
- RO01-3 Optimal number of drains placed after pancreatoduodenectomy
Hisafumi Saito (Department of Gastroenterological Surgery, Aichi Cancer Center Hospital, Japan)
- RO01-4 Enhancing short-term outcomes in pancreaticoduodenectomy based on drain culture monitoring: Perioperative strategies for pancreaticojejunostomy, antimicrobial therapy, and drainage management
Nori-hisa Kimura (Department of Gastroenterological Surgery, Hirosaki University Graduate School of Medicine, Japan)
- RO01-5 Optimal timing of drain exchange for postoperative pancreatic fistula after pancreatoduodenectomy
Taihei Soma (Division of Hepato-Biliary-Pancreatic Surgery, Shizuoka Cancer Center, Shizuoka, Japan)

- RO01-6 Investigation of the importance of arterial protection and its techniques to prevent post-pancreatic resection hemorrhage (PPH)
Katsuya Okada (Department of Digestive Surgery, Saitama Medical University International Medical Center, Japan)
- RO01-7 Incidence, risk factors, and managements of late-onset POPF after distal pancreatectomy
Masahiro Yamane (Department of Hepatobiliary and Pancreatic Surgery, Graduate School of Medicine, Tokyo Medical and Dental University, Tokyo, Japan)

Requested Oral 2

June 28 (Fri.) 8:00-9:00 [Room 7 (B2F Ran 2)]

Perioperative Nutritional Management of HBP Surgery

Moderators: Takayuki Anazawa (Department of Surgery, Kyoto University, Japan)

Tatsuya Oda (Department of GI & HBP Surgery, University of Tsukuba, Japan)

- RO02-1 Association between serum amino acids and postoperative complications in patients with malignant tumors undergoing pancreaticoduodenectomy.
Hisashi Murakami (Toranomon Hospital, Gastroenterological surgery, Japan)
- RO02-2 Comparison of Postoperative Body Composition Changes between Pancreaticoduodenectomy and Distal Pancreatectomy
Kazuhide Urabe (Department of Gastroenterological Surgery, Hiroshima University Hospital, Japan)
- RO02-3 Usefulness of Cachexia index on surgical outcomes for Resectable and Borderline resectable pancreatic cancer
Yuuko Tohmatsu (Division of Hepato-Biliary-Pancreatic Surgery, Shizuoka Cancer Center, Japan)
- RO02-4 Prognostic impact of skeletal muscle loss during neoadjuvant therapy for resectable pancreatic ductal adenocarcinoma and effects of preoperative nutritional therapy and resistance training
Tsuyoshi Terada (Department of Hepatobiliary and Pancreatic Surgery, National Cancer Center Hospital East, Japan)
- RO02-5 Impact of Preoperative Osteopenia on Survival Outcomes after Pancreaticoduodenectomy for Pancreatic Cancer: a Propensity-Score-Matched Analysis
Yeshong Park (Department of Surgery, Seoul National University Bundang Hospital, Seoul National University College of Medicine, Seongnam-si, South Korea)
- RO02-6 A Proposal of Novel Concept of "Intermediate Parenteral Nutrition" ~The Application for Perioperative Nutrition Management in Pancreaticoduodenectomy~
Yuki Kidoguchi (Department of Surgery, Graduate School of Medicine, Kyoto University, Japan)
- RO02-7 Effect of Surgical Approach on Early Return to Intended Oncologic Therapy after Resection for Pancreatic Ductal Adenocarcinoma
Naruhiko Ikoma (The University of Texas M.D. Anderson Cancer Center, USA)
- RO02-8 Perioperative Immunonutrition, Early Enteral Diet, Synbiotics and Bile replacement reduce post operative infectious complications in Biliary Cancer Surgery
Yoshito Oka (Department of General Surgery, Graduate School of Medicine, Chiba University, Japan)
- RO02-9 Prognostic significance of the cachexia index in patients with perihilar cholangiocarcinoma
Katsuya Sakashita (Division of Hepato-Biliary-Pancreatic Surgery, Shizuoka Cancer Center, Shizuoka, Japan)
- RO02-10 Impact of lactate change rate during liver resection on long-term outcome after hepatocellular carcinoma surgery
Yosuke Namba (Department of Gastroenterological Surgery, Hiroshima University Hospital, Japan)

Requested Oral 3

June 28 (Fri.) 9:00-10:00 [Room 6 (B2F Ran 1)]

Peritoneal cytology in biliary tract cancer

Moderators: Hiroyuki Kato (Fujita Health University School of Medicine, Bantane Hospital, Department of Gastroenterological Surgery, Japan)

Kei Nakagawa (Department of Surgery, Tohoku University Graduate School of Medicine, Japan)

RO03-1 The Potential Usefulness of Intraoperative Peritoneal Lavage Cytology in Biliary Tract Cancer

Masatsugu Ishii (Department of Hepato-Biliary-Pancreatic and Gastrointestinal Surgery, Tochigi Cancer Center, Japan)

RO03-2 Prognostic impact of peritoneal washing cytology in patients with biliary tract cancer

Tatsunori Hashimoto (Department of Gastroenterological Surgery, Hiroshima University Hospital, Japan)

RO03-3 Significance of intraoperative lavage cytology in perihilar cholangiocarcinoma

Kentaro Miyake (Yokohama City University Graduate School of Medicine, Department of Gastroenterological Surgery, Japan)

Requested Oral 4

June 28 (Fri.) 9:00-10:00 [Room 7 (B2F Ran 2)]

Surgical Treatment of HBP Cancer in the Elderly

Moderators: Toshimi Kaido (Department of Gastroenterological and General Surgery, St. Luke's International Hospital, Japan)

Hirohisa Kitagawa (Kurashiki Central Hospital, Japan)

RO04-1 The relationship between the 10 items of Barthel Index and prognosis in patients with hepatocellular carcinoma following hepatic resection

Kosuke Mima (Department of Gastroenterological Surgery, Graduate School of Medical Sciences, Kumamoto University, Japan)

RO04-2 How does ADL/QOL change before and after liver resection in the elderly?

Hiroki Ueda (Department of Hepatobiliary and Pancreatic Surgery, Tokyo Medical and Dental University, Japan)

RO04-3 Efficacy and safety of liver resection in super elderly patients with hepatocellular carcinoma

Hidekazu Yamamoto (Department of Liver Surgery, Kansai Medical University, Japan)

RO04-4 Treatment for Over 80 elderly PDAC patients in our City Foundation Hospital

Shinsuke Nakashima (Department of Gastroenterological Surgery, Higashiosaka City Medical Center, Japan)

RO04-5 Indications of pancreaticoduodenectomy for the elderly from the viewpoint of preoperative comorbidities

Hiroki Sato (Okayama Saiseikai General Hospital, Japan)

RO04-6 Problems of pancreaticoduodenectomy in older patients over age 80 with pancreatic cancer

Katsutoshi Murase (Department of Gastroenterological Surgery, Gifu University, Japan)

Requested Oral 5

June 28 (Fri.) 13:20-14:20 [Room 6 (B2F Ran 1)]

Prevention and Treatment of Bile Leakage after hepatectomy

Moderators: Junichi Arita (Department of Gastroenterological Surgery, Akita University Graduate School of Medicine, Japan)

Zenichi Morise (Department of Surgery, Fujita Health University School of Medicine Okazaki Medical Center, Japan)

- RO05-1 Comparison of the safety and effectiveness between NPWT and conventional treatment for bile leakage after hepatic resection
Takeshi Tadokoro (Department of Gastroenterological Surgery, Hiroshima University Hospital, Japan)
- RO05-2 Efficacy of the bile leak test using contrast-enhanced intraoperative ultrasonic cholangiography in liver resection: A prospective study
Yuhi Shimura (Department of Surgery, Division of Hepato-Biliary-Pancreatic Surgery, Kobe University, Japan)
- RO05-3 A Study for Prevention of Bile Leakage and Short-term Outcome after Hepatectomy in our Hospital
Kei Asukai (Department of Gastroenterological Surgery, Yao Municipal Hospital, Japan)
- RO05-4 Management of Non-communicative Bile Leaks After Hepatectomy
Naoya Sasaki (Department of surgery, Shizuoka City Shizuoka Hospital, Japan)
- RO05-5 Clinical impact of systemically administered ICG-fluorescent dye evaluation for drain-to-serum bilirubin concentration ratio after hepatectomy: A retrospective, propensity score-matched analysis
Takehiko Hanaki (Department of Gastrointestinal and Pediatric Surgery, Tottori University Faculty of Medicine, Japan)
- RO05-6 Endoscopic nasobiliary drainage tube can prevent an intraoperative bile duct injury and maximize a surgical margin for liver cancer close to hepatic hilum
Sho Kiritani (The Cancer Institute Ariake Hospital, Japan)
- RO05-7 Influence of previous gastrectomy on postoperative bile leakage after laparoscopic liver resection
Takao Ide (Department of Surgery, Saga University Faculty of Medicine, Japan)

Requested Oral 6

June 28 (Fri.) 13:20-14:20 [Room 7 (B2F Ran 2)]

Surgical Treatment of Chronic Pancreatitis

Moderators: Masaharu Ishida (Department of Surgery, Tohoku University, Japan)

Hiroshi Kurahara (Department of Digestive Surgery, Kagoshima University, Kagoshima, Japan)

Discussant: Yoshifumi Takeyama (Osaka Gyoumeikan Hospital, Japan)

- RO06-1 Comparison of surgical outcomes of Frey operation and pancreaticoduodenectomy for chronic pancreatitis
Yusuke Iizawa (Department of Hepatobiliary Pancreatic and Transplant surgery, Mie university, Japan)
- RO06-2 Short- and long-term outcomes of pancreatic surgery for chronic pancreatitis: a single-center retrospective cohort study
Takashi Fujimoto (Department of Gastroenterological Surgery, Medical Research Institute, Kitano Hospital / Department of Gastroenterological Surgery, Osaka Red Cross Hospital, Japan)

- RO06-3 Pancreato-duodenectomy for the patient with recurrent chronic pancreatitis 15 years after lateral pancreato-jejunostomy.
Yosuke Miyachi (Department of General & Gastrointestinal Surgery, St Luke's International Hospital, Japan)
- RO06-4 Short- and long-term outcomes after Frey operation for chronic pancreatitis
Takaaki Murase (Department of Surgery, Kindai University Faculty of Medicine, Japan)

Requested Oral 7

June 28 (Fri.) 14:20-15:20 [Room 7 (B2F Ran 2)]

Surgical treatment of pancreatic neuroendocrine neoplasms

- Moderators: Keiko Kamei (Department of Surgery, Kindai University Hospital, Japan)
Toshihiko Masui (Department of Surgery, Kurashiki Central Hospital, Japan)
- RO07-1 Surgical treatment for non-functioning pancreatic neuroendocrine tumors
Kenichi Matsuo (Department of General and Gastroenterological Surgery, Showa University Fujigaoka Hospital, Japan)
- RO07-2 Investigation of the appropriateness of surgical procedures for pancreatic neuroendocrine tumors in our hospital
Kotaro Kimura (Teine Keijinkai Hospital, Japan)
- RO07-3 Organ-preserving surgery for pancreatic neuroendocrine tumor
Tejiro Hirashita (Department of Gastroenterological and Pediatric Surgery, Oita University Faculty of Medicine, Japan)
- RO07-4 Investigation of the usefulness of TNMG classification in pancreatic neuroendocrine tumors
Hiroaki Ono (Department of HBP Surgery, Tokyo Medical and Dental University, Japan)
- RO07-5 The optimal surgical treatment strategy in patients of pancreatic body/tail NETs with liver metastases
Shouhei Motohashi (Tokyo Medical and Dental University HBP group, Japan)

Requested Oral 8

June 29 (Sat.) 8:50-9:50 [Room 8 (B1F Conference Management Room 2+3)]

Perioperative management and outcomes of total pancreatectomy

- Moderators: Seiko Hirono (Division of Hepato-Biliary-Pancreatic Surgery, Department of Gastroenterological Surgery, Hyogo Medical University, Japan)
Tomio Ueno (Department of Digestive Surgery, Kawasaki Medical School, Japan)
- RO08-1 Technical Details of Total Pancreatectomy with Superior Mesenteric Artery First Approach and Total Meso-pancreas Dissection for Pancreatic Tumors
Tuan Hiep Luong (Department of Gastrointestinal and Hepato-pancreato-biliary surgery, Bach Mai Hospital, Vietnam)
- RO08-2 Short- and long-term surgical outcomes following total or completion pancreatectomy
Masaaki Kagoura (Department of Hepatobiliary and Pancreatic Surgery, National Cancer Center Hospital East, Japan)
- RO08-3 Treatment results and validity of total pancreatectomy
Isaku Yoshioka (Department of Surgery and Science, University of Toyama, Japan)
- RO08-4 Long-term blood sugar control status after total pancreatectomy.
Shutaro Hori (Department of Surgery, School of Medicine, Keio University, Japan)

- RO08-5 The change of visceral and subcutaneous fat deposition status after total pancreatectomy
Ryota Kiuchi (Department of Gastroenterological Surgery, Iwata City Hospital, Japan)
- RO08-6 Sarcopenia with high subcutaneous fat predicts nonalcoholic fatty liver disease development after pylorus preserving pancreaticoduodenectomy.
Masashi Nakagawa (Department of Digestive and Transplantation Surgery, Tokyo Medical University Hachioji Medical Center, Japan)
- RO08-7 Long-term nutritional management remains a major problem in patients after total pancreatectomy
Yoshifumi Morita (Department of Surgery, Hamamatsu University School of Medicine / Division of Surgical care, Morimachi, Hamamatsu University School of Medicine, Japan)

Requested Oral 9

June 29 (Sat.) 9:55-10:55 [Room 8 (B1F Conference Management Room 2+3)]

Prevention of bile duct injury after cholecystectomy

- Moderators: Shigeyuki Kawachi (Department of digestive and transplantation surgery, Tokyo Medical University Hachioji Medical Center, Japan)
Kohji Okamoto (Department of Surgery, Kitakyushu City Yahata Hospital, Japan)
- RO09-1 Strategy to prevent bile duct injury in cholecystectomy for acute cholecystitis
Taiki Tsuji (Department of Surgery, Tokyo Metropolitan Tama Medical Center, Japan)
- RO09-2 Surgical difficulty evaluation to prevent bile duct injury in laparoscopic cholecystectomy for acute cholecystitis
Koji Asai (Department of Surgery, Toho University Ohashi Medical Center, Japan)
- RO09-3 How to escape the bile duct injury of cholecystohepatic duct revealed during laparoscopic cholecystectomy
Tetsuya Shimizu (Department of Gastrointestinal and Hepato-Biliary-Pancreatic Surgery, Nippon Medical School, Japan)
- RO09-4 Tips to prevent bilovascular injuries in laparoscopic cholecystectomy: Intraoperative vigilance for the "Strong and Short" cystic artery in addition to the "Closed Rouviere's Sulcus Sign"
Atsushi Shimizu (Department of Surgery, Jichi Medical University, Japan)
- RO09-5 A safe bailout procedure with ICG fluorescence for patients who have chronic cholecystitis with severe inflammation.
Hideki Shibata (Division of Gastroenterological and General Surgery, Department of Surgery, School of Medicine, Showa University, Japan)
- RO09-6 Defining biliary anatomy using indocyanine green (ICG) cholangiography in laparoscopic cholecystectomy for acute cholecystitis
Shruthi HS Reddy (Department of Surgical Gastroenterology & Liver Transplantation, Sakra world Hospital, Bengaluru, India)
- RO09-7 Sub-serosal Inner Layer Dissection as Standardized Approach to Attain Critical View in Laparoscopic Cholecystectomy Across Different Nassar Grades: A single Centre Validation Study
Amir M Parray (BLK MAX SUPER SPECIALITY HOSPITAL, New Delhi, India)
- RO09-8 Standardization to avoid the bile duct injuries and indication of bailout procedure in laparoscopic cholecystectomy
Toru Tanahashi (Department of Surgery, Institute of Gastroenterology, Tokyo Women's Medical University, Japan)

Requested Oral 10

June 29 (Sat.) 10:30-11:30 [Room 7 (B2F Ran 2)]

Surgical treatment strategies for duodenal cancer

Moderators: Yukiyasu Okamura (Division of Digestive Surgery, Department of Surgery, Nihon University School of Medicine, Japan)

Yuko Takami (Department of Hepato-Biliary-Pancreatic Surgery, NHO Kyushu Medical Center, Japan)

RO10-1 Surgical strategy for early-stage duodenal carcinoma

Masashi Kudo (Department of Hepatobiliary and Pancreatic Surgery, National Cancer Center Hospital East, Japan)

RO10-2 Prognostic significance of peritoneal lavage cytology in duodenal cancer

Yuya Miura (Division of Hepato-Biliary-Pancreatic Surgery, Shizuoka Cancer Center, Japan)

RO10-3 A study on 18 cases of primary duodenal carcinoma treated with radical surgery

Haruka Machida (Showa General Hospital, Japan)

RO10-4 Surgical outcome of duodenal cancer resection and experience a long-term survival case in which multidisciplinary treatment similar to colorectal cancer was effective

Takeshi Koujima (Himeji Red Cross Hospital, Japan)

RO10-5 A case of complete response to GCS therapy for ampullary carcinoma with para-aortic metastasis

Takashi Ono (Department of Gastrointestinal Hepato-Biliary-Pancreatic Surgery, Nippon Medical School, Japan)

RO10-6 The feasibility of D-LECS for duodenal tumor including early cancer

Yuichiro Watanabe (Department of Gastroenterological Surgery, Saitama Medical University International Medical Center, Japan)

Requested Oral 11

June 29 (Sat.) 14:10-15:10 [Room 8 (B1F Conference Management Room 2+3)]

Biomarkers of HBP Cancer

Moderators: Takeshi Aoki (Division of Gastroenterological & General Surgery, Department of Surgery, School of Medicine, Showa University, Japan)

Shinji Tanaka (Department of Molecular Oncology, Tokyo Medical and Dental University, Japan)

RO11-1 Molecular biological significance of the expression of ARID4B and its usefulness as a prognostic factor in hepatocellular carcinoma

Mitsuru Yanagaki (Division of Hepatobiliary and Pancreatic Surgery, Department of Surgery, The Jikei University School of Medicine, Tokyo, Japan)

RO11-2 Combination of C-reactive protein-albumin-lymphocyte index and donor liver immune status index is an independent prognostic risk factor of patients with hepatocellular carcinoma following liver transplantation

Tomoaki Bekki (Department of Gastroenterological Surgery, Hiroshima University Hospital, Japan)

RO11-3 Impact of Naples prognostic score on short- and long-term outcomes in hepatocellular carcinoma patients undergone initial hepatectomy

Kiyotaka Hosoda (Division of Gastroenterological, Hepato-Biliary-Pancreatic, Transplantation and Pediatric Surgery, Department of Surgery, Shinshu University School of Medicine, Japan)

- RO11-4 Exponential elevation of AFP and PIVKA-II as a predictor for early recurrence and poor prognosis after resection for hepatocellular carcinoma
Koichi Nakanishi (Department of Hepato-Biliary-Pancreatic Surgery, Osaka Metropolitan University Graduate School of Medicine, Japan)
- RO11-5 Fragmentomics of Cell-free DNA as a Sensitive Biomarker for Early Detection of Pancreatic Cancer
Lingdi Yin (Pancreas Center, the First Affiliated Hospital of Nanjing Medical University, Nanjing, China)
- RO11-6 High stromal transforming growth factor-beta-induced protein (TGFBI) expression was associated with immune cell infiltration and poor prognosis in pancreatic cancer patients
Takaomi Seki (Department of Hepatobiliary and Pancreatic Surgery, Gunma University, Japan)
- RO11-7 Radiomic Features of Pancreatic Cancer Prior to Neoadjuvant Chemoradiotherapy as Imaging Biomarkers for Predicting the Achievement of R0 Resection After the Therapy
Takehiro Fujii (Department of Hepatobiliary Pancreatic and Transplant Surgery, Graduate School of Medicine, Mie University, Japan)
- RO11-8 CT-based machine learning radiomics predicts Ki-67 expression level and survival in resectable pancreatic ductal adenocarcinoma
Jiahao Chen (Huadong Hospital affiliated to Fudan University, Shanghai, China)

■ Requested Video

Requested Video 1

June 29 (Sat.) 11:00-12:00 [Room 8 (B1F Conference Management Room 2+3)]

Laparoscopic Surgery for early-stage Gallbladder Cancer

Moderators: Takehiro Noji (Faculty of Medicine Gastroenterological Surgery II, Hokkaido University, Japan)
Teiichi Sugiura (Division of Hepato-Biliary-Pancreatic Surgery, Shizuoka Cancer Center, Japan)

- RV01-1 A review of the frequency and outcomes of intracystic papillary neoplasms of the gallbladder.
Rei Toda (Department of Surgery, Mitsubishi Kyoto Hospital, Japan)
- RV01-2 Our comprehensive approach to T1 gallbladder cancer
Taku Higashihara (Department of General Surgery, Tokyo Metropolitan Tama Medical Center, Japan)
- RV01-3 Laparoscopic extended cholecystectomy for gall bladder cancer -Technical procedure and short-term outcome-
Satoshi Nomura (Department of gastroenterological surgery, Saitama cancer center, Japan)
- RV01-4 Surgical technique of laparoscopic whole layer cholecystectomy with oncological safety and less invasiveness for early gallbladder cancer
Tomokazu Tanaka (Department of Surgery, Saga University, Japan)
- RV01-5 Scoring System to Predict pt2 in Gallbladder Cancer
Mikiya Shin'e (Department of Hepato-Biliary-Pancreatic and Breast Surgery, Ehime University, Japan)
- RV01-6 The efficacy of laparoscopic surgery with rapid intraoperative diagnosis for polypoid lesions of the gallbladder
Kazuhiro Matsuda (Department of Gastroenterological and General Surgery, Showa University, Japan)

Requested Video 2

June 29 (Sat.) 13:10-14:10 [Room 8 (B1F Conference Management Room 2+3)]

Navigation and image-guided HBP surgery

Moderators: Takeaki Ishizawa (Osaka Metropolitan University, Japan)

Yuichiro Otsuka (Department of Surgery, Toho University Faculty of medicine, Japan)

RV02-1 Utility of ICG fluorescence navigation in hepatobiliary and pancreatic surgery

Satoru Seo (Department of Surgery, Kochi Medical School, Japan)

RV02-2 Evaluation of laparoscopic left hepatectomy guided by indocyanine green fluorescence imaging

Junji Ueda (Department of GI and HBP Surgery, Nippon Medical School, Japan)

RV02-3 Surgical navigation for laparoscopic anatomical liver resection using augmented reality and comparison with ICG fluorescence method

Meidai Kasai (Department of Surgery, Meiwa Hospital, Japan)

RV02-4 The Brand-New Navigation for Laparoscopic Anatomical Liver Resection Utilizing Artificial Intelligence and Indocyanine Green Fluorescence Imaging Combined with Preoperative Three-dimensional Simulation

Kodai Tomioka (Division of Gastroenterological and General Surgery, Department of Surgery, School of Medicine, Showa University, Shinagawa, Tokyo, Japan)

RV02-5 THE PERFORMANCE OF ARTIFICIAL INTELLIGENCE BASED AUTOMATED SURGICAL WORKFLOW IDENTIFICATION WITH DIFFERENT DATASET IN LAPAROSCOPIC CHOLECYSTECTOMY.

Kimimasa Sasaki (Department of Hepato-Biliary-Pancreatic Surgery, National Cancer Center Hospital East, Japan / Department for the Promotion of Medical Device Innovation, National Cancer Center Hospital East, Japan)

Requested Video 3

June 29 (Sat.) 14:50-15:50 [Room 7 (B2F Ran 2)]

Surgical strategies in the treatment of CBD stones

Moderators: Yutaka Suzuki (Department of Hepato-Biliary-Pancreatic Surgery, Kyorin University Hospital, Tokyo, Japan)

Akiko Umezawa (Minimally Invasive Surgery Center, Yotsuya Medical Cube, Japan)

RV03-1 A study of cases of common bile duct stones after endoscopic choledocholithotomy and cholecystectomy

Masafumi Yamashita (Department of Digestive surgery, Toyonaka Municipal Hospital, Japan)

RV03-2 One-stage laparoscopic cholecystectomy and small incision choledocholithotomy for patients with cholecystocholedocholithiasis who previously had undergone gastrectomy

Akira Fujimori (Department of Surgery Yamanashi Red Cross Hospital / Department of Gastroenterological & General Surgery, School of Medicine, Showa University, Japan)

RV03-3 LAPAROSCOPIC-CHOLANGIOSCOPIC COOPERATIVE SURGERY USING A NEW TUNNEL TECHNIQUE FOR COMMON BILE DUCT STONES

Hieu Trung Le (108 Military Central Hospital, Hanoi, Vietnam)

RV03-4 Analysis of laparoscopic transcystic papillary balloon dilation and laparoscopic cholecystectomy

Yuichi Nakaseko (Department of Surgery, The Jikei University Katsushika Medical Center, Tokyo, Japan)

RV03-5 Our surgical approach to common bile duct stones

Manami Doi (Department of gastrointestinal and hepato-biliary-pancreatic surgery, University of Tsukuba, Japan)

■ Mini-Symposium

Mini-Symposium 1

June 28 (Fri.) 9:30-10:15 [Room 8 (B1F Conference Management Room 2+3)]

Unresectable Pancreatic Cancer Treatment

Moderators: Takeshi Gocho (Department of Surgery, Jikei University School of Medicine, Japan)

Shinjiro Kobayashi (Department of Gastroenterological and General Surgery, St. Marianna University School of Medicine, Japan)

- MSY1-1 Arterial divestment: expanding the surgeon armamentarium for curative intent pancreatic resections in locally advanced pancreatic cancer
Chiara Croce (University of Colorado, Aurora, United States)
- MSY1-2 Conversion surgery for unresectable pancreatic adenocarcinoma(UR-LA and UR-M)
So Yamaki (Department of Surgery, Kansai Medical University, Japan)
- MSY1-3 Surgical resection after neoadjuvant chemoradiotherapy for locally advanced pancreatic cancer with major artery invasion
Kenjiro Kimura (Department of Hepato-Biliary-Pancreatic Surgery, Osaka Metropolitan University, Japan)
- MSY1-4 The clinical and prognostic impact on chemotherapy followed by conversion surgery for initially unresectable locally advanced pancreatic cancer.
Shigetsugu Takano (Department of General Surgery, Chiba University, Japan)
- MSY1-5 ABCD Criteria for Initially Unresectable Pancreatic Cancer in the Era of Multidisciplinary Treatment
Atsushi Oba (Division of Hepatobiliary and Pancreatic Surgery Cancer Institute Hospital, Japanese Foundation for Cancer Research, Japan)
- MSY1-6 Comparative Efficacy of First-Line Combination Therapy for Patients With Advanced Pancreatic Cancer-A Systematic Review and Network Meta-analysis
Yu-Liang Hung (Division of General Surgery, Department of Surgery, Chang Gung Memorial Hospital, Taoyuan, Taiwan)
- MSY1-7 Patterns of practice and survival among patients with pancreatic cancer involving major visceral arteries - an ongoing paradigm shift in the United States
Oskar Franklin (Division of Surgical Oncology, Department of Surgery, University of Colorado School of Medicine, Aurora, Colorado, United States / Department of Diagnostics and Intervention, Surgery, Umeå University, Umeå, Sweden)

■ Mini-Panel Discussion

Mini-Panel Discussion 1

June 28 (Fri.) 8:45-9:30 [Room 8 (B1F Conference Management Room 2+3)]

Biological Borderline Resectable Pancreatic Cancer

Moderators: Masashi Kishiwada (Department of Hepatobiliary Pancreatic and Transplant Surgery, Mie University Hospital, Japan)
Yusuke Kumamoto (Department of General, Pediatric and Hepatobiliary-Pancreatic Surgery, Kitasato University, Japan)

- MP1-1 The evaluation of biological borderline resectable pancreatic cancer in cases of anatomically resectable pancreatic cancer
Takamichi Igarashi (Department of Hepatobiliary and Pancreatic Surgery, Gunma University Graduate School of Medicine, Japan)
- MP1-2 Prognostic factors for pancreatic ductal adenocarcinoma after resection and its predictive model
Teruchika Koyama (Department of Hepatobiliary and Pancreatic Surgery, Tokyo Medical and Dental University, Japan)
- MP1-3 Risk factors of early liver recurrence after pancreatic cancer resection
Yoshihiro Shirai (Department of Surgery and Science, University of Toyama, Japan)
- MP1-4 KRAS mutation in peritoneal washing specimens and SUV max of the primary tumor in PET-CT as biomarkers of pancreatic cancer
Masayuki Tanaka (Department of Surgery, Keio University School of Medicine, Japan)
- MP1-5 Switching chemotherapy targeting carbohydrate antigen 19-9 in neoadjuvant treatment for borderline resectable pancreatic ductal adenocarcinoma in the era of biological borderline resectable
Daisuke Hashimoto (Department of Surgery, Kansai Medical University, Japan)
- MP1-6 Treatment outcomes of biological Borderline Resectable pancreatic cancer
Tomonari Asano (Department of Gastroenterological Surgery, Aichi Cancer Center Hospital, Japan)
- MP1-7 Is neoadjuvant chemotherapy with gemcitabine and S-1 effective for biological borderline resectable pancreatic cancer?
Shimpei Maeda (Department of Surgery, Tohoku University Graduate School of Medicine, Japan)

■ Mini-Workshop

Mini-Workshop 1

June 28 (Fri.) 9:30-10:15 [Room 5 (B2F Cosmos 2)]

Pancreatic Cancer Treatment in Octogenarians 1

Moderators: Kenji Koneri (1st Department of Surgery, Fukui University, Japan)
Masaru Sasaki (Department of Surgery, JA Hiroshima General Hospital, Japan)

- MWS1-1 Efficacy of surgery and adjuvant chemotherapy among PDAC patients aged 75 and over
Yaolin Xu (Department of Pancreatic Surgery, Zhongshan Hospital Fudan University, SHANGHAI, CHINA)

- MWS1-2 Current status of treatment strategies for resectable pancreatic cancer in the elderly at our institution
Yusuke Ome (Department of Surgery, Institute of Gastroenterology, Tokyo Women's Medical University, Japan)
- MWS1-3 Indication of pancreatectomy for octogenarians with resectable pancreatic cancer and prognostic factors.
Hideki Motobayashi (Second Department of Surgery, Wakayama Medical University, Japan)
- MWS1-4 Clinical implication of Gemcitabine + S-1 neoadjuvant chemotherapy in octogenarians for resectable pancreatic cancer
Shozo Mori (Department of hepato-biliary-pancreatic surgery, Dokkyo Medical University, Japan)
- MWS1-5 Treatment strategies for elderly pancreatic cancer patients
Kunihito Gotoh (Department of Surgery, NHO Osaka National Hospital, Japan)
- MWS1-6 Prognostic factors for resected pancreatic cancer in patients older than 80 years
Toshihiko Masui (Department of Surgery, Kurashiki Central Hospital, Japan)
- MWS1-7 Visceral fat is an inoperative risk factor in high-aged PDAC patients undergoing neoadjuvant therapy
Daisuke Noguchi (Department of Hepatobiliary Pancreatic and Transplant Surgery, Mie University, Japan)

Mini-Workshop 2

June 28 (Fri.) 13:20-14:05 [Room 8 (B1F Conference Management Room 2+3)]

Pancreatic Cancer Treatment in Octogenarians 2

Moderators: Yoshiaki Murakami (Division of Advanced Medicine, Hiroshima Memorial Hospital, Hiroshima University Hospital, Japan)
Junzo Shimizu (Department of Surgery, Toyonaka Municipal Hospital, Japan)

- MWS2-1 Survival in Octogenarians Undergoing Surgery for Pancreatic Cancer and Its Association with Nutritional Status
Kosuke Nomoto (Nagoya Central Hospital, Japan)
- MWS2-2 Clinical impact of tumor location in resected cases of pancreatic cancer in elderly patients over 80 years old
Masataka Wada (Department of Gastroenterological Surgery II Hokkaido University Graduate School, Japan)
- MWS2-3 Efficacy of neoadjuvant chemoradiotherapy for resectable and borderline resectable pancreatic cancer in patients aged 80 and above.
Hironobu Suto (Department of Gastroenterological Surgery, Kagawa University, Japan)
- MWS2-4 Short- and long-term outcomes after pancreatectomy for pancreatic cancer in octogenarian
Jun Ishida (Division of Hepato-Biliary-Pancreatic Surgery, Department of Surgery, Kobe University Graduate School of Medicine., Japan)
- MWS2-5 Treatment strategy for pancreatic cancer in elderly patients over 80 years old in our hospital
Yorihisa Sumida (Department of digestive surgery, Sasebo city general hospital, Japan)
- MWS2-6 Treatment Strategies for Pancreatic Cancer in geriatrics: A Retrospective Analysis
Kei Yamane (Division of Hepato-Biliary-Pancreatic surgery and Transplantation, Department of Surgery, Graduate School of Medicine, Kyoto University, Japan)
- MWS2-7 Pancreatic cancer outcomes in surgical patients aged 80 years or older
Makoto Takahashi (Department of Surgery, Tokyo Metropolitan Tama Medical Center, Japan)

Mini-Workshop 3

June 28 (Fri.) 14:05-14:50 [Room 8 (B1F Conference Management Room 2+3)]

Resectable Pancreatic Cancer: Surgery vs. Neoadjuvant Therapy

Moderators: Masahiro Iseki (Department of Surgery, Tohoku University Graduate School of Medicine, Japan)
Yasuhiro Shimizu (Department of Gastroenterological Surgery, Aichi Cancer Center Hospital, Japan)

- MWS3-1 Revealing clinicopathological characteristics and impact of adjuvant therapy in T1 pancreatic ductal adenocarcinoma: a single institutional retrospective analysis
Sujin Park (Department of Surgery, Samsung Medical Center, Seoul, South Korea)
- MWS3-2 Upfront surgery for resectable pancreatic cancer is a reasonable treatment. -Stratified Analysis of Preoperative Chemotherapy in Resectable Pancreatic Cancer-
Keinosuke Ishido (Department of Gastroenterological Surgery, Hirosaki University Graduate School of Medicine, Japan)
- MWS3-3 Therapeutic strategies for primary resectable pancreatic cancer
Toshitaka Sugawara (Department of Hepatobiliary and Pancreatic Surgery, Tokyo Medical and Dental University, Japan)
- MWS3-4 Multi-agent neoadjuvant therapy versus upfront surgery for primary resectable pancreatic cancer - a real-world intention-to-treat analysis
Oskar Franklin (Division of Surgical Oncology, Department of Surgery, University of Colorado School of Medicine, Aurora, Colorado, United States / Department of Diagnostics and Intervention, Surgery, Umeå University, Umeå, Sweden)
- MWS3-5 Is neoadjuvant chemotherapy with gemcitabine and S-1 really useful for resectable pancreatic cancer?
Takumi Kitahama (Division of Hepato-Biliary-Pancreatic Surgery, Shizuoka Cancer Center, Japan)
- MWS3-6 An exploration of candidates for neoadjuvant treatment in resectable pancreatic cancer according to tumor-vessel relationship and CA 19-9 levels
Hye-Sol Jung (Seoul National University Hospital, Seoul, South Korea)
- MWS3-7 Comparison of overall survival between Neoadjuvant Therapy and Upfront Surgery for Stage I-III Pancreatic Cancer
Yiping Zou (Department of Pancreatic Cancer, Tianjin Medical University Cancer Institute and Hospital, National Clinical Research Center for Cancer, Tianjin, China)

Mini-Workshop 4

June 29 (Sat.) 15:15-16:00 [Room 9 (B1F Conference Management Room 5+6)]

Pancreatic Cancer Treatment in Octogenarians 3

Moderators: Hirofumi Akita (Department of Gastroenterological Surgery, Osaka University Graduate School of Medicine, Japan)

Hidenori Takahashi (Department of Gastroenterological, Breast and Endocrine Surgery, Graduate School of Medicine, Yamaguchi University, Japan)

- MWS4-1 The clinicopathological features for a higher age of 80 pancreatic cancer patients.
Shingo Kagawa (Department of Hepato-Biliary-Pancreatic Surgery, Chiba Cancer Center, Japan)
- MWS4-2 Short- and long-term outcomes after pancreatic resection for elderly patients with
Takeshi Gocho (Department of Surgery, Jikei University School of Medicine, Japan)

- MWS4-3 Safety of surgery for pancreatic cancer in the elderly.
Koji Imai (Division of Hepato-Biliary-Pancreatic and Transplant Surgery, Department of Surgery, Asahikawa Medical University, Japan)
- MWS4-4 Current status and future challenges in the treatment of pancreatic cancer in the elderly
Rumi Itoyama (Department of Gastroenterological Surgery, Kuamoto University, Japan)
- MWS4-5 Countermeasures for infectious complications of pancreaticoduodenectomy for elderly patients with pancreatic cancer
Daisuke Suzuki (Department of General Surgery, Chiba University, Japan)
- MWS4-6 Our current treatment policy and long-term results for PDAC in the octogenarians
Yuichiro Uchida (Department of Surgery, Fujita Health University, Japan)
- MWS4-7 Can minimally invasive surgery be a surgical option for pancreatic cancer in elderly patients over 80 years of age?
Moe Matsumoto (Dept. of Gastrointestinal and Pediatric Surgery, Tokyo Medical University, Japan)

■ Student & Resident

Student & Resident 1

June 28 (Fri.) 8:00-8:45 [Room 8 (B1F Conference Management Room 2+3)]

Moderators: Takehito Otsubo (Department of Gastroenterological and General Surgery, St. Marianna University School of Medicine, Japan)
Yuzo Umeda (Department of Hepato-Biliary-Pancreatic Surgery, Ehime University Graduate School of Medicine, Japan)

- SR1-1 IgG4 related pancreatico-biliary disease: Malignant masquerade
Neeraj Kumar Yadav (All India Institute of Medical Sciences, Rishikesh, Rishikesh, India)
- SR1-2 A case of pancreatic head cancer needed difficult preoperative management of obstructive pancreatitis.
Yudai Yano (Department of Surgery, Hepato-Biliary-Pancreatic Surgery, Kagawa Rosai Hospital, Japan)
- SR1-3 Total pancreatectomy for pancreatic head cancer diagnosed during follow-up for chronic pancreatitis combined with giant pancreatic stones, a case of report
Shun Yasukochi (Saiseikai Fukuoka General Hospital, Japan)
- SR1-4 A successfully treated case by multidisciplinary treatment for pancreatic cancer with high frequency microsatellite instability (MSI-High)
Masaya Matsumoto (Department of Gastroenterological Surgery, Kumamoto University hospital, Japan)
- SR1-5 Impact of Sarcopenia on Surgical Outcomes in patients undergoing Pancreaticoduodenectomy (PD): A tertiary care center experience in ODISHA- INDIA .
Swamy Rajesh Hudugur (IMS & SUM Hospital, bhubhaneshwar, India)
- SR1-6 Case of pancreatic carcinoma in situ underwent surgical resection
Yuki Tokuyama (Division of hepato-biliary-pancreatic surgery, Department of gastroenterological surgery, Hyogo medical university, Japan)
- SR1-7 Demographic , Clinicopathological profile & surgical Outcome in Chronic Calcific Pancreatitis patients in Eastern India (Odisha) : 7 yrs experience from a tertiary care teaching hospital.
Swamy Rajesh hudugur (IMS & SUM Hospital, Bhubhaneshwar, India)

Student & Resident 2

June 28 (Fri.) 10:15-11:00 [Room 5 (B2F Cosmos 2)]

Moderators: Hiroyuki Nitta (Department of Surgery, Iwate Medical University Hospital, Japan)
Nobuhiko Taniai (Department of Digestive Surgery, Nippon Medical School Musashikosugi hospital, Japan)

- SR2-1 Pure Laparoscopic Liver Resection for Cavernous Hepatic Haemangioma at M Djamil Hospital, West Sumatera, Indonesia : A CASE REPORT
Handyka Milfiadi (General Surgery Resident, Surgery Department, Andalas University / M Djamil Hospital, Padang, West Sumatera, Indonesia)
- SR2-2 Inhibition of RAD51 mediated G2/M phase arrest of hepatocellular carcinoma through downregulation Cyclin B1/CDK1
Yubing Chen (The First Affiliated Hospital of Guangxi Medical University, Nanning, China)
- SR2-3 CTSV mediated oxidative stress signaling pathway promotes the progression of Hepatocellular carcinoma
Zhan Wu (The First Affiliated Hospital of Guangxi Medical University, Nanning, China)
- SR2-4 Application of Machine Learning to NCD Liver Cancer Registration Data for Predicting Early Post-Surgical Recurrence of Hepatocellular Carcinoma
Ayaka Fujita (Mie University Faculty of Medicine, Japan)
- SR2-5 Thromboembolic Events After Major Hepatectomy: Emphasizing Patient Selection for Prophylaxis
Salvador Rodriguez Franco (University of Colorado Anschutz Medical Campus, Aurora, United States)
- SR2-6 A case of recurrent lung metastasis from intrahepatic cholangiocarcinoma treated by surgical resection
Koki Azuma (Showa General Hospital, Japan)
- SR2-7 Non Cirrhotic Portal Hypertension(NCPH): Demographic , Clinicopathological, short and long term outcome of Shunt surgery – PSRS– a tertiary care hospital experience in Eastern India (Odisha)
Swamy rajesh hudugur (IMS & SUM Hospital, Bhubhaneshwar, India)

Student & Resident 3

June 29 (Sat.) 16:15-17:00 [Room 8 (B1F Conference Management Room 2+3)]

Moderators: Masahiro Shinoda (Digestive Disease Center, Mita Hospital, International University of Health and Welfare, Japan)
Yu Takahashi (Division of Hepatobiliary and Pancreatic Surgery, Cancer Institute Hospital, Japanese Foundation for Cancer Research, Japan)

- SR3-1 A Case of Chronic Pancreatitis that was Difficult to Differentiate from Pancreatic Tumor in a Patient with a history of colorectal cancer surgery
Shinichiro Kondo (Department of Gastroenterological Surgery, Shizuoka General Hospital, Japan)
- SR3-2 Identification of nectin family interactive gene panel and stratification of clinical outcomes in patients with pancreatic cancer
Yuki Imazu (Department of Surgery, Nara Medical University, Nara, Japan)
- SR3-3 ATB0,+ drives gemcitabine resistance in pancreatic cancer to promote tumor microenvironment.
Hyeon Woong Kang (Department of Surgery, Gangnam Severance Hospital, Yonsei University College of Medicine, 20, Eonju-ro 63 gil, Gangnam-gu, Seoul, South Korea)

- SR3-4 Upregulation of FOXP1 promotes chemoresistance by enhancing stem cell growth and activating ABCG2 in pancreatic cancer
Woosol Chris Hong (Department of Medicine, Yonsei University College of Medicine, Seoul, South Korea)
- SR3-5 SMIT1 promotes Gemcitabine Resistant PDAC cell growth through Modulation of Mitophagy
Minsoo Kim (Department of Surgery, Gangnam Severance Hospital, Yonsei University College of Medicine, Seoul, South Korea / Brain Korea 21 PLUS Project for Medical Science, Yonsei University College of Medicine, Seoul, South Korea)
- SR3-6 xCT chemosensitizes pancreatic cancer to gemcitabine by mediating ROS via the calcium signaling pathway
Ju Hyun Kim (Department of Medicine, Yonsei University College of Medicine, Seoul, South Korea)
- SR3-7 QUality of Life after Open Surgical Necrosectomy in Infected Pancreatic Necrosis (QUIP): Defining Targets for long-term follow-up and interventions
Prachiti Shankar Gokhe (Asian Institute of Gastroenterology, Hyderabad, India)

■ Oral

Oral 1

June 28 (Fri.) 8:00-9:00 [Room 9 (B1F Conference Management Room 5+6)]

Liver cancer 1

Moderators: Satoshi Katagiri (Department of Surgery, Division of Gastroenterology, Tokyo Women's Medical University Yachiyo Medical Center, Japan)
Seok-Hwan Kim (Chungnam National University Hospital, Korea)

- O1-1 Analysis of indications for hepatectomy for multiple hepatocellular carcinomas
Tatsuya Orimo (Department of Gastroenterological Surgery I, Hokkaido University, Japan)
- O1-2 The usefulness of resectability classification in hepatocellular carcinoma
Ikuo Nakamura (Department of Gastroenterological Surgery, Hyogo Medical University, Japan)
- O1-3 Tumor burden, malignant potential, and liver functional status are essential in discussing BR-HCC
Masaki Ueno (Second Department of Surgery, Wakayama Medical University, Japan)
- O1-4 Validation of resectability classification in hepatocellular carcinoma based on the prognosis
Shinichi Nakanuma (Department of Hepato-Biliary-Pancreatic Surgery and Transplantation, Pediatric Surgery Kanazawa University, Japan)
- O1-5 Resectability criteria of hepatocellular carcinoma including patients' backgrounds.
Hirotaka Ishido (Department of Surgery, Dokkyo Medical University Saitama Medical Center, Japan)
- O1-6 Chronological Evolution in Liver Resection for Hepatocellular Carcinoma: Prognostic Trends Across Three Decades in Advanced Stages
Takeshi Takamoto (Department of Hepatobiliary and Pancreatic Surgery, National Cancer Center Hospital Japan)
- O1-7 Multidisciplinary treatment for biological borderline resectable hepatocellular carcinoma
Hiroshi Wada (Department of gastroenterological surgery, Osaka International Cancer Institute, Japan)
- O1-8 Multicenter study of oncological criteria of resectability for hepatocellular carcinoma
Norifumi Iseda (Department of Surgery and Science, Graduate School of Medical Sciences, Kyushu University, Japan)

- O1-9 Utilizing peritumoral CD8 + in hepatocellular carcinoma predicting non-transplantability and recurrence after surgical resection
Aiste Gulla (Vilnius University, Vilnius, Lithuania)
- O1-10 Surgical resection after systemic therapy for BR1 and BR2 hepatocellular carcinoma
Akihiko Ichida (Hepato-Biliary-Pancreatic Surgery Division, Department of Surgery, Graduate School of Medicine, The University of Tokyo, Japan)

Oral 2

June 28 (Fri.) 9:00-9:50 [Room 9 (B1F Conference Management Room 5+6)]

Laparoscopic liver resection

Moderators: Bo Ram Lee (Bundang Seoul Nat'l Univ Hospital, Korea)

Yuji Morine (Department of Surgery, Tokushima University, Japan)

- O2-1 Laparoscopic Versus Open Major Hepatectomy for the Management of Hepatocellular Carcinoma in a Vietnamese Tertiary Hospital: A Five-Year Retrospective Comparative Study
Thang Manh Tran (College of Health Sciences, VinUniversity, Hanoi, Vietnam)
- O2-2 Long-term outcomes of laparoscopic anatomical liver resection for HCC
Tomotaka Kato (Department of Gastroenterological Surgery, Saitama Medical University International Medical Center, Japan)
- O2-3 Middle- and long-term outcomes of anatomical hepatectomy for hepatocellular carcinoma at our hospital: comparison between open and laparoscopic surgery
Ryo Oikawa (Hepato-Biliary-Pancreatic Surgery Division, Department of Surgery, Graduate School of Medicine, The University of Tokyo, Japan)
- O2-4 Clinical features and outcomes of laparoscopic anatomical liver resection for HCC: a single center experience
Takanobu Hara (Department of Surgery, Nagasaki University Graduate School of Biomedical Sciences, Japan)
- O2-5 Mid- and long-term outcomes of laparoscopic anatomical liver resection for hepatocellular carcinoma: propensity score matching analysis
Tokuyuki Yamashita (Department of surgery, Japan Red Cross Osaka Hospital, Japan)
- O2-6 Long-term and short-term surgical outcomes of anatomical laparoscopic versus open liver resection for hepatocellular carcinoma
Daisuke Satoh (Hiroshima City Hiroshima Citizens Hospital, Department of Surgery, Japan)
- O2-7 Comparative study using propensity score matching for long-term outcome of laparoscopic and open anatomical liver resection for hepatocellular carcinoma
Ryo Ashida (Division of Hepato-Biliary-Pancreatic Surgery, Shizuoka Cancer Center, Japan)
- O2-8 Short and long-term outcome of minimally invasive anatomical hepatectomy versus open surgery in patients with hepatocellular carcinoma
Hirohisa Okabe (Department of Gastroenterological Surgery, Graduate School of Life Sciences, Kumamoto University, Japan)

Oral 3

June 28 (Fri.) 9:55-10:50 [Room 9 (B1F Conference Management Room 5+6)]

HBP research

Moderators: Norifumi Harimoto (Department of Hepato-biliary and Pancreatic Surgery, National Hospital Organization Kyushu Cancer Center, Japan)

Masamichi Mizuma (Department of Surgery, Tohoku University, Japan)

O3-1 Disruptive innovations in surgery: new frontiers of disease models

Aiste K Gulla (Chief, Solid Organ Transplantation Center, Department of Surgery, Vilnius University Hospital "Santaros Klinikos", Lithuania
Director, Center for Visceral Medicine and Translational Research, Vilnius University, Lithuania
Faculty of Medicine, Vilnius University, Lithuania
Clinical Professor, Division of Pancreatobiliary Surgery, Department of Surgery, Kansai Medical University, Japan)

O3-2 Prognostic prediction of radical resection of intrahepatic cholangiocarcinoma based on single cell analysis

Jialu Chen (Xinhua Hospital, Shanghai, China)

O3-3 Validation of heterophile carbohydrate antigen N-glycolylneuraminic acid in metastatic liver cancer

Sotaro Fukuhara (Department of Gastroenterological Surgery, Hiroshima University, Japan)

O3-4 PMCA4b expression and related molecules in hepatocellular carcinoma

Shimoda Mitsugi (Tokyo Medical University, Ibaraki Medical center, Japan)

O3-5 A novel miRNA panel for accurate prediction of survival in patients with resectable pancreatic cancer

Kota Nakamura (Department of Surgery, Nara Medical University, Japan)

O3-6 Spatial Transcriptomics and Single-cell RNA sequencing Reveals Tissue Architecture of Peri-arterial Area of Pancreatic Cancer

Lingdi Yin (Pancreas Center, The First Affiliated Hospital of Nanjing Medical University, Nanjing, China)

O3-7 Precision medicine with gene testing: Pathological complete response after mFFX for BRCA2 variant with unresectable pancreatic cancer

Toshiya Abe (Department of Surgery and Oncology, Graduate School of Medical Sciences, Kyushu University, Japan)

O3-8 Current Status and Challenges of Cancer Genome Profiling Tests for Hepato-Biliary and Pancreatic Cancer at Our Hospital.

Teruhide Ishigame (Department of Hepato-Biliary-Pancreatic and Transplant Surgery, Fukushima Medical University, Fukushima, Japan)

O3-9 Homologous recombination repair gene mutations as a biomarker of hepato-biliary-pancreatic malignancies

Koya Fujii (Department of General Surgery, Japan)

Oral 4

June 28 (Fri.) 10:00-11:00 [Room 6 (B2F Ran 1)]

Pancreas Resection in Octogenarians

Moderators: Yu Katayose (Hepatobiliary and Pancreatic Surgery, Tohoku Medical and Pharmaceutical University, Japan)
Atsushi Kudo (Department of Hepatobiliary pancreatic surgery, Tokyo Medical and Dental University Hospital, Japan)

- O4-1 Importance of Induction and adjuvant chemotherapy for elderly patients with pancreatic cancer
Hiromichi Kawaida (First Department of Surgery, University of Yamanashi, Japan)
- O4-2 Treatment and Outcome of pancreatic cancer in elderly patients over 80 years old
Osakuni Morimoto (Department of Surgery, Japan Community Healthcare Organization Osaka Hospital, Japan)
- O4-3 Poor prognostic factors in elderly patients undergoing pancreaticoduodenectomy for pancreatic cancer
Shunsuke Tamura (Shizuoka General Hospital, Japan)
- O4-4 Treatment indications for pancreatic cancer in the elderly patients based on inflammatory markers
Keishi Kawasaki (Department of Surgery, Dokkyo Medical University Saitama Medical Center, Saitama, Japan)
- O4-5 The Impact of Preoperative Muscle Change on the Prognosis of Pancreatic Cancer
Hiroaki Fuji (Department of Gastroenterological Surgery, Hyogo Medical University, Japan)
- O4-6 Preoperative evaluation and outcome of pancreaticoduodenectomy for elderly patients aged over 80 years
Hiroo Yanagibashi (Department of Hepato-Biliary-Pancreatic Surgery, Chiba Cancer Center, Japan)
- O4-7 Safety and long-term outcomes of pancreaticoduodenectomy for patients aged 75 years old and older
Kengo Fukuoka (Department of digestive surgery, Iwate prefectural central hospital, Japan)
- O4-8 The efficacy of adjuvant chemotherapy for the patients aged over 75 who underwent pancreatectomy for pancreatic cancer
Yuki Takahashi (Department of General and Gastroenterological Surgery, Showa University Fujigaoka Hospital, Japan)
- O4-9 Outcomes of Pancreaticoduodenectomy for Pancreatic Cancer in Older Patients
Yosuke Mukai (Osaka International Cancer Institute, Japan)
- O4-10 The outcome of pancreaticoduodenectomy in elderly PDAC patients
Kizuki Yuza (Department of Gastroenterological Surgery, Yokohama City University Graduate School of Medicine, Japan)

Oral 5

June 28 (Fri.) 10:00-11:00 [Room 7 (B2F Ran 2)]

Liver cancer 2

Moderators: Toru Hisaka (Division of HBP Surgery, Department of Surgery, Kurume University, Japan)
Masaki Ueno (Second Department of Surgery, Wakayama Medical University, Japan)

- O5-1 Clinical impact of sarcopenia in early-stage intrahepatic recurrent hepatocellular carcinoma: Association with impaired host immunity
Shunsuke Doi (Department of Surgery, Nara Medical University, Japan)

- O5-2 Indication of repeat hepatectomy for intra-hepatic recurrence of hepatocellular carcinoma based on oncological and background liver factors at initial hepatectomy
Tsuyoshi Notake (Division of Gastroenterological, Hepato-Biliary-Pancreatic, Transplantation and Pediatric Surgery, Department of Surgery, Shinshu University School of Medicine, Japan)
- O5-3 Clinical impact of the rescue hepatectomy for treatment site recurrence of hepatocellular carcinoma after radiofrequency ablation or selective transarterial chemoembolization
Yuji Morine (Department of Surgery, Tokushima University, Japan)
- O5-4 Withdrawn
- O5-5 Salvage Liver Transplantation for Recurrent Hepatocellular Carcinoma after Liver Resection
Yuki Bekki (Department of Surgery and Science, Kyushu University, Japan)
- O5-6 Laparoscopic repeat liver resection for recurrence of hepatocellular carcinoma
Yoshiaki Ohmura (Department of Surgery, Kansai Rosai Hospital, Japan)
- O5-7 Prognostic factors of patient on re-hepatectomy for HCC recurrence
Akira Mori (Department of Surgery, Japanese Red Cross Osaka Hospital, Japan)
- O5-8 Outcomes of liver transplantation for HCC: results from a national database
Shruthi HS Reddy (King's College Hospital, London, UK)
- O5-9 Impact of new criteria for resectability of hepatocellular carcinoma (HCC) on the prognosis of surgical patients with HCC
Ryota Matsuki (Department of Hepato-Biliary-Pancreatic Surgery, Kyorin University Hospital, Japan)
- O5-10 INDICATIONS OF SYNCHRONOUS SPLENECTOMY FOR TREATMENT OF HCC WITH HYPERSPLENISM AND LIVER CIRRHOSIS
Nguyen Kieu Hung (National Hospital of Tropical Diseases, Hanoi, Vietnam)

Oral 6

June 28 (Fri.) 10:15-11:00 [Room 8 (B1F Conference Management Room 2+3)]

Pancreas Resection

Moderators: Sung Hyun Kim (Severance Hospital, Korea)

Yasunaru Sakuma (Department of Gastroenterological Surgery, Jichi Medical University Hospital, Japan)

- O6-1 Perioperative Nutritional Management for Pancreaticoduodenectomy in the Elderly: An Enhanced Recovery Protocol Analysis
Yasuhiro Matsugu (Department of Gastroenterological Surgery, Hiroshima Prefectural Hospital, Japan / Department of Clinical Nutrition, Hiroshima Prefectural Hospital, Japan)
- O6-2 Outcomes of surgical treatment for pancreatic cancer in the elderly patients at our hospital
Tomoaki Furuta (Mito kyodo hospital, Japan)
- O6-3 Surgical outcomes for elderly pancreatic cancer patients at our institution
Ryota Kogure (Sainokuni Higashiomiya Medical Center, Japan)
- O6-4 Subtotal stomach-preserving pancreatoduodenectomy in elderly people over 80 years old
Yuzuru Sakamoto (Department of Surgery, Wakkanai City Hospital, Japan / Department of Gastroenterological Surgery, Japan Community Health care Organization Hokkaido Hospital)
- O6-5 The surgical treatment for pancreaticobiliary cancer in the elderly. A report from a regional city hospital in a hyper-aged society.
Chiaki Uchida (Department of Surgery, Aomori City Hospital, Japan)

- O6-6 Perioperative Nutritional Therapy in Pancreatic Cancer Patients
Keiko Kamei (Department of Surgery, Kindai University Hospital, Japan)
- O6-7 The impact of preoperative immune-nutritional scores on prognosis in patients with pancreatic cancer.
Akihisa Akagi (Kawasaki Medical School General Medical Center, Japan)

Oral 7

June 28 (Fri.) 13:20-14:15 [Room 5 (B2F Cosmos 2)]

Robotic liver resection 1

Moderators: Yuta Abe (Department of Surgery, Keio University, Japan)
Akishige Kanazawa (Department of Gastroenterological Surgery, Osaka City Juso Hospital, Japan)

- O7-1 Withdrawn
- O7-2 Double Maryland Clamp Crushing Method with Continuous Suction: Robot-Assisted Liver Resection Using Single Umbilicus 5-cm Incision and 2 ports
Yoshikuni Kawaguchi (Hepato-Biliary-Pancreatic Surgery Division, The University of Tokyo, Japan)
- O7-3 Clamp crushing method for robotic liver resection in our institute
Tomoki Ryu (Department of HBP Surgery, Kyushu Medical Center, Japan)
- O7-4 Techniques for robotic liver parenchymal transection and short-term outcomes
Hirokatsu Katagiri (Department of Surgery Iwate Medical University Hospital, Japan)
- O7-5 Standardized procedures in Robotic liver resection and differences in those procedures as compared with Laparoscopic approach
Takashi Kaizu (Kitasato University Medical Center, Japan)
- O7-6 Robotic Hepatectomy Without Using Transection Devices
Yoshihiro Mise (Department of Hepatobiliary-Pancreatic Surgery, Juntendo University Hospital, Japan)
- O7-7 6 ports robotic liver resection for clamp and crush technique with saline dripping in liver parenchymal transection
Noriyuki Egawa (Department of Surgery, Saga Medical Center Koseikan, Japan)
- O7-8 Validity and benefit of robotic surgery for anatomical hepatectomy
Saiho Ko (Department of Surgery, Nara Prefecture General Medical Center, Japan)
- O7-9 Robotic versus laparoscopic hemihepatectomy
Ikumi Hamano (Department of surgery, Keio University, Japan)

Oral 8

June 28 (Fri.) 13:20-14:15 [Room 9 (B1F Conference Management Room 5+6)]

Liver resection 1

Moderators: Hisashi Ikoma (Department of Gastroenterological Surgery, Japanese Red Cross Kyoto Daiichi Hospital, Japan)

Yoji Kishi (Department of Surgery, National Defense Medical College, Japan)

- O8-1 The Pringle maneuver preparation during repeat laparoscopic liver resection: A Trick to overcome difficulties.
Ridho Ardhi Syaiful (Tokyo Women Medical's University, Tokyo, Japan)
- O8-2 Hepatectomy for giant hepatic hemangioma techniques by open and laparoscopic approaches
Naoki Kamitani (Department of Surgery, Japan)
- O8-3 Laparoscopic liver resection for giant hepatic hemangioma
Tatsuya Hayashi (Tokyo Metropolitan Tama Medial Center, Japan)
- O8-4 Liver resection for giant hepatic hemangioma can be safely performed with a combination of extended lobectomy and enucleation
Takuji Noro (Department of Surgery, Juntendo University Nerima Hospital, Japan)
- O8-5 Withdrawn
- O8-6 Evaluating Intraoperative Portal Pressure Measurement and Intraoperative ICG Measurement as Predictors of Post-Hepatectomy Liver Failure
Satoshi Koizumi (Department of Gastroenterological and General Surgery, St. Marianna University School of Medicine, Japan)
- O8-7 The safety of laparoscopic anatomical liver resection in elderly patients over 80 years: A propensity score matching analysis
Hiroaki Mashima (Department of Surgery, Hiroshima City Hiroshima Citizens Hospital, Japan)
- O8-8 Impact of the laparoscopic liver resection for HCC with Child-Pugh B cirrhosis from the viewpoint of the short and long-term outcomes
Atsushi Ishihara (Department of Hepato-biliary-Pancreatic Surgery, Osaka City General Hospital, Japan)
- O8-9 Laparoscopic and Open anatomical liver resection for Hepatocellular Carcinoma
Short-term and medium to long-term results of a single high volume center
Jun Muto (Department of General Surgery, Kurashiki Central Hospital)

Oral 9

June 28 (Fri.) 14:15-15:00 [Room 9 (B1F Conference Management Room 5+6)]

Biliary surgery

Moderators: Hiroaki Shimizu (Department of Surgery, Teikyo University Chiba Medical Center, Japan)

Yun Kyung Jung (Hanyang University, College of Medicine, Korea)

- O9-1 Submucosal detachment of gallbladder, a variant of LC to avoid accidental injury to the bile duct.
Lei Yang (Beijing Tsinghua Changgung Hospital, Beijing, China)
- O9-2 Predictive Factors and Model for Difficult Cases in Early Laparoscopic Cholecystectomy for Acute Cholecystitis
Shunichi Imai (Department of Surgery, Nerima General Hospital, Japan)

- O9-3 Strategies for Minimizing Postoperative Biliary Injury: Utilizing Intraoperative Indocyanine Green Fluoroscopy
Shunya Kiriya (Department of Surgery, Tajimi City Hospital, Japan)
- O9-4 Efficacy of laparoscopic bailout surgery for moderate and severe acute cholecystitis by multicenter analysis: Hiroshima Surgical study group of Clinical Oncology (HiSCO)
Tomoyuki Abe (Department of Gastroenterological Surgery, National Hospital Organization Higashihiroshima Medical Center, Japan)
- O9-5 Bailout procedure in acute cholecystitis by linear stapler
Shinjiro Tomiyasu (Department of Surgery, Saiseikai Kumamoto Hospital, Japan)
- O9-6 Bile duct injury after laparoscopic cholecystectomy at a teaching hospital
~aiming for minimal complications while training young surgeons~
Masahiro Shinoda (Digestive Disease Center, Mita Hospital, International University of Health and Welfare, Tokyo, Japan / Hepato-Biliary-Pancreatic & Gastrointestinal Surgery, International University of Health and Welfare School of Medicine, Chiba, Japan)
- O9-7 Frequency of Intraoperative Bile Duct Injury and Recovery Strategies in Laparoscopic Cholecystectomy at Our Institution
Naoko Saito (Department of General Surgery, Kurashiki Central Hospital, Japan)

Oral 10

June 28 (Fri.) 14:50-15:50 [Room 1 (B2F Phoenix Hall)]

Pancreas Cancer 1

Moderators: Minako Nagai (Department of Surgery, Nara Medical University, Japan)

Moriaki Tomikawa (Department of Hepato-Biliary-Pancreatic Surgery, Tochigi Cancer Center, Japan)

- O10-1 Robotic anastomosis in pancreaticoduodenectomy using the SP system compared to the Xi system
Yoo Jin Choi (Korea University Medical Center, Seoul, South Korea)
- O10-2 Evolution and Challenges in the Implementation of Robotic-Assisted Distal Pancreatectomy at Our Institution: Striving Towards Standardization
Kan Toriguchi (Kobe City Medical Center General Hospital, Japan)
- O10-3 Retraction of the stomach using a cylindrical gauze-wrapped liver retractor during Robotic distal pancreatectomy
Ryo Morimura (Department of Digestive Surgery, Kyoto Prefectural University of Medicine, Japan)
- O10-4 Our approaches to standardize robot-assisted pancreaticoduodenectomy for pancreatic cancer
Ryuichi Yoshida (Department of Surgery, Hiroshima Citizens Hospital, Japan)
- O10-5 Robotic distal pancreatectomy with a left-posterior approach for pancreatic cancer
Kazuyuki Nagai (Department of Surgery, Kyoto University, Japan)
- O10-6 Robotic-assisted distal pancreatectomy for pancreatic cancer: standardization and results according to progression
Yasuji Seyama (Department of Hepato-Biliary-Pancreatic Surgery, Tokyo Metropolitan Cancer and Infectious Diseases Center Komagome Hospital, Japan)
- O10-7 Our approach of Robotic Pancreatoduodenectomy for Pancreatic Cancer
Daiki Nezu (Department of surgery, Nara Prefecture General Medical Center, Japan)
- O10-8 Standardization and education of robotic pancreatectomy for pancreatic cancer
Yasuyuki Fukami (Department of Surgery, Aichi Medical University, Japan)

- O10-9 Approach and Results of Robotic-Assisted Pancreatectomy for Pancreatic Cancer
Katsuhisa Hirano (Department of Surgery and Science, Faculty of Medicine, Academic Assembly, University of Toyama, Japan)
- O10-10 Standardization of robotic pancreatectomy for pancreatic cancer.
Takuya Mizumoto (Department of Surgery, Fujita Health University, Japan)

Oral 11

June 28 (Fri.) 14:50-15:50 [Room 3 (B2F Dahlia 2)]

Metastatic liver cancer

Moderators: Katsunori Sakamoto (Department of Gastroenterological Surgery, Osaka Saiseikai Noe Hospital, Japan)
Hirotaka Tashiro (Department of Surgery, NHO Kure Medical Center and Chugoku Cancer Center, Japan)

- O11-1 Vessel-guided mesohepatectomy for liver partition to treat complex CRLM: associating parenchymal sparing surgery with liver augmentation techniques
Chiara Croce (Pisa University Hospital, Pisa, Italy)
- O11-2 Early Outcomes Following the Implementation of a Hepatic Artery Infusion Protocol for Colorectal Liver Metastases
Salvador Rodriguez Franco (University of Colorado Anschutz Medical Campus, Aurora, United States)
- O11-3 Consideration for borderline resectable liver metastasis from colorectal cancer
Kentaro Yasuchika (Department of Surgery, Japanese Red Cross Wakayama Medical Center, Japan)
- O11-4 Which cases are borderline resectable in colorectal liver metastasis?
Hideaki Iwama (Department of Surgery, Fujita Health University, Japan)
- O11-5 Definition of Borderline Resectable Colorectal Liver Metastases Based On Prognostic Factors After Laparoscopic Liver Resection
Kazuharu Igarashi (Department of General-Pediatric-Hepatobiliary Pancreatic Surgery, Kitasato University School of Medicine, Japan)
- O11-6 The survival influence of primary N stage in patients with colorectal liver metastases
Masaru Matsumura (Toranomom hospital, Japan)
- O11-7 Efficacy of adjuvant chemotherapy for resected colorectal cancer metastases
Musashi Takada (Department of Surgery, Dokkyo Medical University Saitama Medical Center, Japan)
- O11-8 Preoperative FOLFOXIRI therapy for patients with borderline resectable colorectal liver metastases
Masao Nakajima (Department of Gastroenterological, Breast and Endocrine Surgery, Yamaguchi University Graduate School of Medicine, Japan)
- O11-9 Prognostic factors and efficacy of neoadjuvant chemotherapy in technically resectable colorectal liver metastasis.
Shoichiro Mizukami (Division of Gastroenterology, A research course, The Ph.D. in Medicine at the graduate School of Medicine, Asahikawa Medical University, Hokkaido, Japan.)
- O11-10 A proposal for BR colorectal liver metastases and the effect of chemotherapy
Nozomu Sakai (Department of General Surgery, Chiba University, Japan)

Oral 12

June 28 (Fri.) 14:50-15:45 [Room 8 (B1F Conference Management Room 2+3)]

Pancreatic Fistula

Moderators: Hidehiro Tajima (Department of Surgery, Dokkyo Medical University Saitama Medical Center, Japan)
Hideki Takami (Department of Gastroenterological Surgery, Nagoya University Graduate School of Medicine, Japan)

- O12-1 Is pancreaticogastrostomy really so bad? Evaluation from 5-year survivors after pancreatoduodenectomy
Masato Narita (Department of Surgery, Kyoto Medical Center, Japan / Department of Surgery, Kobe City Medical Center General Hospital, Japan)
- O12-2 Reducing postoperative pancreatic fistula with innovative reinforced stapler and closure technique following distal pancreatectomy
Riki Ninomiya (Department of Hepato-biliary-pancreas Surgery, Saitama Medical center, Saitama Medical University, Japan)
- O12-3 The impact of early drain removal following distal pancreatectomy for clinically relevant postoperative pancreatic fistula
Teruhisa Sakamoo (Division of Gastrointestinal and Pediatric Surgery, Department of Surgery, School of Medicine, Faculty of Medicine, Tottori University, Japan)
- O12-4 Triple reinforcement may reduce the postoperative pancreatic fistula in distal pancreatectomy.
Yuki Adachi ("1.Department of Gastroenterological Surgery, Kumamoto University", Japan)
- O12-5 Our stylized pancreaticojejunostomy and perioperative management for zero postoperative intra-abdominal bleeding
Akihiro Murata (Department of Hepato-Biliary-Pancreatic Surgery, Osaka City General Hospital, Japan)
- O12-6 Ingenuity of pancreatic transection in Minimally invasive distal pancreatectomy
Hiroshi Tajima (Department of General-Pediatric-Hepato-Biliary-Pancreatic Surgery, Kitasato University School of Medicine, Japan)
- O12-7 A novel clinical study on pancreatic fistula prevention: safety and efficacy of a stapler method for pancreatic parenchymal transection during pancreaticoduodenectomy
Yuji Kitahata (2nd department of surgery, Wakayama medical university, Japan)
- O12-8 Clinical impact of the time interval between pancreatic division and reconstruction on the pancreatic fistula after pancreatoduodenectomy for biliary cancer
Aya Matsui (Department of Gastroenterological Surgery II, Hokkaido University Faculty of Medicine, Japan)
- O12-9 One mattress and two trans-pancreatic suturing technique for pancreaticogastrostomy: a novel, simple and safe procedure for preventing postoperative pancreatic fistula
Dongha Lee (Division of Hepato-Biliary-Pancreatic Surgery, Department of Surgery, Kindai University Faculty of Medicine, Japan)

Oral 13

June 28 (Fri.) 15:00-15:50 [Room 4 (B2F Cosmos 1)]

Vascular resection in HBP surgery

Moderators: Shunichi Ariizumi (HBP surgery, Tokyo Women's Medical University, Japan)

Hiroyuki Takamura (General and Digestive Surgery, Kanazawa Medical University, Japan)

- O13-1 The oncologic benefit of aggressive hepatic vein resection with suitable reconstruction against colorectal liver metastases
Junichi Kaneko (Hepato-Biliary-Pancreatic Surgery Division, and Artificial Organ and Transplantation Division, Department of Surgery, Graduate School of Medicine, The University of Tokyo, Japan)
- O13-2 Two different techniques for reconstruction of the left portal venous umbilical portion during liver resection for hilar hepatobiliary malignancy
Yutaro Kato (Department of Surgery, Fujita Health University Bantane Hospital, Japan)
- O13-3 Knack and pitfalls of perihilar cholangiocarcinoma with vascular resection and reconstruction
Fumiaki Watanabe (Department of Surgery, Saitama Medical Center, Jichi Medical University, Japan)
- O13-4 Portal venous resection and reconstruction (PVR) in hepatectomy with biliary resection -PVR should be performed as the last step of hepatic transection-
Masaharu Kogure (Department of Hepato-Biliary-Pancreatic Surgery, Kyorin University Hospital, Japan)
- O13-5 Left-sided major hepatectomy with vascular resection utilizing a liver-transection first approach
Takamichi Ishii (Department of Surgery, Graduate School of Medicine, Kyoto University, Japan)
- O13-6 Treatment strategy including major hepatectomy and liver transplantation for perihilar cholangiocarcinoma
Akira Shimizu (Department of Surgery, Shinshu University School of Medicine, Japan)
- O13-7 Hepatectomy combined with multiple hepatic arterial reconstructions for perihilar cholangiocarcinoma
Yumiko Kageyama (Division of Hepato-Biliary-Pancreatic Surgery, Shizuoka Cancer Center, Japan)
- O13-8 The Impact of Resected-to-Original Middle Hepatic Vein Length Ratio on Posthepatectomy Liver Failure in perihilar cholangiocarcinoma after Right sided hemihepatectomy plus caudate lobectomy
Jimin Son (Asan Medical Center, Seoul, South Korea)

Oral 14

June 28 (Fri.) 15:00-15:50 [Room 5 (B2F Cosmos 2)]

Liver Transplant

Moderators: Yasushi Hasegawa (Department of Surgery, Keio University School of Medicine, Japan)

Tsuyoshi Shimamura (Division of Organ Transplantation, Hokkaido University Hospital, Japan)

- O14-1 Estimation of right lobe graft weight for living donor liver transplantation using deep learning based fully automatic computed tomographic volumetry
Jae Do Yang (Jeonbuk national university hospital, Jeonju, South Korea)
- O14-2 Liver graft hypertrophy after auxiliary partial orthotopic liver transplantation - Reference toward the RAPID procedure
Hikaru Hayashi (Department of Surgery, Shinshu University School of Medicine, Japan)

- O14-3 Reduced transfusion in liver transplantation by point-of-care coagulation management using TEG6s
Muneyuki Matsumura (Department of Surgery, Tohoku University Graduate School of Medicine, Japan)
- O14-4 Venous reconstruction using graft inversion technique in living donor liver transplantation with left lobe grafts
Yusuke Takemura (Department of Surgery, Keio University School of Medicine, Japan)
- O14-5 Intervention and Outcomes for Living Donor Liver Transplant Donor Candidates with Steatotic Live
Shu Aoyama (Department of Gastroenterological Surgery, Graduate School of medicine, Osaka University, Japan)
- O14-6 Liver transplantation for primary biliary cholangitis in a single center experience
Takaaki Kato (Department of Hepatobiliary-Pancreatic Surgery of Juntendo University, Japan)
- O14-7 Impact of simultaneous splenectomy for marginal donors in living donor liver transplantation on short- and long-term outcomes
Yuto Sakurai (Department of Pediatric Surgery and Transplantation, Kumamoto University Graduate School of Medical Sciences, Japan)
- O14-8 Feasibility of right posterior sector graft in adult-to-adult living donor liver transplantation
Yuriko Tsutsui (Department of Surgery and Science, Graduate School of Medical Sciences, Kyushu University, Japan)

Oral 15

June 28 (Fri.) 15:00-15:50 [Room 9 (B1F Conference Management Room 5+6)]

Pancreatic Cancer 1

Moderators: Koji Imai (Div. of HBP and Transplant Surgery, Dept. of Surgery, Asahikawa Medical University, Japan)
Ken-ichi Okada (Department of Gastroenterology, Tokai University Hospital, Japan)

- O15-1 Predicting pathological response to preoperative chemotherapy in pancreatic ductal adenocarcinoma using post-chemotherapy computed tomography radiomics
Shinichi Ikuta (Department of Surgery, Meiwa Hospital, Japan)
- O15-2 Investigation of immunological differences between short-term and long-term survivors of pancreatic cancer patients
Yukari Shinohara (Division of Gastroenterological and General Surgery, Department of Surgery, Showa University, Japan)
- O15-3 Treatment strategy considering biological factors in resectable pancreatic cancer
Masafumi Imamura (Department of Surgery, Surgical Oncology and Science, Japan)
- O15-4 Prognostic impact of tumor markers before and after neoadjuvant chemotherapy in resectable pancreatic cancer
Hidemasa Kubo (Division of Hepato-Biliary-Pancreatic Surgery, Shizuoka Cancer Center, Japan)
- O15-5 Outcomes and prognostic indicatives of palliative bypass surgery for patients with unresectable pancreatic cancer
Yasunari Fukuda (Department of Gastroenterological Surgery, Kinki University Nara Hospital, Japan)
- O15-6 Lymph node status may be a clue in detecting the duration of preoperative treatment for pancreatic cancers
Masamichi Hayashi (Department of Gastroenterological Surgery, Nagoya University, Japan)

- O15-7 Challenges of conversion surgery for unresectable pancreatic cancer.
Atsushi Shimizu (2nd Department of Surgery, School of Medicine, Wakayama Medical University, Japan)
- O15-8 Treatment strategy and outcomes for initially unresectable pancreatic cancer
Satoshi Nara (Department of Hepatobiliary and Pancreatic Surgery, National Cancer Center Hospital, Japan)

Oral 16

June 28 (Fri.) 15:05-15:50 [Room 2 (B2F Dahlia 1)]

Liver resection 2

Moderators: Hideki Yokoo (Division of HBP and Transplant Surgery, Department of Surgery, Asahikawa Medical University, Japan)

Hiroshi Yoshida (Department of GI & HBP Surgery, Nippon Medical School, Japan)

- O16-1 Defining Resectability of Hepatocellular Carcinoma in Minimally Invasive Liver Resection
Yu Teshigahara (Ageo central general hospital, Japan)
- O16-2 Oncological outcome of laparoscopic anatomical hepatectomy for hepatocellular carcinoma.
Naokazu Chiba (Department of Digestive and Transplantation Surgery, Tokyo Medical University Hachioji Medical Center, Japan)
- O16-3 Comparison of Long-term Outcomes Between Laparoscopic and Open Anatomic Liver Resection for Hepatocellular Carcinoma
Chikara Shirata (Hepatobiliary-Pancreatic Surgery division, Tokyo Metropolitan Cancer and Infectious Diseases Center Komagome Hospital, Japan)
- O16-4 Comparative analysis of laparoscopic and open anatomic liver resection, including recurrent forms, utilizing propensity score matching
Toshiro Ogura (Department of Gastroenterological Surgery, Saitama Cancer Center, Japan)
- O16-5 Operating room waste management after open and laparoscopic hepatectomy. Is there any chance to improve?
Andrzej L. Komorowski (Department of Surgery, College of Medicine, University of Rzeszów, Rzeszów, Poland / Department of Oncological Surgery, J.Śniadecki Specialist Hospital, Nowy Sącz, Poland)
- O16-6 Tips of the prevention of Postoperative Bile Leakage in Laparoscopic Liver Surgery
Ken Fukumitsu (Kyoto Katsura Hospital, Japan)
- O16-7 Anatomical liver resection using the ultrasound-guided compression technique in minimal access surgery
Bruno Branciforte (Division of Hepatobiliary & General Surgery, Department of Surgery - IRCCS, Humanitas Research Hospital, Rozzano (MI), Italy / Department of Biomedical Sciences, Humanitas University, Pieve Emanuele (MI), Italy)

Oral 17

June 28 (Fri.) 15:20-15:50 [Room 7 (B2F Ran 2)]

Laparoscopic Surgery for Biliary disease

Moderators: Minoru Kitago (Department of Surgery, Keio University School of Medicine, Japan)

Jota Watanabe (Department of Gastroenterological Surgery, Ehime Prefectural Central Hospital, Japan)

- O17-1 Minimally invasive surgery for Congenital biliary dilatation
Hiroki Sunagawa (Department of surgery, Nakagami Hospital, Japan)

- O17-2 Introduction of laparoscopic resection for gallbladder cancer and surgical outcome
Mariko Tsukagoshi (Division of Hepatobiliary and Pancreatic Surgery, Department of General Surgical Science, Gunma University, Japan)
- O17-3 Standardization of laparoscopic gallbladder bed resection for gallbladder cancer using the hilar cystic plate-first approach
Mizuki Ninomiya (Department of Surgery, Fukuoka City Hospital, Japan / Iizuka Hospital, Japan)
- O17-4 Minimally invasive surgery for gallbladder carcinoma
Shinya Hayami (Second Department of Surgery, Wakayama Medical University, Japan)
- O17-5 Technical strategies and surgical outcome of laparoscopic surgery for adult congenital biliary dilatation
Takayuki Kawai (Department of Surgery, Medical Research Institute Kitano Hospital, Japan)

Oral 18

June 29 (Sat.) 8:20-8:50 [Room 8 (B1F Conference Management Room 2+3)]

Resectable Pancreatic Cancer

Moderators: Atsushi Oba (Division of Hepatobiliary and Pancreatic Surgery, Cancer Institute Hospital, Japanese Foundation for Cancer Research, Japan)

Kenjiro Okada (Department of Gastroenterological Surgery, Hiroshima University Hospital, Japan)

- O18-1 The effect of intensified neoadjuvant therapy for resectable pancreatic cancer
Yusuke Kawamoto (Department of Surgery, Institute of Gastroenterology, Tokyo Women's Medical University, Japan)
- O18-2 Treatment efficacy of neoadjuvant chemoradiotherapy for resectable pancreatic cancer
Tadafumi Asaoka (Department of gastroenterological surgery, Osaka Police Hospital, Japan)
- O18-3 Short-term neoadjuvant chemotherapy for resectable pancreatic cancer provides a survival benefit only in patients with lower CA19-9 level.
Kenzo Nakano (Department of gastroenterological surgery and oncology, Medical Research Institution KITANO HOSPITAL, Japan)
- O18-4 Possibility of Neoadjuvant Treatment for Anatomically Resectable Pancreatic Cancer
Motoyasu Tabuchi (Kochi Helth Science Center, Japan)
- O18-5 Evaluation of Neoadjuvant Chemotherapy Significance in Resectable Pancreatic Cancer
Hiroaki Osakabe (Tokyo Medical University, Department of Gastrointestinal and Pediatric Surgery, Japan)

Oral 19

June 29 (Sat.) 8:20-9:15 [Room 9 (B1F Conference Management Room 5+6)]

Robotic liver resection 2

Moderators: Takao Ide (Department of Surgery, Saga University Faculty of Medicine, Japan)

Hiromitsu Hayashi (Department of Gastroenterological Surgery, Kumamoto University, Japan)

- O19-1 Laparoscopic anatomical cranial sub-segmentectomy of segment VII (S7) with super-selective intra-arterial nano-ICG positive staining-guided trans-parenchymal approach
Jiwei Huang (West China Hospital, Sichuan University, Chengdu, China)
- O19-2 Innovations and Outcomes in Liver Parenchymal Transection in Robot-Assisted Liver Resection: A Comparison with Laparoscopic surgery
Keishi Sugimachi (Dept of Hepatobiliary-Pancreatic Surgery, Kyushu Cancer Center, Japan)

- O19-3 Robotic liver parenchymal transection with saline-drip bipolar clamp-crush technique
Yuhei Hamaguchi (Department of Surgery, Japanese Red Cross Osaka Hospital, Japan)
- O19-4 Non-Stick Liver Parenchymal Transection With Saline-Linked Bipolar Clamp-Crush Technique in Robotic Liver Resection
Masatoshi Kajiwara (Department of Gastroenterological Surgery, Faculty of Medicine, Fukuoka University, Japan)
- O19-5 Tailoring liver parenchymal resection techniques based on Liver stiffness and tumor localization in Robot-assisted hepatectomies: Insights from our experience
Koji Kitamura (Hyogo Prefectural Amagasaki General Medical Center, Japan)
- O19-6 Techniques and outcome of Robot-Assisted Liver Resection
Yoshinao Ohbatake (Department of gastroenterological surgery, Ishikawa Prefectural Central Hospital, Japan)
- O19-7 Invention of hepatic parenchyma transection during robot-assisted laparoscopic liver resection in our department
Yoichi Kawano (Department of Surgery, Nippon Medical School, Japan)
- O19-8 Robot-Assisted Liver Resection with image guided surgery
Tomokazu Kusano (Division of Gastroenterological and General Surgery, Department of Surgery, School of Medicine, Showa University, Japan)
- O19-9 Anatomic Liver Resection with Maximum Robotic Advantage
Mamoru Morimoto (Nagoya City University, Department of Gastroenterological Surgery, Japan)

Oral 20

June 29 (Sat.) 9:15-10:10 [Room 9 (B1F Conference Management Room 5+6)]

Navigation in HBP surgery

Moderators: Seiichi Shimizu (Hiroshima University Hospital, Japan)

Akihiko Soyama (Department of Surgery, Nagasaki University Graduate School of Medicine, Japan)

- O20-1 Synergistic effects of fluorescence-guided anatomic liver resection using indocyanine green in open and laparoscopic surgery
Hirotō Nishino (Department of Surgery, Kyoto University, Japan)
- O20-2 Intraoperative ICG As a Safety Guide For Minimally Invasive Cholecystectomy In Acute Cholecystitis
Naru Kim (Hepatobiliary-pancreatic surgery, Ewha Womans University Mokdong Hospital Ewha Womans University College of Medicine, Korea, Seoul, South Korea)
- O20-3 Withdrawn
- O20-4 A three-dimensional real time navigation system for laparoscopic anatomical liver resection
Kotaro Ito (Department of Surgery, Saga University Faculty of Medicine, Japan)
- O20-5 Oxygen Saturation Imaging for Liver Segmentation Identification Using Near-Infrared
Yuto Aoki (Department of Gastrointestinal and Hepato-Biliary-Pancreatic Surgery, Nippon Medical School Chiba Hokusoh Hospital, Japan)
- O20-6 Application of extended reality (XR) in pancreatic surgery
Satoshi Takada (Department of Hepato-Biliary-Pancreatic Surgery and Transplantation, Kanazawa University, Japan)
- O20-7 New insights of navigation in HBP surgery. -Extended reality, hologram and metaverse -
Yu Saito (Department of Surgery, Japan)

- O20-8 A Novel Navigation Technology for Liver Surgery Using Spectral Imaging
Takeshi Urade (Department of Surgery, Division of Hepato-Biliary-Pancreatic Surgery, Kobe University Graduate School of Medicine, Japan)
- O20-9 Novel navigation surgery for biliary surgery fusing artificial intelligence and ICG fluorescent imaging
Yoshihiko Tashiro (Department of General and Gastroenterological Surgery, Showa University School of Medicine, Japan)

Oral 21

June 29 (Sat.) 10:10-11:05 [Room 9 (B1F Conference Management Room 5+6)]

Liver cancer 3

- Moderators: Takashi Onoe (Department of Surgery, NHO Kure Medical Center and Chugoku Cancer Center, Japan)
Sumihito Tamura (Hepato-Biliary-Pancreatic Surgery and Artificial Organ and Transplantation Surgery Division, Department of Surgery / International Medical Center / Tissue Bank, University of Tokyo Hospital, Japan)
- O21-1 Clinicopathological characteristics of combined hepatocellular cholangiocarcinoma after radical resection from the viewpoint of dominant-classification of pathological component
Keiso Matsubara (Department of Gastroenterological and Transplant Surgery, Graduate School of Biomedical and Health Science, Hiroshima University, Hiroshima, Japan)
- O21-2 Impact of microscopic vascular invasion in patients with hepatocellular carcinoma
Yuhi Yoshizaki (Hepato-Biliary-Pancreatic Surgery Division, Department of Surgery, National Center for Global Health and Medicine, Tokyo, Japan)
- O21-3 New predictors of microvascular invasion for small hepatocellular carcinoma ≤ 3 cm
Ryosuke Fukushima (Division of Hepatobiliary and Pancreatic Surgery, Department of General Surgical Science, Graduate School of Medicine, Gunma University, Japan)
- O21-4 Platelet-to-lymphocyte ratio is a useful prognostic factor for postoperative patients with Hepatocellular Carcinoma
Takeshi Utsunomiya (Department of Gastrointestinal Surgery, Ehime prefectural central hospital, Japan)
- O21-5 Predictive effect of Inflammation-Based Prognostic scores and liver fibrosis markers for hepatocellular carcinoma
Daigoro Takahashi (Ogaki Municipal Hospital, Department of Surgery, Japan)
- O21-6 Indications for liver resection for very elderly patients over 85 years of age in a general hospital setting
Hokuto Daisuke (Department of surgery, Yamatotakada municipal hospital, Japan)
- O21-7 Safety of Hepatectomy for Elderly Patients with Hepatocellular Carcinoma
Takafumi Kumamoto (Department of Surgery, Gastroenterological Center, Yokohama City University Medical Center, Japan)
- O21-8 Safety and efficacy of extrahepatic bile duct resection for cholangiocarcinoma in operative high-risk patients
Mariko Kamiya (Saiseikai Yokohama-shi Nanbu Hospital, Department of Surgery, Japan)
- O21-9 Evaluation of treatment strategy for colorectal liver metastases using JSHBPS nomogram score and PNI
Yasuko Matsuo (Department of Surgery, Nara Medical University, Japan)

Oral 22

June 29 (Sat.) 11:05-12:00 [Room 9 (B1F Conference Management Room 5+6)]

Unresectable Pancreatic Cancer

Moderators: Toru Nakamura (Department of Gastroenterological Surgery II, Hokkaido University faculty of Medicine, Japan)

Min Kyu Sung (Asan Medical Center, Korea)

- O22-1 Outcomes of Conversion Surgery for unresectable pancreatic cancer in our department.
Hiroto Matsui (Department of Gastroenterological, Breast and Endocrine Surgery, Yamaguchi University Graduate School of Medicine, Japan)
- O22-2 Treatment strategy and survival outcome for locally advanced unresectable pancreatic cancer
Shinya Sakamoto (Department of gastroenterological surgery, Kochi Hewalth Sciences Center, Japan)
- O22-3 Present status and subjects for the future of conversion surgery for UR-LA Pancreatic cancer in our department
Daiki Takeda (Department of Surgery, Iwate Medical University School of Medicine, Japan)
- O22-4 Clinical Implications of Disappearing Pancreatic Cancer Liver Metastases in the Era of Hepatocyte-Specific MRI
Aya Maekawa (Japanese Foundation of Cancer Research)
- O22-5 Rapid tumor marker response to systemic chemotherapy is a potential good indicator for conversion surgery for unresectable locally advanced pancreatic cancer.
Yuta Yoshida (Department of Surgery, Kindai university, Japan)
- O22-6 Knack of conversion surgery for locally advanced pancreatic cancer. Portal vein resection first
Tatsuaki Sumiyoshi (Department of Gastroenterological Surgery, Hiroshima University Hospital, Japan)
- O22-7 Clinical importance of FUT2 and FUT3 variants when evaluating CA19-9 and DUPAN-2 normalization before conversion surgery for unresectable pancreatic cancer
Haruyoshi Tanaka (Department of Surgery and Science, Faculty of Medicine, Academic Assembly, University of Toyama, Japan)
- O22-8 Surgical indications for UR pancreatic cancer
Yuki Homma (Department of Gastroenterological Surgery, Yokohama City University, School of Medicine, Japan)
- O22-9 Current status of conversion surgery for locally advanced pancreatic cancer
- Reconsideration of resectability criteria and proposal of new treatment strategy -
Suguru Yamada (Nagoya Central Hospital, Gastroenterological Surgery, Japan)

Oral 23

June 29 (Sat.) 11:30-12:00 [Room 7 (B2F Ran 2)]

Pancreatic Cancer 2

Moderators: Fumihiko Miura (Department of Surgery, Teikyo University Hospital, Mizonokuchi, Japan)

Ryusei Matsuyama (Department of Gastroenterological Surgery, Yokohama City University, Japan)

- O23-1 Strategy of treatment for locally advanced pancreatic adenocarcinoma
Naoya Sato (Department of Hepato-Biliary-Pancreatic and Transplant Surgery, Japan)
- O23-2 Our Surgical Techniques for Pancreatic Cancer with Arterial Contact
Hirochika Toyama (Div of Hepato-Biliary-Pancreatic Surgey, Dept of Surgery, Kobe University Graduate School of Medicine, Japan)

- O23-3 Multidiscipline treatment approach for pancreatic ductal adenocarcinoma with artery invasion in our institution
Koetsu Inoue (Department of Surgery, Jichi Saitama Medical Center, Japan)
- O23-4 Simplified procedure for Distal Pancreatectomy with Celiac Axis Resection (DP-CAR) for Pancreatic Cancer: A single center experience with zero mortality
Hirofumi Shirakawa (Department of HepatoBiliary-Pancreatic Surgery, Tochigi Cancer Center, Japan)
- O23-5 Arterial-preserving surgical techniques and treatment strategies/outcomes for BR-A/UR-LA pancreatic cancer
Nobuyuki Nishizawa (Department of General-Pediatric Hepatobiliary Pancreatic Surgery, Kitasato University School of medicine, Japan)

Oral 24

June 29 (Sat.) 15:15-16:15 [Room 8 (B1F Conference Management Room 2+3)]

Pancreatic Cancer in Octogenarians 1

Moderators: Amane Takahashi (Department of Gastroenterological Surgery, Saitama Cancer Center, Japan)

Daisuke Hashimoto (Department of Pancreatobiliary Surgery, Kansai Medical University, Japan)

- O24-1 Surgical Outcomes in Elderly Patients (80 and Older) with Pancreatic Head Cancer: A Comparative Analysis
Hironori Yamashita (Department of Gastroenterological Surgery, Hyogo Prefectural Harima-Himeji General Medical Center, Japan)
- O24-2 Selection of Surgery and Perioperative Chemotherapy in Elderly Patients with Pancreatic Cancer
Kazuyasu Takizawa (Digestive and General Surgery Niigata University, Japan)
- O24-3 Treatment strategies for over 80 years patients with pancreatic head adenocarcinoma
Masaya Munekage (Department of Surgery, Kochi Medical School, Japan)
- O24-4 Significance of pancreaticoduodenectomy for pancreatic cancer in the elderly
Atsuyuki Maeda (Department of Surgery, Ogaki Municipal Hospital, Japan)
- O24-5 Treatment Strategies for Pancreatic Cancer in Patients Over 80 Years Old.
Shoji Kanno (Surgery, Iwate Medical University, Japan)
- O24-6 Reviewing the Treatment of Elderly Patients with Pancreatic Cancer at Our Hospital.
Sachiko Ishida (Digestive Diseases Center, Showa University Koto Toyosu Hospital, Japan)
- O24-7 Outcomes of pancreaticoduodenectomy for pancreatic cancer in the super elderly
Hiroki Teraoku (Department of Surgery, Tokushima University, Japan)
- O24-8 Surgical Outcomes in Elderly Patients (≥80 years old) at a Hospital Newly Implementing Hepatobiliary and Pancreatic Surgery.
Daisuke Inoue (Department of Hepato-Biliary-Pancreatic Surgery, Izumi City General Hospital, Japan / Department of Surgery, Kishiwada Tokusyuikai Hospital, Japan)
- O24-9 Short-term outcomes of pancreatectomy for geriatric patients with pancreatic cancer.
Shigeyuki Tsukida (Department of Hepato-Biliary-Pancreatic and Transplant Surgery, Fukushima Medical University, Japan)
- O24-10 Outcomes and treatment setting for resectable pancreatic head cancer in patients over 80 years of age.
Shoki Sato (Department of Surgery, Teine Keijinkai Hospital, Japan)

Oral 25

June 29 (Sat.) 16:10-17:00 [Room 6 (B2F Ran 1)]

Pancreatic Cancer 3

Moderators: Yuko Mataka (Department of Digestive Surgery, Kagoshima University Hospital, Japan)
 Yasuhiro Matsugu (Department of Gastroenterological Surgery, Hiroshima Prefectural Hospital, Japan)

- O25-1 Order-made neoadjuvant therapy for resectable pancreatic ductal adenocarcinoma to achieve a low preoperative CA19-9 level
 Shintaro Takeuchi (Department of Gastrointestinal Surgery II, Division of Surgery, Faculty of Medicine, Graduate School of Medicine, Hokkaido University, Japan)
- O25-2 Significance of mesothelin and CA125 co-expression in preoperative biopsy specimen of resectable pancreatic adenocarcinoma
 Takahiro Einama (Department of Surgery, National Defense Medical College, Japan)
- O25-3 Associations between tumor markers and early recurrence in patients treated with neoadjuvant chemotherapy for pancreatic cancer
 Daisuke Ogawa (Department of Gastroenterological Surgery, Kumamoto University, Japan)
- O25-4 Treatment outcomes in biological borderline resectable pancreatic cancer
 Takashi Murakami (Department of Surgery, Saiseikai Yokohamashi Nanbu Hospital, Japan)
- O25-5 The significance of neoadjuvant chemotherapy for biological borderline resectable pancreatic cancer
 Yoshitaro Shindo (Department of Gastroenterological, Breast and Endocrine Surgery, Yamaguchi University Graduate School of Medicine, Japan)
- O25-6 Optimal threshold of preoperative CA19-9 as a biological factor in patients with resectable pancreatic cancer
 Takashi Aono (Department of Surgery, Niigata Prefectural Central Hospital, Japan)
- O25-7 Biological characteristics of early recurrence after radical resection for pancreatic cancer
 Hiromitsu Maehira (Department of Surgery, Shiga University of Medical Science, Japan)
- O25-8 Biological factors associated with poor survival in the era of neoadjuvant chemotherapy for PDAC
 Takanori Konishi (Department of General Surgery, Chiba University Graduate School of Medicine, Japan)

Oral 26

June 29 (Sat.) 16:00-16:55 [Room 7 (B2F Ran 2)]

Biliary cancer

Moderators: Hiroyuki Kato (Department of Gastroenterological Surgery, Fujita Health University School of Medicine Bantane Hospital, Japan)
 Takeyuki Misawa (Department of Surgery, Teikyo University School of Medicine, Japan)

- O26-1 Changing pattern in the Surgical Management of Gall bladder Cancer: A single center experience of 33 years
 Ashok Kumar (Department of Surgical Gastroenterology, Sanjay Gandhi Post Graduate Institute of Medical Sciences, Lucknow-226, INDIA)
- O26-2 Prognostic factors and characteristics of recurrence pattern for curatively resected intrahepatic cholangiocarcinoma
 Makoto Muto (Department of Hepato-Biliary-Pancreatic and Transplant Surgery, Fukushima Medical University, Japan)

- O26-3 Laparoscopic hepatectomy may be feasible for peripheral type of intrahepatic cholangiocarcinoma.
Hisashi Kosaka (Department of Surgery, Kansai Medical University, Japan)
- O26-4 Clinicopathologic features in each subclassification of intrahepatic cholangiocarcinoma; Can subclassifications of ICC influence appropriate treatment strategies?
Masahiko Kinoshita (Department of Hepato-Biliary-Pancreatic Surgery, Osaka Metropolitan University Graduate School of Medicine, Japan)
- O26-5 Evaluating AJCC Staging and Determining Resectability Status with the Incorporation of Biological Markers in Intrahepatic Cholangiocarcinoma
Yusuke Yamamoto (Division of Digestive Surgery, Kyoto Prefectural University of Medicine, Japan)
- O26-6 Treatment outcomes of conversion surgery for unresectable biliary tract cancer
Shinichiro Hasegawa (Department of Gastroenterological Surgery, Osaka International Cancer Institute, Japan)
- O26-7 Clinical significance of portal vein resection in distal cholangiocarcinoma as borderline resectability
Hiroki Aoyama (Department of surgery, Ogaki municipal hospital, Japan)
- O26-8 Treatment strategy for borderline resectable perihilar cholangiocarcinoma
Isamu Hosokawa (Department of General Surgery, Chiba University, Japan)
- O26-9 Preoperative Predictive Factors for Pathological Lymph Node Metastasis in Perihilar Cholangiocarcinoma and Thier Impact on Survival Outcome
Shimpei Otsuka (Division of hepato-biliary-pancreatic surgery, Shizuoka Cancer Center, Japan)

Oral 27

June 29 (Sat.) 16:00-17:00 [Room 9 (B1F Conference Management Room 5+6)]

Pancreatic Cancer in Octogenarians 2

Moderators: Kosei Maemura (Department of Gastroenterological Surgery, Kagoshima City Hospital, Japan)
Naohiro Sata (Department of Surgery, Jichi Medical University, Japan)

- O27-1 Outcomes of multidisciplinary treatment of patients with resectable pancreatic ductal adenocarcinoma aged over 80 years
Takeshi Murakami (Department of Surgery, Surgical Oncology and Science, Sapporo Medical University School of Medicine, Japan)
- O27-2 Short-term and long-term outcomes of pancreatic resection for elderly patients with pancreatic cancer aged 80 years or older
Shojiro Hata (Department of Gastrointestinal Surgery, Showa General Hospital, Japan)
- O27-3 Analysis of NAC-GS therapy tolerance for aged over 80 years patients ~the relative dose intensity analysis~
Kazuya Yasui (Department of Gastroenterological Surgery, Okayama University Graduate School of Medicine, Dentistry and Pharmaceutical Sciences, Japan)
- O27-4 Evaluation of the benefit of surgery for very elderly patients with pancreatic cancer
Tatsuya Yamazaki (Department of Surgery, Division of General and Gastroenterological Surgery, Japan)
- O27-5 Safety and surgical outcomes of pancreatectomy for pancreatic ductal adenocarcinoma in octogenarians
Takashi Kishi (Department of Digestive and General Surgery, Shimane University Faculty of Medicine, Japan)
- O27-6 Evaluation of the usefulness of robotic pancreaticoduodenectomy in older patients with pancreatic cancer
Yusuke Nie (Ageo Central General Hospital, Japan)

- O27-7 Safety of upfront pancreaticoduodenectomy in octogenarian with resectable pancreatic cancer
Shunsuke Omori (Department of Hepatobiliary and pancreatic surgery, Kyorin University Hospital, Japan)
- O27-8 Safety and efficacy of distal pancreatectomy for pancreatic adenocarcinoma in octogenarian patients
Noriyuki Kitagawa (Department of Surgery, Shinshu University School of Medicine, Japan)
- O27-9 The outcome and outlook of pancreatic cancer in elderly patients more than 80 years old
Hidejiro Urakami (Department of Surgery, NHO Tokyo Medical Center, Japan)
- O27-10 Pancreatic resection outcomes for elderly patients with pancreatic cancer
Shuji Suzuki (Department of Gastroenterological Surgery, Ibaraki Medical Center, Tokyo Medical University, Japan)

■ Mini-Oral

Mini-Oral 1

June 28 (Fri.) 8:00-8:45 [Mini-Oral Room 1 (B2F Himawari)]

Biliary 1

Moderators: Ikumi Hamano (Department of Surgery, Ashikaga Red Cross Hospital, Japan)
Shigetsugu Takano (Department of General Surgery, Chiba University, Graduate School of Medicine, Japan)

- MO1-1 Withdrawn
- MO1-2 A case of gallbladder adenosquamous carcinoma distinguished from liver abscess.
Eriko Ohta (Department of Surgery, Tsuruoka Municipal Shonai Hospital, Japan)
- MO1-3 A case of Intracholecystic papillary neoplasm with an associated invasive cancer
Ryo Katayama (Seirei Mikatahara General Hospital, Japan)
- MO1-4 A case of neuroendocrine carcinoma of the gallbladder with a difficult preoperative diagnosis
Takanobu Yamao (Department of Surgery, Miyakonojo Medical Center, Japan / Department of Gastroenterological Surgery, Kumamoto University, Japan)
- MO1-5 Successful conversion surgery for locally advanced gallbladder cancer after durvalumab plus gemcitabine and cisplatin chemotherapy
Kisyo Mihara (Department of Surgery, Kawasaki Municipal Kawasaki Hospital, Japan)
- MO1-6 Poorly differentiated adenocarcinoma with signet ring cell carcinoma of the gallbladder cancer: a case report
Masaki Aida (Department of Surgery, Kochi Medical School, Japan)
- MO1-7 Gallbladder Clear Cell Carcinoma: A Case Report
Bayanduuren Batsuuri (Grandmed hospital, Ulaanbaatar, Mongolia)

Mini-Oral 2

June 28 (Fri.) 8:00-8:55 [Mini-Oral Room 2 (B2F Himawari)]

Pancreas 1

Moderators: Akira Nakashima (Department of Surgery, Kure Kyosai Hospital, Japan)
Yusuke Yamamoto (Digestive Surgery, Kyoto Prefectural University of Medicine, Japan)

- MO2-1 A case of pancreatic cancer with disappearance of tail-side dilated pancreatic duct during preoperative treatment.
Tatsuya Okishio (Kyoto Katsura Hospital, Japan)
- MO2-2 A case of gastric tube-preserving pancreaticoduodenectomy for pancreatic head to body IPMN after esophagectomy.
Shuji Komori (Department of Surgery, Gifu Prefectural General Medical Center, Japan)
- MO2-3 Pancreaticoduodenectomy with combined resection of superior mesenteric artery and vein for colon cancer lymph node metastasis recurrence: a case report
Takashi Miyata (Department of General and Digestive Surgery, Kanazawa Medical University Hospital, Japan)
- MO2-4 A surgical case of pancreatic head carcinoma with rapid jaundice progression due to intramural duodenal hematoma
Ryota Saito (Department of Surgery, Jikei University Kashiwa Hospital, Japan)
- MO2-5 A surgically resected case of pancreatic carcinoma in situ, originating from a duct stricture and spreading with fatty replacement
Masaki Matsumura (Hyogo Prefectural Harima-Himeji General Medical Center, Japan)
- MO2-6 A case of curative resection for simultaneous triple cancer of the pancreas, dermal spinous cell, and lung.
Yusuke Matsune (Department of Gastroenterological and General Surgery, Showa University, Japan)
- MO2-7 A case of distal pancreatectomy in which indocyanine green fluorescence image was effective to confirm blood supply after division of the left gastric artery
Rihito Nagata (Department of Surgery, Hepatobiliary and Pancreatic, Japan)
- MO2-8 Pancreatic Tail Resection with Autologous Peritoneum for Portal Vein Reconstruction in a Resectable Body-Tail Junction Cancer: A Case Report
Taiga Fujii (Department of Hepatobiliary-Pancreatic Surgery, Juntendo University Graduate School of Medicine, Japan)
- MO2-9 Pancreaticoduodenectomy for pancreatic cancer patient with severe stenosis at the root of superior mesenteric artery : a case report
Tetsuzo Tashima (Department of Hepato-biliary-Pancreatic Surgery, Osaka city general hospital, Japan)

Mini-Oral 3

June 28 (Fri.) 8:00-8:55 [Mini-Oral Room 3 (B2F Himawari)]

Pancreas 2

Moderators: Takamichi Ishii (Department of Surgery, Kyoto University, Japan)

Teruhisa Sakamoto (Division of Gastrointestinal and Pediatric Surgery, Department of Surgery, Tottori University, Japan)

- MO3-1 Six cases of surgically resected pancreatic metastases of renal cell carcinoma: a single institutional experience
Hisateru Komatsu (Department of Gastroenterological Surgery, Osaka General Medical Center, Japan)
- MO3-2 Clinicopathological characteristics and outcomes after resection of acinar cell carcinoma of the pancreas: analysis of eight cases
Tsukasa Taguchi (Department of Gastroenterological Surgery, Graduate School of Medicine, Osaka University, Japan)
- MO3-3 Surgical Management for neuroendocrine tumor of the duodenal ampulla
Sang Thanh Nguyen (Kansai Medical University, Hirakata, Osaka, Japan)
- MO3-4 Surgical cases of non-functional neuroendocrine neoplasm of the pancreas in our institution
Munenori Takaoka (Department of General Surgery, Kawasaki Medical School, Japan)
- MO3-5 Examination of operative procedure and clinical outcome in duodenal cancer
Ryota Iwase (Department of Surgery, The Jikei University Katsushika Medical Center, Japan)
- MO3-6 Surgical outcomes of Resected cases of Primary Duodenal cancer at Our Hospital
Kenji Sakai (Department of Surgery NHO Osaka National Hospital, Japan)
- MO3-7 The Role of Extra-Pancreatic Malignancies in Predicting Intraductal Papillary Mucinous Neoplasm (IPMN) Malignancy
Takaharu Kato (Higashi-Saitama General Hospital, Japan)
- MO3-8 How the Caregiver Status Could Increase the Quality of Life Among Elderly After Pancreatic Adenocarcinoma Surgical Resection with Dementia Status?
Lintong Hottua Simbolon (The Pranala Institute, Yogyakarta, Indonesia)
- MO3-9 Technical and clinical success of EUS-directed Transgastric ERCP (EDGE) in Roux-en-Y Gastric Bypass (RYGB) Anatomy patients
Javad Alizargar (Kashan University, Isfahan, Iran)

Mini-Oral 4

June 28 (Fri.) 8:00-8:50 [Mini-Oral Room 4 (B2F Himawari)]

Pancreas 3

Moderators: Shin Kobayashi (Department of Hepatobiliary and Pancreatic Surgery, National Cancer Center Hospital East, Japan)

Hiroki Hayashi (Department of Surgery, NHO Sendai Medical Center, Japan)

- MO4-1 4 cases of lung resection for lung metastasis from pancreatic cancer after pancreatic resection
Yoshihiro Mikuriya (Department of Gastroenterological Surgery, NHO, Shikoku Cancer Center, Japan)
- MO4-2 A Case of Perforated Peritonitis with Sigmoid Colon Metastasis from Pancreatic Cancer
Rei Kanemoto (Kanagawa Cancer Center, Japan)

- MO4-3 A case of pancreatic metastasis from colon cancer
Akihiro Tanaka (Department of Hepato-Biliary-Pancreatic Surgery, Izumi City General Hospital, Japan)
- MO4-4 A case of isolated supraclavicular lymph node metastasis after total pancreatectomy in a patient with pancreatic cancer.
Shigeki Wakiyama (Department of surgery, Machida municipal hospital, Japan)
- MO4-5 A case of intraductal tubulopapillary carcinoma developing in the remnant pancreas after pancreaticoduodenectomy for ampullary carcinoma
Shigeru Kato (Japanese Red Cross Fukui Hospital)
- MO4-6 A case of functional pancreatic neuroendocrine tumor (VIPoma)
Hisamichi Yoshii (Department of Gastroenterology, Tokai University Hachioji Hospital, Japan)
- MO4-7 A case of mixed ductal-neuroendocrine carcinoma of the pancreas
Seiichiro Tada (Department of Digestive Surgery, Shizuoka City Shizuoka Hospital, Japan)
- MO4-8 PANCREATODUODENECTOMY FOR AMPULLARY CANCER WITH CELIAC ARTERY STENOSIS DUE TO MEDIAN ARCUATE LIGAMENT SYNDROME: A CASE REPORT
Charmaine Agustin Montalbo (Rizal Medical Center, Pasig City, Metro Manila, Philippines)

Mini-Oral 5

June 28 (Fri.) 9:00-9:50 [Mini-Oral Room 1 (B2F Himawari)]

Biliary 2

Moderators: Satoshi Koizumi (Department of Gastroenterological and General Surgery, St. Marianna University School of Medicine, Japan)

Yoshiyuki Wada (Department of Surgery, Chugoku Rosai Hospital, Japan)

- MO5-1 Surgical recovery for left gastric artery injury after emergency ERCP for acute obstructive cholangitis while waiting for a cardiac transplantation
Soichiro Harada (Osaka University, Graduate school of Medicine, Department of Gastroenterological Surgery, Japan)
- MO5-2 Duodenojejunostomy and subsequent endoscopic management of biliary enteric anastomotic stricture inaccessible via balloon-assisted endoscopy
Ryosuke Tsunemitsu (Kochi health science center, Japan)
- MO5-3 Feasibility of bailout procedure for preventing intraoperative biliary injury
Yoshiaki Ikuta (Department of Gastroenterological Surgery, Kumamoto City Hospital, Japan)
- MO5-4 Novel traction technique using barbed suture combined with Free Jaw (FJ) clip
Nao Kawaguchi (Department of General and Gastroenterological Surgery, Osaka Medical and Pharmaceutical University Hospital, Japan)
- MO5-5 Investigation into factors necessitating bailout in laparoscopic cholecystectomy
Shoichi Irie (Department of Hepatobiliary-Pancreatic Surgery, Juntendo University Graduate School of Medicine, Japan / Koshigaya Municipal Hospital, Japan)
- MO5-6 Modified Kamas Scoring System for Predicting Bail-out Cholecystectomy is Useful for the Increasing Prevalence of Laparoscopic Surgery
Ryota Ito (Department of Hepatobiliary-Pancreatic Surgery, Juntendo University Graduate School of Medicine, Japan)
- MO5-7 Long-term complications of laparoscopic subtotal cholecystectomy for acute cholecystitis
Akiko Tanaka (Department of Surgery, Kurashiki Central Hospital, Japan)

- MO5-8 Consideration of bleeding during laparoscopic cholecystectomy and antithrombotic drugs
Naohiro Hosomura (JCHO Yamanashi Hospital, Japan)

Mini-Oral 6

June 28 (Fri.) 9:00-9:55 [Mini-Oral Room 2 (B2F Himawari)]

Pancreas 4

Moderators: Toshimitsu Irei (Department of Surgery, Center for Gastroenterology, Urasoe General Hospital, Japan)
Takashi Kimura (Department of Hepato-Biliary-Pancreatic and Transplant Surgery, Fukushima Medical University, Japan)

- MO6-1 Investigation of predictive Factors for Early Postoperative Recurrence in the patients with Resectable Pancreatic Ductal Adenocarcinoma
Kazuki Kobayashi (Department of Surgery, National Defense Medical College, Japan)
- MO6-2 Stratification of the risk for early recurrence in the patient with pancreatic ductal adenocarcinoma
Yoichi Miyata (Department of Surgery, Asahi General Hospital, Japan)
- MO6-3 3-years long-term survival of pancreatic cancer: a single-center retrospective analysis
Yuko Mataka (Department of Digestive Surgery, Kagoshima University, Japan)
- MO6-4 Analysis of risk factors associated with distant metastasis detected at laparotomy in patients with radiologically resectable pancreatic ductal adenocarcinoma
Pipit Burasakarn (Phramongkutklao Hospital, Bangkok, Thailand)
- MO6-5 Clinical characteristics of pathologic complete response following neoadjuvant therapy for pancreatic ductal adenocarcinoma with special reference to preoperative imaging evaluation.
Satoru Miyahara (Department of Gastroenterological Surgery, Graduate School of Medicine, Osaka University, Japan)
- MO6-6 Re-consideration of lymph node metastasis in pancreatic cancer patients following radical resection
Ryo Saito (First Department of Surgery, University of Yamanashi, Japan)
- MO6-7 Risk factors associated with delayed systemic treatment of pancreatic cancer following surgery intended for curative purpose
Hao-Wei Kou (Department of General Surgery, Chang Gung Memorial Hospital, Taoyuan, Taiwan)
- MO6-8 Descriptive analysis of natural clinical course of PDAC primarily treated with mFOLFIRINOX
Jimin Son (Asan Medical Center, Seoul, South Korea)
- MO6-9 Clinical outcomes of preservation versus resection of portal/superior mesenteric vein during pancreaticoduodenectomy in the pancreatic cancer patients with response to neoadjuvant chemotherapy
Yoon Soo Chae (Department of Surgery and Cancer Research Institute, College of Medicine, Seoul National University Hospital, Seoul, South Korea)

Mini-Oral 7

June 28 (Fri.) 9:00-9:55 [Mini-Oral Room 3 (B2F Himawari)]

Biliary 3

Moderators: Takeshi Takamoto (Hepato-biliary-Pancreatic Surgery Division and Artificial Organ and Transplantation Division, University of Tokyo, Japan)

Mariko Tsukagoshi (Division of Hepatobiliary and Pancreatic Surgery, Department of General Surgical Science, Gunma University Graduate School of Medicine, Japan)

- MO7-1 Subclassification and prognosis for large and small duct type intrahepatic cholangiocarcinoma
Takahiro Yoshizawa (Division of Gastroenterological, Hepato-Biliary-Pancreatic, Transplantation and Pediatric Surgery, Department of Surgery, Shinshu University School of Medicine, Japan / Department of Laboratory Medicine, Shinshu University School of Medicine, Japan)
- MO7-2 A case of IPNB discovered during the follow-up of the huge simple cyst of the liver.
Nao Kinjo (Department of Surgery, Urasoe General Hospital, Japan)
- MO7-3 A case of Mixed neuroendocrine non neuroendocrine neoplasm (MiNEN) of the Ampulla of Vater
Fukutomi Shogo (Department of Surgery, Kurume University school of medicine, Japan)
- MO7-4 Significance of para-aortic lymph node sampling for perihilar cholangiocarcinoma patients.
Akira Takenouchi (Yokohama City University, Graduate School of Medicine, Department of Gastroenterological Surgery, Japan)
- MO7-5 A case of mucin-producing intracholecystic papillary neoplasm causing liver damage
Koji Doi (Department of Surgery, Japanese Red Cross Fukui Hospital, Japan)
- MO7-6 A PROSPECTIVE STUDY ON ROLE OF PET-CT SCAN IN CASES OF RESECTABLE CARCINOMA GALLBLADDER
Amit Mohanty (INDIRA GANDHI INSTITUTE OF MEDICAL SCIENCES, PATNA, India)
- MO7-7 Risk Factors for Cholangitis Following Pancreaticoduodenectomy
Michiro Takahashi (Department of Surgery, Tokyo Metropolitan Bokutoh Hospital, Japan)
- MO7-8 A Study of Pancreaticoduodenectomy in the Elderly
Saori Umezawa (Division of Gastroenterological and General Surgery, St. Marianna University School of Medicine, Japan)
- MO7-9 The usefulness of EUS-guided biliary drainage for patients with advanced malignant biliary obstruction.
Takashi Imanaka (Tane General Hospital, Japan)

Mini-Oral 8

June 28 (Fri.) 9:00-9:55 [Mini-Oral Room 4 (B2F Himawari)]

Pancreas 5

Moderators: Hideaki Iwama (Department of Surgery, Fujita Health University, Japan)

Yukiko Niwa (Department of Gastroenterological Surgery, Tokyo Women's Medical University Yachiyo Medical Center, Japan)

- MO8-1 A surgical resected case of anaplastic carcinoma of the pancreas producing granulocyte-colony stimulating factor with literature review
Norio Kubo (Department of Surgery, Gunma Prefecture Saiseikai Maebashi Hospital, Japan)

- MO8-2 A case of resectable borderline pancreatic head cancer with acute portal vein occlusion during preoperative chemoradiotherapy
Hiroyuki Matsukawa (Kagawa University Hospital Department of Gastroenterological Surgery, Japan)
- MO8-3 A case of pathological complete response with GnP in unresectable locally advanced pancreatic cancer
Takashi Kuise (Department of Gastroenterological Surgery, Japanese Red Cross Okayama Hospital)
- MO8-4 A case of mixed ductal-acinar cell carcinoma of the pancreas who underwent total pancreatectomy
Shingo Nakashima (Department of digestive surgery, Nara City Hospital, Japan)
- MO8-5 Pancreatic acinar cell carcinoma with widespread extension to the pancreatic duct, avoiding total pancreatectomy after neoadjuvant GEM+S-1 therapy
Shusei Sano (Department of Hepato-Biliary-Pancreatic Surgery, Nagano Red Cross Hospital, Japan)
- MO8-6 A Case of BCL10-Negative, CPA1-Positive Acinar Cell Carcinoma of the Pancreas
Koji Kitada (Department of Surgery, NHO Fukuyama Medical Center, Japan)
- MO8-7 Non-invasive intraductal oncocytic papillary neoplasm forming a protruding lesion toward the duodenum from the accessory papilla: A case report
Shinnosuke Kawahara (Department of Gastrointestinal Surgery, Kanagawa Cancer Center, Japan)
- MO8-8 Mixed neuroendocrine-non-neuroendocrine neoplasms(MiNEN)in duodenum(non-ampullary lesion):Report of a case
Kazuki Matsushita (Department of General Surgery,Kawasaki Medical School General Medical Center, Japan)
- MO8-9 Solitary Fibrous Tumor of the Pancreas: Case Report And Literature Review
Hee Ju Sohn (Chung-Ang University Gwangmyeong Hospital, Chung-ANG university college of medicine, Gwangmyeong-si, South Korea)

Mini-Oral 9

June 28 (Fri.) 10:00-10:55 [Mini-Oral Room 1 (B2F Himawari)]

Biliary 4

Moderators: Shigehito Miyagi (Surgery, Sendai City Hospital, Tohoku University, Japan)
Nozomu Sakai (Department of General Surgery, Chiba University, Japan)

- MO9-1 A CORRELATION OF BILIARY AMYLASE AND INTRACYSTIC PRESSURE WITH HISTOPATHOLOGICAL CHANGES IN CHOLEDOCHAL CYST IN ADULTS
A G Harisankar (Indira Gandhi Institute Of Medical Sciences, Patna, India)
- MO9-2 Risk Factor for the Recurrent Acute Cholecystitis after Percutaneous Transhepatic Gallbladder Drainage (PTGBD) without Cholecystectomy
Kyung Chul Yoon (Seoul Metropolitan Government Seoul National University Boramae Medical Center, Department of Surgery, Seoul, South Korea / Seoul National University College of Medicine, Department of Surgery, Seougl, South Korea)
- MO9-3 Appropriate indication for early cholecystectomy in elderly patient aged over 80 years in high age society.
Masakazu Nagamori (Department of Surgery, Itoigawa General Hospital, Niigata Federation of Agricultural Cooperative Associations, Japan)
- MO9-4 Efficacy and validity of percutaneous transhepatic gallbladder drainage as bridge to surgery for elderly patients with acute cholecystitis
Satoshi Nishiwada (Department of Surgery, Minami-Nara General Medical Center, Japan)

- MO9-5 Conversion surgery for unresectable biliary tract cancer with lymph node metastasis
Hideaki Sueoka (Division of Hepato-Biliary-Pancreatic Surgery, Department of Gastroenterological Surgery, Hyogo Medical University, Japan)
- MO9-6 Convolutional-neural-network-based diagnosis of Acute cholecystitis via CT scans in patients with acute abdominal pain
Takeshi Horaguchi (Department of Gastroenterological Surgery, Gifu University Hospital, Japan)
- MO9-7 Risk factors for difficult laparoscopic cholecystectomy and postoperative course in acute cholecystitis
Masanori Odaira (Department of surgery, Tokyo Saiseikai Central Hospital, Japan)
- MO9-8 Study of abscess formation after laparoscopic cholecystectomy.
Tetsuya Nakano (Department of surgery, Nagaoka Chuo General Hospital, Japan)
- MO9-9 The study on safety of laparoscopic cholecystectomy for acute cholecystitis in super-old patients
Minami Maruyama (Yao Municipal Hospital, Japan)

Mini-Oral 10

June 28 (Fri.) 10:00-11:00 [Mini-Oral Room 2 (B2F Himawari)]

Biliary 5

Moderators: Daisuke Satoh (Hiroshima City Hiroshima Citizens Hospital, Department of Surgery, Japan)
Hiroki Sunagawa (Department of gastrointestinal surgery, Nakagami hospital, Japan)

- MO10-1 Withdrawn
- MO10-2 Laparoscopic whole layer cholecystectomy for polypoid lesion of the gallbladder
Junya Toyoda (Department of Gastrological Surgery, Yokohama City University School of Medicine, Japan)
- MO10-3 Surgical outcomes of laparoscopic surgery for gallbladder carcinoma
Gen Yamamoto (Department of Hepato-Biliary-Pancreatic Surgery, National Hospital Organization Kyushu Medical Center, Japan)
- MO10-4 Prevention and treatment of hepatolithiasis after pancreaticoduodenectomy
Masahide Hiyoshi (Division of Hepato-Biliary-Pancreatic Surgery, Department of Surgery, Miyazaki University, Japan)
- MO10-5 A BMI under 21 is a risk factor for difficulty in home discharge in elderly patients with acute cholecystitis.
Yukiko Kosai-Fujimoto (Department of Surgery, NHO Fukuokahigashi Medical Center, Japan)
- MO10-6 Outcome of laparoscopic surgery for adult congenital biliary dilatation in our department
Junichiro Haga (Department of Surgery, Division of Hepato-Biliary-Pancreatic and Transplant Surgery, University of Fukushima, Japan)
- MO10-7 Significance of direct bilirubin level in drainage fluid of postoperative biliary fistula in hepatobiliary-pancreatic surgery
Koichi Kimura (Matsuyama Red Cross Hospital, Japan)
- MO10-8 Evaluation of appropriate decompression method for hepaticojejunostomy in major hepatectomy with extrahepatic bile duct resection for biliary tract cancer
Hiroki Sakai (Division of Gastroenterological, Hepato-Biliary-Pancreatic, Transplantation and Pediatric Surgery, Department of Surgery, Shinshu University School of Medicine, Japan)

- MO10-9 Impact of liver hypertrophy and indocyanine green elimination rate on the post-hepatectomy liver failure after major hepatectomy sequel to portal vein embolization
Atsuro Fujinaga (Department of Hepatobiliary and Pancreatic Surgery, National Cancer Center Hospital, Japan)
- MO10-10 ALPlat index is useful to predict postoperative liver failure after liver resection with biliary reconstruction.
Yukinori Koyama (Department of Gastroenterological Surgery, Takamatsu Red Cross Hospital, Japan / Department of Surgery, Graduate School of Medicine, Kyoto University, Japan)

Mini-Oral 11

June 28 (Fri.) 10:00-11:00 [Mini-Oral Room 3 (B2F Himawari)]

Pancreas 6

Moderators: Norihisa Kimura (Department of Gastroenterological Surgery, Hirosaki University Hospital, Japan)
Naru Kondo (Department of Gastroenterological Surgery, Miyoshi Central Hospital, Japan)

- MO11-1 Current situation of peritoneal lavage cytology in patients with pancreatic cancer in our hospital.
Asahi Sato (Department of Surgery, Shiga General Hospital, Japan)
- MO11-2 Pancreatic Cancer Surgery with Hepatic Artery Resection in Our Department
Yuki Suematsu (Department of Gastrointestinal and Pediatric Surgery, Tokyo Medical University, Japan)
- MO11-3 Splenic vein reconstruction is not necessary in pancreatoduodenectomy combined with portal vein confluence resection regardless of the status of LGV or IMV.
Tomoyuki Suda (Shizuoka Cancer Center, Japan)
- MO11-4 Prognostic factors for Distal Pancreatectomy combined with celiac artery for locally advanced pancreaticoduodenal carcinoma
Takumi Tanizki (Department of Gastroenterology, Kumamoto University Hospital, Japan)
- MO11-5 The surgical strategy for metachronous isolated pulmonary metastases after pancreatic surgery of pancreatic ductal adenocarcinoma (PDAC)
Yoshihito Hayashi (Department of Gastroenterological Surgery, Showa General Hospital, Japan)
- MO11-6 A Study on the Safety of Pancreaticoduodenectomy for the Elderly Patients
Yuji Ikeda (Yao Municipal Hospital, Japan)
- MO11-7 Pancreatic resection for octogenarian with pancreatic cancer at our hospital.
Atomu Suzuki (Department of Surgery, Japan Community Healthcare Organization Tokuyama Central hospital, Japan)
- MO11-8 Preoperative Decision to Perform Portal Vein Resection Improves Survival in Patients With Resectable Pancreatic Head Cancer Adjacent to Portal Vein
Muga Terasawa (Department of Hepatobiliary-Pancreatic Surgery, Juntendo University School of Medicine, Japan)
- MO11-9 Standardization of safe pancreaticoduodenectomy after the launch of hepato-biliary-pancreatic surgery
Takuma Okada (Izumi city general hospital, department of hepato-biliary-pancreatic surgery, Japan)
- MO11-10 Perioperative and long-term outcomes of pancreaticoduodenectomy for hemodialysis patients with pancreatic disease
Toshimitsu Irei (Department of Surgery, Center for Gastroenterology, Urasoe General Hospital, Japan)

Mini-Oral 12

June 28 (Fri.) 10:00-10:50 [Mini-Oral Room 4 (B2F Himawari)]

Pancreas 7

Moderators: Takaaki Kato (Department of Hepatobiliary-Pancreatic Surgery, Juntendo University, Japan)
Tsukasa Takayashiki (Department of General Surgery, Chiba University, Japan)

- MO12-1 Surgical site infection in pancreaticoduodenectomy for pancreatic tumor
Kazufumi Umemoto (Department of surgery, Teine keijinkai hospital, Japan)
- MO12-2 Investigation of portal vein stenosis after pancreaticoduodenectomy and distal pancreatectomy with portal vein resection for pancreatic cancer.
Hidetaka Miyazaki (Department of Surgery, Kansai Medical University, Japan)
- MO12-3 Stump ischemia is a possible risk factor for late onset pancreatic fistula after distal pancreatectomy
Shigeaki Kurihara (Department of Hepatobiliary-Pancreatic Surgery, Osaka Metropolitan University Graduate School of Medicine, Japan)
- MO12-4 Preoperative signal intensity ratio by MRI is useful for determining the pancreatic texture and predicting pancreatic fistula after distal pancreatectomy
Takahairo Gunji (Department of Digestive and Transplantation Surgery, Hachioji Medical Center, Tokyo Medical University, Japan)
- MO12-5 Conversion surgery for unresectable pancreatic cancer
Satoshi Yokoyama (Japanese Red Cross Society Wakayama Medical Center, Department of Surgery, Japan)
- MO12-6 The impact of mesopancreas thickness on surgical outcomes of patient who undergo pancreaticoduodenectomy
Yuhei Endo (Department of Surgery, Saitama Medical Center, Jichi Medical University, Japan)
- MO12-7 Predictive factors of delayed healing in pancreatic fistula after distal pancreatectomy
Hideaki Sato (Department of Surgery, Tohoku University Graduate School of Medicine, Japan)
- MO12-8 A novel prediction model of clinically relevant pancreatic fistula after pancreaticoduodenectomy
Kyohei Yugawa (Department of Surgery, Oita Res Cross Hospital, Japan)

Mini-Oral 13

June 28 (Fri.) 13:20-14:10 [Mini-Oral Room 1 (B2F Himawari)]

Biliary 6

Moderators: Isamu Hosokawa (Department of General Surgery, Chiba University Graduate School of Medicine, Japan)
Junpei Yamaguchi (Department of Surgery, Nagoya University Hospital, Japan)

- MO13-1 A case of invasive carcinoma derived from IPNB containing adenosquamous carcinoma
Kazushi Tsuchiya (Department of Surgery, Japanese Red Cross Kumamoto Hospital, Japan)
- MO13-2 Pancreaticoduodenectomy after steroid therapy for ampullary region carcinoma associated with IgG4-related sclerosing cholangitis and autoimmune pancreatitis: A case report
Tota Kugiyama (Department of Surgery, Nagasaki Medical Center, Japan)
- MO13-3 Cholangiocarcinoma which required a differential diagnosis of Mirizzi syndrome – a case report –
So Kobashi (Toranomom Hospital, Japan)

- MO13-4 A surgical case of small cell neuroendocrine carcinoma of the ampulla of Vater
Hisoka Yamane (Department of Digestive Surgery, Seirei Mikatahara General Hospital, Japan)
- MO13-5 Cholangiolocellular Carcinoma with Ductal Plate Malformation Pattern: A 6-Year Follow-Up
Yuta Ushida (Department of Surgery, Toyota Kosei Hospital, Japan)
- MO13-6 Two cases of ICPN with associated invasive carcinoma
Susumu Suzuki (Dept. of Surgery, Niigata Prefectural Central Hospital, Japan)
- MO13-7 A case of intracholecystic papillary neoplasm with simultaneous distal cholangiocarcinoma
Shota Kami (Department of Hepatobiliary and Pancreatic Surgery, National Cancer Center Hospital East, Japan)
- MO13-8 A case of resection of inflammatory myofibroblastic tumor of the liver difficult to differentiate from hepatocellular carcinoma
Teppei Kono (Department of Surgery, Tokyo Women's Medical University Medical Center Adachi, Japan)

Mini-Oral 14

June 28 (Fri.) 13:20-14:10 [Mini-Oral Room 2 (B2F Himawari)]

Pancreas 8

Moderators: Kenjiro Kimura (Department of Hepato-Biliary-Pancreatic Surgery, Osaka Metropolitan University, Japan)

Hiroshi Noda (Department of Surgery, Saitama Medical Center, Jichi Medical University, Japan)

- MO14-1 Surgical indications and optimal techniques for mucinous cystic neoplasm (MCN) of the pancreas
Shinichiro Takahashi (Department of Gastroenterological Surgery, Tokai University School of Medicine, Japan)
- MO14-2 The study of surgical cases of IPMN
Masataka Hirano (Department of Gastroenterological Surgery, Osaka Rosai Hospital, Japan)
- MO14-3 Comparison of cost-effectiveness between IAP 2023 and 2017 guideline for intraductal papillary neoplasms of pancreas
Youngmin Han (Seoul National University Hospital, Seoul, South Korea)
- MO14-4 Clinicopathological study of cases operated on with preoperative diagnosis of IPMN
Naoki Mori (Department of Surgery, Yamagata Prefectural Central Hospital, Japan)
- MO14-5 Long-term outcomes of resection for noninvasive intraductal papillary mucinous neoplasms of the pancreas
Yoshihiro Miyasaka (Department of Surgery, Fukuoka University Chikushi Hospital, Japan)
- MO14-6 Minimal Invasive Surgery Technique for Mucinous Cystic Neoplasma of Distal Pancreas: Pitfall and Technique
Arli Suryawinata (Faculty of Medicine University of Andalas/Dr. M Djamil General Hospital, Padang, Indonesia)
- MO14-7 Withdrawn
- MO14-8 Withdrawn

Mini-Oral 15

June 28 (Fri.) 13:20-14:05 [Mini-Oral Room 3 (B2F Himawari)]

Pancreas 9

Moderators: Koji Asai (Department of Surgery, Toho University Ohashi Medical Center, Japan)

Kunihito Gotoh (Department of Gastroenterological Surgery, Osaka International Cancer Institute, Japan)

MO15-1 Results of multidisciplinary treatment for resectable pancreatic-head ductal adenocarcinoma at our institution

Yoriko Nomura (Department of Hepato-Biliary-Pancreatic Surgery, National Hospital Organization Kyushu Medical Center, Japan)

MO15-2 The utility of BBT formula in preoperative chemotherapy with gemcitabine and S-1 for resectable pancreatic cancer

Ryuta Muraki (Department of Surgery, Hamamatsu University School of Medicine, Japan)

MO15-3 The results of neoadjuvant Gemcitabine and S-1 chemotherapy for resectable pancreatic cancer in our institution.

Soichiro Mori (Department of Surgery, Osaka Rosai Hospital, Japan)

MO15-4 Investigation of tolerability and safety of neoadjuvant chemotherapy for pancreatic cancer in our hospital.

Hikaru Hanzawa (Yamagata Prefectural Central Hospital Department of Surgery, Japan)

MO15-5 The influence of neoadjuvant treatment with or without radiation on the tumor micro-environment and prognosis of PDAC.

Masaki Sakaue (The Department of Gastroenterological Surgery, Graduate School of Medicine, Osaka University, Japan)

MO15-6 Usefulness of Pancrelipase during Neoadjuvant Treatment for Pancreatic Cancer Patients

Motoharu Inui (Osaka University, Graduate School of Medicine, Department of Gastroenterological Surgery, Japan)

MO15-7 Conversion surgery for unresectable pancreatic ductal adenocarcinoma

Koji Kubota (Division of Gastroenterological, Hepato-Biliary-Pancreatic, Transplantation and Pediatric Surgery, Department of Surgery, Shinshu University School of Medicine, Japan)

Mini-Oral 16

June 28 (Fri.) 13:20-14:15 [Mini-Oral Room 4 (B2F Himawari)]

Liver 1

Moderators: Michinori Hamaoka (Department of Gastroenterological Surgery, Hiroshima Prefectural Hospital, Japan)

Akira Shimizu (Division of Gastroenterological, Hepato-Biliary-Pancreatic, Transplantation and Pediatric Surgery, Department of Surgery, Shinshu University School of Medicine, Japan)

MO16-1 Withdrawn

MO16-2 Learning curves for laparoscopic hepatectomy according to Iwate difficulty score using CUSUM analysis

Sehyeon Yu (Division of HBP Surgery and Liver Transplantation, Department of Surgery, Korea University College of Medicine, Seoul, South Korea)

MO16-3 Introduction and education of robotic hepatectomy in our department

Tomokatsu Kato (Nagoya city university, Gastroenterological Surgery, Japan)

- MO16-4 Outcomes of laparoscopic hepatic resection for hepatocellular carcinoma
Masayo Tsukamoto (Department of Surgery, Saiseikai Kumamoto Hospital, Japan)
- MO16-5 Short-term and long-term outcomes of laparoscopic hepatectomy for liver metastases from colorectal cancer in our department
Takashi Kokumai (Department of Gastroenterological Surgery, Sendai Kousei Hospital, Japan)
- MO16-6 The Significance of HALS in Parenchymal-sparing hepatectomy in the S7 and S8 regions.
Toma Kawashima (Department of surgery, Iwate Medical University, Japan)
- MO16-7 Experience of the Fifth Institution to Introduce Laparoscopic Liver Resection
Shin Nakahira (Department of Surgery, Ohyama Memorial Hospital, Japan)
- MO16-8 Surgical outcomes of laparoscopic liver resection for "technically borderline resectable" tumors in our hospital.
Shuntaro Hirose (Department of Hepatobiliary and Pancreatic Surgery, National Cancer Center Hospital, Japan)
- MO16-9 Indication and surgical outcome of laparoscopic repeat hepatectomy for recurrent liver tumor
Makoto Shinzeki (Department of Surgery, Osaka Saiseikai Nakatsu Hospital, Japan)

Mini-Oral 17

June 28 (Fri.) 14:10-15:05 [Mini-Oral Room 1 (B2F Himawari)]

Biliary 7

Moderators: Masashi Inoue (Department of surgery, Higashihiroshima medical center, Japan)

Takehiro Noda (Department of Gastroenterological Surgery, Osaka University, Japan)

- MO17-1 A case of cholecystitis in a retained gallbladder remnant after subtotal cholecystectomy treated by endoscopic technique
Naoko Yoneura (Japanese Red Cross Narita Hospital, Japan)
- MO17-2 A case of subcapsular liver hematoma following laparoscopic cholecystectomy which developed into a symptomatic liver cyst and was treated with drainage
Kyohei Abe (Department of Surgery, The Jikei University School of Medicine, Tokyo, Japan)
- MO17-3 Systemic Sarcoidosis Diagnosed through Propionibacterium Acnes Positive Non-Caseous Granuloma in the Cystic Duct Lymph Node
Yoshie Kadota (Surgery, Saitama Medical Center, Japan)
- MO17-4 Xanthogranulomatous cholecystitis mimics gallbladder cancer : correlation among radiological images and intraoperative findings and pathological features
Po-Chih Yang (Fu Jen Catholic University Hospital, New Taipei City, Taiwan)
- MO17-5 A case of preoperative diagnosis of xanthogranulomatous cholecystitis with cholecystoduodenal fistula, which was successfully resected laparoscopically
Yukio Shimojima (Department of Surgery, Tokyo Women' Medical University, Adachi Medical Center, Japan)
- MO17-6 A case of laparoscopic cholecystectomy and partial transverse colectomy for cholecystocolonic Fistula, discovered as colon polyps.
Ko Ichimori (Dept of Gastroenterological Surgery, Toranomon Hospital, Japan)
- MO17-7 Clinical features of gallbladder torsion in emergency clinical settings
Takashi Nitta (Department of Surgery, Ako City Hospital, Japan)

- MO17-8 Two cases of fishbone migration to bile ducts after Subtotal Stomach-Preserving Pancreaticoduodenectomy
Toyonari Kubota (Kyoto City Hospital Department of surgery, Japan)
- MO17-9 Todani classification Type Ib and II congenital biliary dilatation, a report of two rare cases.
Ryohei Takei (Kanazawa University Hospital, Hepato-Biliary-Pancreatic Surgery and Transplantation, Japan)

Mini-Oral 18

June 28 (Fri.) 14:10-14:55 [Mini-Oral Room 2 (B2F Himawari)]

Pancreas 10

- Moderators: Kazuto Shibuya (Department of Surgery and Science, University of Toyama, Japan)
Hirochika Toyama (Department of Surgery, Div of Hepato-Biliary-Pancreatic Surgery, Kobe University, Japan)
- MO18-1 Characteristics and Outcomes of Pancreatic Cancer Patients Experiencing Recurrence before Initial Adjuvant Chemotherapy: A Retrospective Study
Yen-Hui Lee (Chang Gung Memorial Hospital, Linkou, Taoyuan, Taiwan)
- MO18-2 Postoperative outcomes of early feeding after pancreaticoduodenectomy
Supatsara Nua-on (Department of surgery, Maharat Nakhon Ratchasima Hospital, Nakhon Ratchasima, Thailand)
- MO18-3 Deep Learning Model for Volume Measurement of the Remnant Pancreas After Pancreaticoduodenectomy and Distal Pancreatectomy
Eun-Jee Lee (Department of Surgery, Gachon University Gil Medical Center, Gachon University College of Medicine, Incheon, South Korea)
- MO18-4 Remnant Total Pancreatectomy 14 Years after Initial Treatment for Pancreatic Head Cancer
Ryuji Hasebe (Jichi Medical University Saitama Medical Center, department of surgery, Japan)
- MO18-5 A study of prognostic factors in patients with completed S-1 adjuvant chemotherapy after radical resection of pancreatic ductal adenocarcinoma
Taro Mashiko (Department of gastroenterology, Tokai University school of medicine, Japan)
- MO18-6 Title : Association Between Perioperative Blood Glucose Level And Severe Complication After Pancreatectomy
Yoonsun Choi (Kangbuk Samsung Hospital, Sungkyunkwan University School of Medicine, Seoul, South Korea)
- MO18-7 The novel technique to reconstruct pancreaticoenterostomy during minimal invasive pancreaticoduodenectomy: modified Duct-to-Mucosa technique
Joo Dong Kim (Daegu Catholic University School of medicine, Daegu, South Korea)

Mini-Oral 19

June 28 (Fri.) 14:10-14:55 [Mini-Oral Room 3 (B2F Himawari)]

Pancreas 11

- Moderators: Hajime Ishikawa (Department of Surgery, Shiga University of Medical Science, Japan)
Yukihiro Yokoyama (Division of Surgical Oncology, Department of Surgery, Nagoya University, Japan)
- MO19-1 Pancreaticoduodenectomy for pancreatic ductal adenocarcinoma in patients over 80 years old
Daisuke Shirai (Division of Hepato-Biliary-Pancreatic Surgery, Department of Gastroenterological Surgery, Hyogo College of Medicine, Japan)

- MO19-2 Introduction of neoadjuvant therapy for over 80 years old patients with pancreatic cancer
Yusuke Okamura (Department of Surgery, Kyoto Katsura Hospital, Japan)
- MO19-3 Comparative analysis of survival outcomes based on preoperative CT tumor reduction and pathological tumor residual in pancreatic cancer after neoadjuvant treatment.
Miku Obayashi (Division of Hepato-Biliary-Pancreatic Surgery, Shizuoka Cancer Center, Japan)
- MO19-4 Outcome for patients with resectable pancreatic cancer
Hideharu Tanaka (GIFU PREFECTURAL GENERAL MEDICAL CENTER, Japan)
- MO19-5 Survival impact based on radiographic tumor-vein circumferential interface and contact length in patients who underwent PD with SMV/PV resection for PDAC after neoadjuvant chemoradiotherapy
Benson Kaluba (Department of Hepatobiliary Pancreatic and Transplant Surgery, Mie University, Tsu, Japan)
- MO19-6 Predicting Prognosis and Optimal Timing for Surgery using CA 19-9 in Pancreatic Cancer Patients who Underwent FOLFIRINOX-Based Neoadjuvant Therapy
Hochang Chae (Samsung Medical Center, Seoul, South Korea)
- MO19-7 Evaluation of early recurrence in patients with borderline resectable pancreatic cancer in our hospital
Sadatoshi Shimizu (Department of Hepato-Biliary-Pancreatic Surgery, Osaka City General Hospital, Japan)

Mini-Oral 20

June 28 (Fri.) 14:30-15:40 [Mini-Oral Room 4 (B2F Himawari)]

Pancreas 12

Moderators: Shogo Kobayashi (Department of Gastroenterological Surgery, Osaka University, Japan)
Takeshi Sudo (Department of Surgery, NHO Kure Medical Center and Chugoku Cancer Center, Japan)

- MO20-1 Prevention of pancreatic fistula and treatment results of duct-to-mucosa pancreaticogastrostomy reconstruction in pancreatoduodenectomy
Takeshi Sudo (Department of Surgery, Kure Medical Center and Chugoku Cancer Center)
- MO20-2 Withdrawn
- MO20-3 Incidence and risk factors of chyle leak after pancreaticoduodenectomy -Does robotic dissection have any impact on its incidence and severity? -
Jun Tauchi (Department of Hepato-Biliary-Pancreatic Surgery, Cancer Institute Hospital, Japan)
- MO20-4 Association between early induction of enteral nutrition and chylous ascites based on ERAS - Consideration of optimal enteral nutrition -
Teppei Tatsuoka (Dokkyo Medical University Saitama Medical University, Japan)
- MO20-5 Pancreaticoduodenectomy for patients who refuse blood transfusions for religious reasons
Takayoshi Nakajima (Department of Surgery, Meiwa Hospital, Japan)
- MO20-6 Clinical Course and Outcomes for Borderline Resectable and Locally Advanced Left-Sided Pancreatic Cancer Following Neoadjuvant FOLFIRINOX Chemotherapy
JangHun Han (Asan Medical Center, Seoul, South Korea)
- MO20-7 Prediction based on perioperative factors related to early recurrence after resection for pancreatic cancer.
Yusuke Mitsuka (Division of digestive surgery, Department of Surgery, Nihon university school of medicine, Japan)

- MO20-8 Investigation of indications for pancreatic cancer in elderly patients over 80 years old
Kazuki Sekine (Department of Digestive surgery, Kameda General Hospital, Japan)
- MO20-9 Pancreaticoduodenectomy in Patients Aged 85 and Older: A Study of Four Cases
Hiroki Yamana (Iwate Prefectural Chubu Hospital, Japan)
- MO20-10 Evaluation of the Treatment Outcomes and Safety of Pancreaticoduodenectomy in Patients Over 80 Years Old with Pancreatic Cancer
Huanlin Wang (Department of Surgery, Saiseikai Fukuoka General Hospital, Japan)
- MO20-11 Lymphangiography contributes to early improvement of persistent chyle leak in pancreatic surgery.
Norihiro Ishii (Division of Hepatobiliary and Pancreatic Surgery, Department of General Surgical Science, Gunma University, Japan)

Mini-Oral 21

June 28 (Fri.) 14:55-15:50 [Mini-Oral Room 2 (B2F Himawari)]

Transplant

Moderators: Yasuhiko Sugawara (Department of Transplantation, Kumamoto University Hospital, Japan)
Takeshi Takahara (Department of Surgery, Fujita Health University, Japan)

- MO21-1 How Can We Ensure Donor Safety with Less than 30% of Residual Volume?
Joo Dong Kim (Daegu Catholic University School of Medicine, Daegu, South Korea)
- MO21-2 Living Donor Liver transplantation for Paediatric Wilson's disease: Does an acute presentation impact post-transplant outcomes?
Katheresan V (Gleneagles Global Health City, Chennai, India)
- MO21-3 Impact of collagen deposition in donor graft on clinical liver transplant outcomes
Hirofumi Hirao (Department of Surgery, Division of Hepato-Pancreato-Biliary Surgery and Transplantation, Kyoto University, Kyoto, Japan)
- MO21-4 The outcome of liver transplantation for HCC at Juntendo University by Child-Pugh class
Yoshihiro Hirata (Department of HBP surgery, Juntendo University, Japan)
- MO21-5 Elucidating the Impact of Recipient and Donor Aortic Calcification on Living Donor Liver Transplantation
Ichiya Chogahara (Medical center for Translational and Clinical Research Department of Gastroenterological and Transplant Surgery, Graduate school of Biomedical and Health Sciences, Hiroshima University, Japan)
- MO21-6 Successful simultaneous pancreas-kidney transplantation in a patient with hemophilia A.
Takahiro Shimaoka (Department of Gastroenterology Surgery, Graduate School of Medicine, Osaka University, Japan)
- MO21-7 Impact of intraoperative blood loss on patient survival following living donor liver transplantation
Hajime Matsushima (Department of Surgery, Nagasaki University Graduate School of Biomedical Sciences, Japan)
- MO21-8 Study on de novo cancer after liver transplantation at Hiroshima university.
Atsuhiro Watanabe (Department of Gastroenterological and Transplant Surgery, Graduate School of Biomedical and Health Sciences, Hiroshima University, Japan)
- MO21-9 Clinical factors affecting liver regeneration in living donors after right hepatectomy
Yoo Shin Choi (Chung-Ang University Hospital, Seoul, South Korea)

Mini-Oral 22

June 28 (Fri.) 14:55-15:50 [Mini-Oral Room 3 (B2F Himawari)]

Pancreas 13Moderators: Masayasu Aikawa (Department of Gastroenterological Surgery, Saitama Medical University,
International medical center, Japan)

Hiroshi Kono (First Department of Surgery, University of Yamanashi, Japan)

- MO22-1 A case of pancreatic hamartoma that was difficult to diagnose preoperatively
Yusuke Katsuki (department of surgery, Saiseikai Yokohamashitobu Hospital, Japan)
- MO22-2 Pancreatic serous cystic adenoma with somatostatin receptor expression: A case report
Mayako Nakama (Department of Surgery, Kawasaki Municipal Hospital, Japan)
- MO22-3 A Case of Intrapancreatic Accessory Splenic Cyst Difficult to Differentiate from Pancreatic Mucinous Cyst Neoplasm.
Hiroka Hosaka (Department of Gastroenterological Surgery, Toho University Medical Center, Omori Hospital, Japan)
- MO22-4 A Case of Pancreatic Lymphoepithelial Cyst (LEC)
Yuta Ushida (Department of Gastroenterological Surgery, Kameda General Hospital, Japan)
- MO22-5 Fish bone penetration to the pancreas & Delayed pancreatic fistula/abscess due to an accidental ingestion half a year ago: A case report
Nobuyuki Tamaki (Kyoto City Hospital, Japan)
- MO22-6 A case report of chronic pancreatitis accompanied by peritoneal dissemination like nodule.
Yusuke Kyoden (Department of gastroenterological surgery, Japan)
- MO22-7 A case of clinical adult-onset nesidioblastosis with repeated severe hypoglycemia treated by two times pancreatectomies
Wataru Izumo (Department of Surgery, Institute of Gastroenterology, Tokyo Women's Medical University, Japan)
- MO22-8 Pancreatic serous cystadenoma with Intra-abdominal hemorrhage
Akira Okaniwa (Department of Surgery, Kimitsu Chuo Hospital, Japan)
- MO22-9 Laparoscopic splenectomy for sclerosing angiomatoid nodular transformation of the spleen : report a case
Toshikatsu Nitta (Division of Surgery Gastroenterological center Shiroyama Hospital, Japan)

Mini-Oral 23

June 28 (Fri.) 15:05-15:50 [Mini-Oral Room 1 (B2F Himawari)]

Pancreas 14Moderators: Yuji Kaneda (Department of Surgery, Division of Gastroenterological, General and Transplant Surgery,
Jichi Medical University, Japan)

Hiroyuki Sakurai (Hepatobiliary Pancreatic Surgery, Iga City Ueno General Hospital, Japan)

- MO23-1 Effectiveness of a robotic pancreaticoduodenectomy training program for hepatobiliary-pancreas surgeons.
Youngmin Han (Seoul National University Hospital, Seoul, South Korea)
- MO23-2 Title: Robot-Assisted Spleen-Preserving Distal Pancreatectomy (Kimura Method) Using DaVinci SP: A Case Report
Akihiro Nishimura (Department of Gastrointestinal surgery, Japan)

- MO23-3 usefulness of elevated jejunal drainage tube in robot-assisted pancreaticoduodenectomy
Hiroshi Kobayashi (HBP surgery, Cancer Institute Hospital, Japan)
- MO23-4 Comparative Analysis of minimally invasive distal pancreatectomy in our department
Takatsugu Matsumoto (Dokkyo Medical University, Japan)
- MO23-5 Surgical outcome of laparoscopic and robotic distal pancreatectomy for elderly pancreatic cancer
Go Shinke (Department of Surgery, Kansai Rosai Hospital, Japan)
- MO23-6 Oncological outcomes of laparoscopic versus open distal pancreatectomy for resectable pancreatic cancer: a propensity-score matching retrospective analysis
Yosuke Kasai (Department of Surgery, Graduate School of Medicine, Kyoto University, Japan)
- MO23-7 Introduction and results of laparoscopic and robotic pancreatic surgery at our institution
Shigenori Ei (Department of surgery, Tokai university, Japan)

Mini-Oral 24

June 29 (Sat.) 8:20-9:05 [Mini-Oral Room 4 (B2F Himawari)]

Liver 2

Moderators: Masahiro Ohira (Department of Gastroenterological Surgery, Hiroshima University Hospital, Japan)
Hiroshi Yagi (Department of Surgery, Keio University, School of Medicine, Japan)

- MO24-1 Hub gene MFSD10 is a potential biomarker in hepatocellular carcinoma based on comprehensive hub gene analysis
Junichi Takahashi (Oita Medical Center, Japan)
- MO24-2 The proliferation of hepatocellular carcinoma with a background of nonalcoholic fatty liver characterized by intracellular fat accumulation is induced via the S1P-S1PR2 pathway
Makoto Takeda (Department of Surgery, Hamamatsu University School of Medicine, Japan)
- MO24-3 Impact of MESH1, a Novel Ferroptosis Regulatory Protein, on Ferroptosis in Hepatocellular Carcinoma
Yuki Nakayama (Department of Surgery and Science, Graduated School of Medical Sciences, Kyushu University, Japan)
- MO24-4 Analysis of portal vein branching morphology in the portal umbilical portion using CTAP
Ken Sunamura (Keio University School of Medicine, Japan)
- MO24-5 Is It True that Religiosity Increases Survival Rate in Patients with Liver Failure?
Rosinta Hotmaida Pebrianti Purba (The Pranala Institute, Klaten, Indonesia)
- MO24-6 Investigation of the possibility of γ H2AX as a biomarker for pancreatic cancer recurrence cases
Takashi Matsumoto (Department of Gastroenterological Surgery, Graduate School of Medical Sciences, Kumamoto University, Japan)
- MO24-7 Maintenance of operational tolerance after liver transplantation by peripheral tolerance mechanism in donor reactive T cells
Naoki Tanimine (Department of Surgery, Kure Medical Center, Chugoku Cancer Center, Japan /
Department of Gastroenterological and Transplantation Surgery, Hiroshima University, Japan)

Mini-Oral 25

June 29 (Sat.) 8:20-9:10 [Mini-Oral Room 5 (B2F Himawari)]

Pancreas 15

Moderators: Takanori Morikawa (Department of Gastroenterological Surgery, Miyagi Cancer Center, Japan)
Yutaka Takeda (Department of Surgery, Kansai Rosai Hospital, Japan)

- MO25-1 Two cases of laparoscopy-assisted residual total pancreatectomy after pancreaticoduodenectomy
Atsushi Tomioka (Department of General and Gastroenterological Surgery, Osaka Medical and Pharmaceutical Surgery, Japan)
- MO25-2 Robot-assisted pancreaticoduodenectomy with non-reconstruction of the remnant pancreas tail in a patient harboring neuroendocrine neoplasm with atrophy of the pancreatic tail
Wataru Fujii (Department of Gastroenterological Surgery, Graduated School of Medicine, Osaka University, Japan)
- MO25-3 Successful conversion surgery by minimally invasive distal pancreatectomy and complete response for unresectable pancreatic cancer with peritoneal metastases after GnP therapy
Shohei Takaichi (Department of Surgery, Hyogo Prefectural Nishinomiya Hospital, Japan)
- MO25-4 Our initial experience with the robot-assisted distal pancreatectomy
Yayoi Sato (Funabashi municipal medical center, Japan)
- MO25-5 Robot-assisted laparoscopic distal pancreatectomy using a Double-Balloon catheter for treatment of a large pancreatic mucinous cystic neoplasm
Yusuke Iwabe (Department of Hepato-Biliary-Pancreatic Surgery, Tokyo Metropolitan Cancer and Infectious Diseases Center Komagome Hospital, Japan)
- MO25-6 A case of rare pancreatic carcinosarcoma
Daisuke Sato (Department of Surgery, Hokkaido Gastroenterology Hospital, Japan)
- MO25-7 A rare case of serotonin-negative sclerosing pancreatic neuroendocrine tumor
Takahiro Ikeda (Department of Surgery, Sasebo City General Hospital, Japan)
- MO25-8 Total pancreatectomy for residual pancreatic cancer: 3 cases reports
Shu Inagaki (Department of Digestive Surgery, Nihon University School of medicine, Japan /
Department of Digestive Surgery, National Hospital Organization Disaster Medical Center, Japan)

Mini-Oral 26

June 29 (Sat.) 8:40-9:35 [Mini-Oral Room 1 (B2F Himawari)]

Pancreas 16

Moderators: Akira Kenjo (Department of Hepato-Biliary-Pancreatic and Transplant Surgery, Fukushima Medical University, Japan)

Junpei Yamaguchi (Department of Surgery, Nagoya University Hospital, Japan)

- MO26-1 A case of laparoscopic spleen-preserving distal pancreatectomy for solid pseudopapillary neoplasm in pancreatic tail
Hideo Ota (Department of Gastroenterological Surgery, Nippon Life Hospital, Osaka, Japan)
- MO26-2 Spleen-preserving total pancreatectomy for multiple pancreatic neuroendocrine tumors(PNET): a case report
Yoji Kajiwara (Department of Surgery, School of Medicine, Toho University, Japan)

- MO26-3 Laparoscopic distal pancreatectomy in a patient with a portal annular pancreas
Toshimasa Okada (Department of Digestive Surgery, Kawasaki Medical School, Japan)
- MO26-4 A case report of bleeding from the duodenal mucosa due to pancreatic arteriovenous malformation
Tomoyuki Yano (Department of Surgery, Sapporo Kiyota Hospital, Japan)
- MO26-5 A Case of Traumatic Pancreatic, hepatic, and Celiac Axis Injury with Adachi type VI Vascular Anomaly
Kei Naito (Department of Surgery, Odawara Municipal Hospital, Japan)
- MO26-6 Three cases of marginal ulcer perforation after pancreatoduodenectomy.
Takaaki Osawa (Department of gastroenterological Surgery, Aichi Medical University, Japan)
- MO26-7 A case of remnant pancreatitis due to pancreatic stone and pancreatojejunostomy stenosis after pancreaticoduodenectomy successfully treated by double-balloon endoscopic procedure
Keisuke Tamagaki (Department of Emergency Medicine, Kansai Medical University, Japan /
Department of Surgery, Kansai Medical University, Department of Surgery, Japan /
The third Department of Internal Medicine, Kansai Medical University, Japan)
- MO26-8 Five cases of pyogenic spondylitis after pancreatic surgery
Masaharu Ishida (Department of Surgery, Tohoku University, Japan)
- MO26-9 Robotic pancreatoduodenectomy for large solid pseudopapillary tumor of the pancreas using precise and systematic vascular control technique
Kalayarasan Raja (JIPMER, Puducherry, India)

Mini-Oral 27

June 29 (Sat.) 8:40-9:50 [Mini-Oral Room 2 (B2F Himawari)]

Biliary 8

Moderators: Tatsuaki Sumiyoshi (Department of Gastroenterological Surgery, Hiroshima University Hospital, Japan)
Shuji Suzuki (Department of Gastroenterological Surgery, Ibaraki Medical Center, Tokyo Medical University, Japan)

- MO27-1 The Utility of Extrahepatic Bile Duct Resection in Patients with Gallbladder Cancer Involving the Subserosal Layer
Noriki Okada (Saitama Medical University, Japan)
- MO27-2 Surgical treatment strategies for cT3 gallbladder cancer
Tomohiko Ikehara (Division of Gastroenterological, Hepato-Biliary-Pancreatic, Transplantation and Pediatric Surgery, Department of Surgery, Shinshu University School of Medicine, Japan)
- MO27-3 A retrospective analysis of 28 cases of incidental gallbladder cancer on post-cholecystectomy
Kenichi Matsumoto (Department of Gastroenterological Surgery, Ikeda Municipal Hospital, Japan)
- MO27-4 Prognostic influence of initial surgery in incidental gallbladder cancer: a multicenter retrospective study
Eiji Yoshida (Department of Surgery, Takikawa Municipal Hospital, Japan)
- MO27-5 Laparoscopic surgery of incidental gallbladder cancer after laparoscopic cholecystectomy for acute cholecystitis.
Joo Dong Kim (Daegu Catholic University School of medicine, Daegu, South Korea)
- MO27-6 a single center 10 years experience with gall bladder carcinoma in a low prevalence region
Amith Sreekanth (Nizam's Institute of medical sciences, Hyderabad, India)
- MO27-7 Impact of LN#13a dissection in gallbladder cancer using lymph node dissection efficacy index
Kenji Yoshino (Department of Surgery, Nishi-Kobe Medical Center, Japan)

- MO27-8 Benefit of additional resection for T2 and more advanced incidental gallbladder cancer
Ryota Tanaka (Department of Hepato-Biliary-Pancreatic Surgery, Osaka metropolitan University Graduate School of Medicine, Japan)
- MO27-9 Adjuvant chemotherapy in carcinoma gall bladder: A systematic review and meta analysis
Mithun Nariampalli Karthyarth (ALL INDIA INSTITUTE OF MEDICALSCIENCES, RISHIKESH, RISHIKESH, India)
- MO27-10 Withdrawn
- MO27-11 Withdrawn

Mini-Oral 28

June 29 (Sat.) 8:40-9:40 [Mini-Oral Room 3 (B2F Himawari)]

Pancreas 17

- Moderators: Masafumi Imamura (Dept. of Surgery, Surg Oncol and Science, Sapporo Medical University, Japan)
Naohisa Kuriyama (Department of Hepatobiliary Pancreatic and Transplant Surgery, Mie University Graduate School of Medicine, Japan)
- MO28-1 Surgical outcomes of total pancreatectomy in our hospital
Yoshikatsu Endo (Japanese Red Cross Society, Himeji Hospital, Japan)
- MO28-2 Investigation of the relationship between glycemic control and treatment outcome in total pancreatectomy.
Soya Meguro (Department of surgery, Dokkyo Medical University Saitama Medical Center, Japan)
- MO28-3 Examination of total pancreatectomy cases in our department
Kazuaki Hazama (Department of Surgery, Oji General Hospital, Japan)
- MO28-4 Remnant Pancreatic Resection for Pancreatic Cancer
Takashi Urano (Department of General Surgery, Kawasaki Medical School, Okayama, Japan)
- MO28-5 Surgical Outcomes of Total Pancreatectomy
Akitsugu Fujita (Shizuoka General Hospital, Japan)
- MO28-6 Validity of total pancreatectomy for pancreatic cancer in terms of postoperative survival outcomes and nutritional status
Shuheki Kushiya (Department of Hepato-Biliary-Pancreatic Surgery, Osaka Metropolitan University, Japan)
- MO28-7 Comparative study of tumor characteristics of head and body/tail tumors in invasive pancreatic ductal cancer
Kuniharu Yamamoto (Department of Hepatobiliary and Pancreatic Surgery, Tohoku Medical and Pharmaceutical University Hospital, Japan)
- MO28-8 A study of recurrence factors in resectable and borderline resectable pancreatic body or tail adenocarcinoma.
Rika Fujino (Department of Tolai Univerdity Hachioji Hospital, Japan)
- MO28-9 Comparison of Resectability Classification and TNM Classification in the Assessment of Local Progression of Pancreatic Cancer
Taisuke Imamura (Division of Digestive Surgery, Department of Surgery, Kyoto Prefectural University of Medicine, Japan)

- MO28-10 Evaluation of long term survival for total pancreatectomy: A single-center experience
Tomofumi Ohashi (Department of Gastroenterological Surgery, Osaka Police Hospital, Japan)

Mini-Oral 29

June 29 (Sat.) 9:05-10:00 [Mini-Oral Room 4 (B2F Himawari)]

Pancreas 18

- Moderators: Yuichi Endo (Department of Gastroenterological and Pediatric Surgery, Oita University, Japan)
Akihiko Ichida (Hepato-Biliary-Pancreatic Surgery Division, Department of Surgery, The University of Tokyo, Japan)
- MO29-1 Treatment Experience of Chemotherapy and carbon-ion Radiotherapy followed by Conversion Surgery for Initially Unresectable Pancreatic Adenosquamous carcinoma
Hiroshi Watanabe (Department of Surgery I, Yamagata University Graduate School of Medical Science, Japan)
- MO29-2 A case of metachronous oligo-hepatic and peritoneal metastases of pancreatic cancer with a favorable outcome after conversion surgery combined with perioperative sequential chemotherapy
Shouta Eguchi (Kurasiki Medical Center, Japan)
- MO29-3 Pseudoaneurysm formation after distal pancreatectomy with celiac axis resection(DP-CAR) without postoperative pancreatic fistula: A case report
Kaito Fukuda (Ibaraki Prefectural Central Hospital, Ibaraki Cancer Center, Surgery, Japan)
- MO29-4 A case of multiple pancreatic metastases from renal cell carcinoma that underwent pancreatic total resection about 17 years later after nephrectomy
Akio Kawasumi (Miyoshi central hospital, Gastroenterology, Japan)
- MO29-5 A Case of Pancreatic Cancer with IVC Invasion Successfully Resected by Pancreatoduodenectomy with IVC Resection
Jun Sugitani (Department of Hepatobiliary pancreatic surgery, Juntendo University, Japan)
- MO29-6 Two cases of pancreaticoduodenectomy for pancreatic cancer without reconstruction of the atrophied residual pancreas
Yuma Suno (Shonan Kamakura General Hospital, Japan)
- MO29-7 Unusual hepatic artery anomaly in distal bile duct cancer: Replaced common hepatic artery originating from superior mesenteric artery crossing pancreatic parenchyma
Hiroataka Yamamoto (Department of HBP Surgery, Seirei Hamamatsu General Hospital, Japan)
- MO29-8 Pancreatoduodenectomy with preservation of the collateral arterial arcade in the head of the pancreas
Mikiya Kishino (Division of Gastrointestinal and Pediatric Surgery, Department of Surgery, School of Medicine, Faculty of Medicine, Tottori University, Japan)
- MO29-9 Extraordinary Enlargement of Main Pancreatic Duct Dilatation in Pancreatic Ductal Adenocarcinoma - A Case Report
Karl Heinz Leonhardt Rowika (Karl Heinz Leonhardt Rowika, Jakarta, Indonesia)

Mini-Oral 30

June 29 (Sat.) 9:10-10:10 [Mini-Oral Room 5 (B2F Himawari)]

Liver 3

Moderators: Akihiko Oshita (Department of Gastroenterological Surgery, JA Onomichi General Hospital, Japan)
Yoichi Yamashita (Department of Surgery, Japanese Red Cross Oita Hospital, Japan)

- MO30-1 A Multicenter Study of Long-Term Outcomes in laparoscopic repeated liver resection of HCC with the Hiroshima Surgical study group of Clinical Oncology (HiSCO)
Takashi Onoe (Surgery, NHO Kure Medical Center, Japan / Gastrointestinal and Transplant Surgery, Hiroshima Univ. Hospital, Japan)
- MO30-2 Feasibility of the laparoscopic and robotic liver resection for giant hepatic tumor
Shintaro Kodai (Department of Hepato-Biliary-Pancreatic Surgery, Osaka City General Hospital, Japan)
- MO30-3 A Review of Laparoscopic Liver Resection Performed at Our Hospital and Future Steps
Kazuhiro Takami (Division of Hepatobiliary pancreatic surgery, Tohoku Medical and Pharmaceutical University, Japan)
- MO30-4 Implementation and Outcomes of Robot-Assisted Liver Resection
Akihisa Nagatsu (Department of Gastroenterological Surgery 1, Hokkaido University, Japan)
- MO30-5 Investigation of laparoscopic right and left hemihepatectomy for hepatocellular carcinoma
Mitsuru Kinoshita (Department of Surgery, Kansai Rosai Hospital, Japan)
- MO30-6 Laparoscopic two-stage hepatectomy for synchronous bi-lobar colorectal liver metastases (CRLM)
Shin Kobayashi (Department of Hepatobiliary and Pancreatic Surgery, National Cancer Center Hospital East, Japan)
- MO30-7 Clinical evaluation of the safety of the clamp-crushing method in laparoscopic liver resection at our institution
Kanenori Endo (Department of Surgery, Tottori Prefectural Central Hospital, Japan)
- MO30-8 Re-evaluation of laparoscopic liver resection without lymph node dissection for intrahepatic cholangiocarcinoma
Mizuki Yoshida (Department of Hepato-Biliary-Pancreatic Surgery, Osaka Metropolitan University Graduate School of Medicine, Osaka, Japan)
- MO30-9 Robotic anatomical hepatectomy for hepatocellular carcinoma arising from Fontan-associated liver disease.
Takahiro Hikida (Department of Hepato-Biliary-Pancreatic and Breast Surgery, Ehime University Graduate School of Medicine, Japan)
- MO30-10 Robot-assisted hepatectomy using the hinotori™ Surgical Robot System for a metastatic liver tumor in the S7 region; A case report
Ayaka Ito (Department of Surgery, Fujita Health University, Japan)

Mini-Oral 31

June 29 (Sat.) 9:50-10:45 [Mini-Oral Room 1 (B2F Himawari)]

Liver 4

Moderators: Junichi Kaneko (Department of Gastrointestinal Surgery, Tokai University Hachioji Hospital, Japan)
Hiroko Okinaga (Department of Hepato-biliary-pancreatic Surgery, Tokyo Metropolitan Cancer and Infectious Diseases Center Komagome Hospital, Japan)

- MO31-1 Prediction of postoperative complications after hepatectomy with dynamic monitoring with Flo Trac System.
Shinya Ida (Department of Surgery, Hamamatsu University School of Medicine, Japan)
- MO31-2 Liver resection for hepatocellular carcinoma less than segmentectomy focused on the fourth branch of the portal vein
Shingo Shimada (Department of Hepatobiliary Pancreatic and Transplant Surgery, Asahikawa Medical University, Japan)
- MO31-3 Vessels encapsulating tumor clusters is a poor prognostic factor in non-viral hepatocellular carcinoma
Tomohiko Taniai (Division of Hepatobiliary and Pancreas Surgery, Department of Surgery, The Jikei University School of Medicine, Japan)
- MO31-4 Early recurrence factors after initial liver resection for hepatocellular carcinoma
Hidetake Amemiya (First Department of Surgery, University of Yamanashi, Japan)
- MO31-5 Minimally Invasive Approach to Hepatocellular Carcinoma with Right Atrial Tumor Thrombus without Sternotomy using Percutaneous Cardiopulmonary Bypass
Ryosuke Maki (Department of Gastroenterological Surgery, Graduate School of Medicine, Osaka University, Japan)
- MO31-6 A case of curative hepatectomy for hepatoid adenocarcinoma of the stomach with synchronous multiple liver metastases after preoperative chemotherapy
Shuhei Yamada (Akita city hospital, Japan)
- MO31-7 Laparoscopic anatomical liver resection for the patients with constitutional ICG excretory defect.
Takanori Morikawa (Department of Gastroenterological Surgery, Miyagi Cancer Center, Japan)
- MO31-8 Predicting severe posthepatectomy liver failure by combination of the ALBI score and liver resection percentage for primary liver cancer
Kazuhiro Takahashi (Department of GI and HBP Surgery, University of Tsukuba, Japan)
- MO31-9 Current status of multimodal treatment for advanced hepatocellular carcinoma in our department
Shinichiro Ono (Department of digestive and general surgery, University of Ryukyus, Japan)

Mini-Oral 32

June 29 (Sat.) 9:50-10:50 [Mini-Oral Room 2 (B2F Himawari)]

Biliary 9

Moderators: Ken Fukumitsu (Department of Surgery, Kyoto Katsura Hospital, Japan)
Satoshi Yasuda (Department of Surgery, Nara Medical University, Japan)

- MO32-1 Current status of genomic medicine for advanced recurrent biliary tract cancer
Atsushi Miyoshi (Department of Surgery, Saga Medical Center Koseikan, Japan)

- MO32-2 Prognosis analysis of radical resection for biliary tract cancer using transmembrane serine protease 4
Yoshiyuki Shibata (Department of Surgery, National Hospital Organization Kure Medical Center and Chugoku Cancer Center, Japan)
- MO32-3 The update of adjuvant chemotherapy of bile duct cancer in our group
Hideaki Sasajima (Sendai City Hospital, Japan)
- MO32-4 Outcomes after Pancreaticoduodenectomy with Portal Vein Resection (PVR) for Distal Cholangiocarcinoma (DCC): Is DCC Requiring PVR "Borderline-Resectable"?
Yuki Hirose (Division of Digestive and General Surgery, Niigata University, Japan)
- MO32-5 Surgical Outcomes and Prognosis of Hepatopancreatoduodenectomy for Biliary Tract Cancer
Daisuke Yamamoto (Department of Gastrointestinal Surgery, Shizuoka General Hospital, Japan)
- MO32-6 Safety and efficacy of hepaticoduodenostomy for biliary reconstruction after bile duct cancer surgery
Okjoo Lee (Soonchunhyang University Bucheon Hospital, Bucheon, South Korea)
- MO32-7 Clinical impact of pancreatic invasion in T1-stage distal bile duct cancer and prognostic factors associated with long-term survival: a multicenter study
Ye Won Jeon (Asan Medical Center, Seoul, South Korea)
- MO32-8 The influence of preoperative treatment on the efficacy of portal vein embolization in biliary tract cancer.
Yosuke Ogayama (Osaka International Cancer Institute, Japan)
- MO32-9 Survival Benefit of Concurrent Chemo-Radiotherapy for Advanced Ampulla of Vater Cancer
Young Mok Park (Pusan National University School of Medicine, Busan, South Korea)
- MO32-10 Clinical Impact of Ampullar of Vater Cancer Subtype Classification Based on Immunohistochemical staining
Byeong Gwan Noh (Pusan National University School of Medicine, Busan, South Korea)

Mini-Oral 33

June 29 (Sat.) 9:50-10:50 [Mini-Oral Room 3 (B2F Himawari)]

Pancreas 19

Moderators: Ryota Higuchi (Division of Gastroenterological Surgery, Tokyo Women's Medical University Yachiyo Medical Center, Japan)

Hiroyoshi Matsukawa (Department of Surgery, Hiroshima City Hiroshima Citizens Hospital, Japan)

- MO33-1 Perioperative predictive factors of failure to rescue following highly advanced hepatobiliary-pancreatic surgery: A single-institution retrospective study
Masahiro Fukada (Department of Gastroenterological Surgery, Gifu University Hospital, Japan)
- MO33-2 Postoperative outcomes of lateral approach for pancreatic tail tumors in laparoscopic distal pancreatectomy compared to the conventional medial approach: A propensity score matching cohort study
Sung Eun Park (Department of Hepato-biliary and Pancreas Surgery, Seoul St. Mary's Hospital, The Catholic University of Korea College of Medicine, Seoul, Seoul, South Korea)
- MO33-3 Hepatic Artery Protection Using Polyglycolic Acid Sheet During Pancreaticoduodenectomy: A Multicenter Study
Jun Suh Lee (Incheon St. Mary's Hospital, Incheon, South Korea)

- MO33-4 Withdrawn
- MO33-5 Impact of postpancreatectomy acute pancreatitis after distal pancreatectomy on postoperative course.
Jun Ichikawa (Department of Surgery, Shiga Prefectural General Hospital, Japan)
- MO33-6 A study on suppression of non-alcoholic fatty liver disease after pancreatoduodenectomy with Imanaga reconstruction for pancreatic head cancer patients.
Yutaka Takigawa (Department of Surgery, Tokyo Dental College Ichikawa General Hospital, Japan)
- MO33-7 A study on the relationship between pancreatic dissection site and postoperative diabetes mellitus in Distal pancreatectomy (DP)
Keisuke Ida (Department of Gastroenterological and General Surgery St. Marianna University School of Medicine, Japan)
- MO33-8 Symptomatic marginal ulcer following pancreaticoduodenectomy
Kabuto Takano (Department of Digestive Surgery, Niigata Cancer Center Hospital, Japan)
- MO33-10 Pancreatic Volume and Endocrine Function Changes Following Pancreaticoduodenectomy for Peri-Ampullary Neoplasms: A Retrospective Single-Center Study Utilizing Pancreas Volumetry
Jae-Ho Han (Department of Surgery, Gachon University Gil Medical Center, Gachon University College of Medicine, Incheon, South Korea)
- MO33-11 Six cases of robotic-assisted Warshaw technique using ICG fluorescence
Makoto Shibuya (Department of Surgery, Teikyo University School of Medicine, Tokyo, Japan)

Mini-Oral 34

June 29 (Sat.) 10:00-11:00 [Mini-Oral Room 4 (B2F Himawari)]

Liver 5

Moderators: Keiichi Akahoshi (Hepatobiliary and Pancreatic Surgery, Tokyo Medical and Dental University, Japan)
Koji Ohta (Department of Digestive Surgery, NHO Shikoku Cancer Center, Japan)

- MO34-1 A Resected Case of Metachronous Double Cancer, Combined Hepatocellular and Cholangiocarcinoma (cHCC-CC) and Intrahepatic Cholangiocarcinoma with Metabolic Dysfunction Associated Fatty Liver Disease
Genya Hamano (Department of Surgery, Belland General Hospital, Japan)
- MO34-2 A case of combined hepatocellular-cholangiocarcinoma with small cell neuroendocrine carcinoma component
Hana Futagami (Japanese Red Cross Society Himeji Hospital, Japan)
- MO34-3 A case of liver resection for liver metastasis of cecum cancer with endocrine and squamous differentiation
Masaya Aasato (Department of surgery, Yuuai medical center, Japan)
- MO34-4 A case of intrahepatic cholangiocarcinoma complicated by multiple hepatolithiasis
Tomonari Shimagaki (Department of Hepato-biliary and Pancreatic Surgery, National Hospital Organization Kyushu Cancer Center, Japan)
- MO34-5 A case of Intraductal tubulopapillary neoplasm with liver metastasis.
Yoichi Yamasaki (Department of Digestive Surgery, Graduate School of Medicine, Kagoshima University, Japan)
- MO34-6 A case of hepatic epithelioid hemangioendothelioma with simultaneous sternum metastasis which definitively diagnosed followed by laparoscopic liver resection
Kosei Niwano (department of surgery, National hospital organization Kyoto medical center, Japan)

- MO34-7 A case of liver resection for AFP-producing intrahepatic cholangiocarcinoma.
Takahiro Fukuda (National Hospital Organization Kure Medical Center and Chugoku Cancer Center, Japan)
- MO34-8 A case of hepatocellular carcinoma arising from the intraductal hepatic bile duct without parenchymal lesion
Yu Nakashima (Toyohashi municipal hospital, Japan)
- MO34-9 A very rare case of granulomatous liver disease mimicking a metastatic tumor possibly caused by immune checkpoint inhibitors
Takahisa Kawase (Japanese red Cross Mito Hospital, Japan)
- MO34-10 A case of hepatic sclerosed hemangioma which was difficult to diagnose preoperatively
Naoko Kamo (Mitsubishi Kyoto Hospital, Japan)

Mini-Oral 35

June 29 (Sat.) 10:10-11:05 [Mini-Oral Room 5 (B2F Himawari)]

Liver 6

Moderators: Keishi Sugimachi (Department of Haptobiliary-Pancreatic Surgery, Kyushu Cancer Center, Japan)
Ryuichi Yoshida (Department of Surgery, Hiroshima City Hiroshima Citizens Hospital, Japan)

- MO35-1 Usefulness of the Novel Rupture Severity Score (NRSS) in Determining the Timing of Transarterial Embolization (TAE) for Ruptured Hepatocellular Carcinoma
Atsushi Nara (Department of Hepatobiliary and Pancreatic Surgery, Tokyo Medical and Dental University, Japan)
- MO35-2 Comparing the impact of Atezolizumab Plus Bevacizumab and Lenvatinib for Recurrent Hepatocellular Carcinoma after Resection
Osamu Aramaki (Division of Digestive Surgery, Department of Surgery, Nihon University School of Medicine, Japan)
- MO35-3 Factors associated with an extended Hospital stay after surgery in the patient with hepatocellular carcinoma
Shohei Maruta (Department of Hepatobiliary Pancreatic and Pediatric Surgery Saitama Medical Center, Saitama Medical University, Japan)
- MO35-4 Risk factors of early recurrence after liver resection for colorectal liver metastases
Nobuhito Nitta (Department of Surgery, Shiga University of Medical Science, Japan)
- MO35-5 Liver resection for non-colorectal and non-neurondocrine liver metastases
Shodai Nagaishi (Department of Surgery, Division of General and Gastroenterological Surgery, Showa University School of Medicine, Japan)
- MO35-6 A study of recurrence patterns of poorly differentiated hepatocellular carcinoma in our hospital.
Yuya Kaneda (Department of Surgery, Kobe City Medical Center General Hospital, Japan)
- MO35-7 Multicentric occurrence shows better prognosis compared to simultaneous intrahepatic metastasis among multiple hepatocellular carcinomas after curative resection
Takashi Motomura (Department of surgery, Iizuka hospital, Japan)
- MO35-8 Impact of getting SVR on background liver in the patients with hepatitis C virus-related hepatocellular carcinoma
Hayato Abe (Division of Digestive Surgery, Department of Surgery, Nihon University School of Medicine, Japan)
- MO35-9 Risk assessment of extrahepatic recurrence after liver resection for colorectal liver metastases
Daichi Nakamura (Hepato-Biliary-Pancreatic Surgery and Transplantation, University of Kyoto, Japan)

Mini-Oral 36

June 29 (Sat.) 11:00-12:00 [Mini-Oral Room 1 (B2F Himawari)]

Liver 7

Moderators: Tejiro Hirashita (Department of Gastroenterological and Pediatric Surgery, Oita University Faculty of Medicine, Japan)

Shogo Tanaka (Department of Hepato-Biliary-Pancreatic Surgery, Izumi City General Hospital, Japan)

MO36-1 Indication of Radical Lymphadenectomy for Intrahepatic Cholangiocarcinoma

Masaru Sasaki (Department of Surgery, JA Hiroshima General Hospital, Japan)

MO36-2 Conversion surgery after systemic therapy for highly advanced hepatocellular carcinoma

Hirofumi Ichida (Department of Hepatobiliary-Pancreatic Surgery, Juntendo University School of Medicine, Japan)

MO36-3 Transthoracic rehepatectomy : a case series of three patients

Tatsuki Ishikawa (Department of Surgery, Kobe City Medical Center General Hospital, Japan)

MO36-4 A case of HCC with difficult preoperative diagnosis in tumor location due to the extensive presence of portal vein tumor thrombosis

Shinichiro Kobayashi (Department of Kasugai Municipal Hospital, Japan)

MO36-5 The relationship between the right intersectional plane and the posterior Glissonean pedicle

Yosuke Uematsu (Department of Surgery, Keio University, Japan)

MO36-6 A case of right hepatectomy in a very elderly patient with large hepatocellular carcinoma

Fumihiko Kawano (Juntendo University Hospital, Japan)

MO36-7 Comprehensive Analysis of Liver Regeneration after Right Hepatectomy: Are There Differences by Disease and Surgical Procedure?

Ryosuke Kashiwagi (Division of Hepato-Biliary-Pancreatic Surgery, Shizuoka Cancer Center, Japan)

MO36-8 A long-term survival case of mucinous cystadenocarcinoma of the liver following curative hepatectomy and repeated surgical resection for lung metastasis

Hironobu Ito (Department of Surgery, Hachinohe city hospital, Aomori, Japan)

MO36-9 New resectability of CRLM by Maximum Diameter*Number: MDN and treatment strategy using ADC value

Shinichiro Yamada (Department of Digestive and Transplant Surgery, Tokushima University Hospital, Japan)

MO36-10 Conversion surgery for unresectable hepatocellular carcinoma with main portal vein tumor thrombus and extra regional lymph node metastasis after Atezolizumab plus Bevacizumab therapy: a case report

Norikazu Une (Department of Hepatobiliary and Pancreatic Surgery, National Cancer Center Hospital East, Japan)

Mini-Oral 37

June 29 (Sat.) 11:00-11:55 [Mini-Oral Room 2 (B2F Himawari)]

Liver 8

Moderators: Hiroshi Sadamori (Department of Surgery, Fukuyama City Hospital, Japan)

Hiroyuki Tahara (Department of Gastroenterological Surgery, Hiroshima University Hospital, Japan)

MO37-1 The choice of types of adhesion-preventative barriers in initial surgery for hepatectomy of metachronous colorectal liver metastases

Masashi Fushitani (Kyoto Medical Center, Department of surgery, Japan)

- MO37-2 Safety and feasibility of major hepatectomy for geriatric patients with hepatocellular carcinoma
Hiroki Kanno (Department of Surgery, Kurume University, Japan)
- MO37-3 Conversion surgery for initial advanced hepatocellular carcinoma after Atezolizumab plus Bevacizumab therapy: two cases report
Takahiro Yoshikawa (Department of surgery, Nara Prefecture General Medical Center, Japan)
- MO37-4 Conversion surgery after lenvatinib administration for hepatocellular carcinoma with a tumor thrombus reaching the right atrium
Yu Gyoda (Department of General Surgery and Breast Surgery, Juntendo University Nerima Hospital, Japan)
- MO37-5 Association between Gene Expression status and Early Recurrence after hepatectomy for Colorectal Liver Metastases
Yuji Shimizu (Division of Hepato-Biliary-Pancreatic Surgery, Shizuoka Cancer Center, Japan)
- MO37-6 Analysis of Resected Combined Hepatocellular Carcinoma -Comparison with Hepatocellular Carcinoma and Intrahepatic Cholangiocarcinoma-
Yoshiyuki Tagayasu (Department of Gastroenterological Surgery, Graduate School of Medical Sciences, Kumamoto University, Japan)
- MO37-7 Outcome of surgical treatment for lymph node metastasis of hepatocellular carcinoma at our hospital
Tomokazu Tokoro (Hepato-Biliary-Pancreatic Surgery and Transplantation, Japan)
- MO37-8 The impact of percutaneous ablation therapy for liver metastases
Tsukasa Aihara (Department of Surgery, Meiwa Hospital, Japan)
- MO37-9 Outcomes of liver resection for colorectal liver metastases
Satoshi Matsukuma (Department of Surgery, JCHO Tokuyama Central Hospital, Japan)

Mini-Oral 38

June 29 (Sat.) 11:00-12:00 [Mini-Oral Room 3 (B2F Himawari)]

Liver 9

Moderators: Yoshihiro Mikuriya (Department of Gastroenterological Surgery, NHO Shikoku Cancer Center, Japan)
Toru Mizuguchi (Department of Nursing, Surgical Sciences & Technology, Sapporo Medical University, Japan)

- MO38-1 The recent clinical experience of conversion surgery of intrahepatic cholangiocarcinoma in our institute
Shunuske Shichi (Department of Gastroenterological Surgery 1, Hokkaido University Hospital, Japan)
- MO38-2 Short-term and long-term postoperative results of alveolar echinococcosis of the liver
Takeshi Aiyama (Department of Gastroenterological Surgery 1, Hokkaido University Graduate School, Japan)
- MO38-3 Introduction of robot-assisted liver resection in our hospital
Shinichi Hosokawa (Department of surgery Kobe City Medical Center West Hospital, Japan)
- MO38-4 Evaluation of surgical difficulty in laparoscopic liver resection using the Institut Mutualiste Montsouris (IMM) classification, focusing on postoperative portal vein thrombosis
Tatsuya Sakamoto (Department of Hepatobiliary Pancreatic and Transplant Surgery, Mie University Graduate School of Medicine, Japan)

- MO38-6 Simultaneous Resection of Primary Lesion and Liver Metastasis in Colorectal Cancer with Synchronous Hepatic Metastasis: Short- and Long-term Outcomes
Yuuki Nakata (First Department of Surgery, Faculty of Medicine University of Yamanashi, Japan)
- MO38-7 A case of partial liver resection with reconstruction of middle hepatic vein using an umbilical vein patch graft for the liver metastasis from sigmoid colon cancer
Junya Kawasoe (Japanese Red Cross Wakayama Medical Center, Japan)
- MO38-8 Two Cases of Hepatectomy for Late-Onset Liver Metastases of Choroidal Malignant Melanoma
Masaya Suenaga (Department of Surgery, NHO Nagoya Medical Center, Japan)
- MO38-9 A case of liver resection after preoperative chemotherapy with lenvatinib for recurrent hepatocellular carcinoma
Yusuke Uchida (Department of Surgery, Division of General and Gastroenterological Surgery, Showa University, Japan)
- MO38-10 Overall survival after liver resection in colorectal liver metastases under limited advanced chemotherapy
Warakorn Jaseanchiun (Bhumibol Adulyadej Hospital, Bangkok, Thailand)

Mini-Oral 39

June 29 (Sat.) 11:00-12:00 [Mini-Oral Room 4 (B2F Himawari)]

Liver 10

Moderators: Takahisa Fujikawa (Department of Surgery, Kokura Memorial Hospital, Japan)
Takashi Mizuno (Department of Surgical Oncology, Nagoya University, Japan)

- MO39-1 Influence of Intraoperative Blood Loss on Tumor Recurrence after Surgical Resection in Hepatocellular Carcinoma
Yoo Shin Choi (Chung-Ang University Hospital, Seoul, South Korea)
- MO39-2 Clinical significance of curative intent treatment for hepatocellular carcinoma with portal vein invasion: A nationwide cohort study
Dong-Sik Kim (Division of HBP Surgery and Liver Transplantation, Department of Surgery, Korea University College of Medicine, Seoul, South Korea)
- MO39-3 Clinical significance of surgical resection for hepatocellular carcinoma with portal vein invasion: a nationwide cohort study
Mijin Kim (Department of Surgery, Korea University College of Medicine, Seoul, South Korea)
- MO39-4 The safety and efficacy of laparoscopic liver resection in severe cirrhotic patient (ICG R15 > 30%)
Kornchanok Thangnaphadol (Tokyo Women's Medical University, Tokyo, Japan)
- MO39-5 Benefits of Combined Liver Resection with Tyrosine Kinase Inhibitor Administration in Gastrointestinal Stromal Tumors with Liver Metastasis: Literature Review
Ganesha Shamsudin (Cipto Mangunkusumo General Hospital, Jakarta, Indonesia; Jakarta, Indonesia)
- MO39-6 Evaluation of prognostic scoring systems in colorectal cancer liver metastases after liver resection
Hiroyuki Nojima (Teikyo University Chiba Medical Center, Japan)
- MO39-7 Recurrence and post-treatment in patients with Hepatectomy after drug therapy
Masaharu Tada (Department of Gastroenterological Surgery, Hyogo College of Medicine, Japan)
- MO39-8 A Comparative Analysis of Neoadjuvant Chemotherapy Outcomes in BR2 Hepatocellular Carcinoma with or without Macroscopic Tumor Thrombosis.
Yuichi Goto (Department of Surgery, Kurume University, Japan)

MO39-9 A review of early recurrence after resection of colorectal liver metastases

Koichi Mohri (Hyogo cancer center, Japan)

MO39-10 A systematic review of cost-effectiveness analyses for hepatocellular carcinoma treatment

Takashi Kokudo (National Center for Global Health and Medicine, Tokyo, Japan)

Mini-Oral 40

June 29 (Sat.) 11:05-12:00 [Mini-Oral Room 5 (B2F Himawari)]

Liver 11

Moderators: Shinji Itoh (Department of Surgery and Science, Kyushu University, Japan)

Yukio Tokumitsu (Department of Gastroenterological, Breast and Endocrine Surgery, Yamaguchi University Graduate School of Medicine, Japan)

MO40-1 Management and Outcomes of Intraoperative Bile Leakage in Laparoscopic Liver Resection

Koji Komeda (Department of General and Gastroenterological Surgery, Osaka Medical and Pharmaceutical University, Japan)

MO40-2 Study of liver resection for Hepatocellular carcinoma in patients with chronic kidney disease

Akihiro Kitagawa (Department of Gastroenterological Surgery, Sakai City Medical Center, Japan)

MO40-3 The Significance of Aortic Calcification on Postoperative Outcomes of Major Hepatectomy; Aortic Calcification is Correlated with Celiac Axis Stenosis and Early Liver Injury

Takahiro Ito (Department of Hepatobiliary Pancreatic and Transplant Surgery, Mie University, Japan)

MO40-4 The Relationship Between Preoperative Zinc Levels and Postoperative Infectious Complications in Minimally Invasive hepatectomy

Hikomichi Murase (AGOYA CITY UNIVERSITY Graduate School of Medical Sciences Gastroenterological Surgery, Japan)

MO40-5 Hepatectomy After Pancreatoduodenectomy Has a High Risk of Postoperative Complications

Akira Ito (Department of Hepatobiliary Surgery, Tokyo Medical and Dental University, Japan)

MO40-6 Effect of absorbable local hemostatic agent with gelatin containing human thrombin on the cutting surface in laparoscopic hepatectomy

Toru Kato (Department of Surgery, Surgical Oncology and Science, Sapporo Medical University School of Medicine, Japan)

MO40-7 Surgical Outcomes of repeat hepatectomy for elderly patients with recurrent hepatocellular carcinoma after hepatectomy

Hirosuke Ishikawa (Division of Digestive and General Surgery, Niigata University Graduate School of Medical and Dental Sciences, Japan)

MO40-8 Non-invasive Diagnosis of Liver Cirrhosis in Patients Scheduled for Hepatectomy for Hepatocellular carcinoma: Evaluation of the Utility of FibroScan^R

Shoichiro Arai (Department of Surgery, Kurume University, Japan)

MO40-9 Prognosis of liver resection for primary liver cancer evaluated from histopathology with micro portal vein invasion

Masanori Nakamura (Division of Digestive Surgery, Department of Surgery, Nihon University School of Medicine, Japan)

Mini-Oral 41

June 29 (Sat.) 13:10-13:55 [Mini-Oral Room 1 (B2F Himawari)]

Biliary 10

Moderators: Takashi Ito (Division of Hepato-Biliary-Pancreatic Surgery and Transplantation, Department of Surgery, Graduate School of Medicine, Kyoto University, Japan)
Hiroshi Uchinami (Surgery, JCHO Akita Hospital, Japan)

- MO41-1 Preoperative factors for early recurrence after resection of perihilar cholangiocarcinoma
Keita Sonoda (Department of Surgery (General and Gastroenterological Surgery), Keio University, Japan)
- MO41-2 Prognostic Impact of Glucose Intolerance and Massive Hepatectomy on Perihilar Cholangiocarcinoma
Jun Shibamoto (Division of Hepato-Biliary-Pancreatic Surgery, Shizuoka Cancer Center, Japan)
- MO41-3 Impact of the Safety and Efficacy of Neoadjuvant Chemotherapy in Resected Perihilar Cholangiocarcinoma Cases
Yu Fujimura (Department of Hepatobiliary Pancreatic and Transplant Surgery, Mie University, Japan)
- MO41-4 Comparative Analysis of Perihilar Cholangiocarcinoma Surgical Treatments between Western and Eastern Centers
Hannes Jansson (Division of Surgery and Oncology, Department of Clinical Science, Innovation and Technology, Karolinska Institutet, Stockholm, Sweden)
- MO41-5 The correlation between preoperative CALLY (C-reactive protein (CRP)-albumin-lymphocyte) index and prognosis in intrahepatic cholangiocarcinoma
Satoshi Matsui (Department of Hepato-Biliary-Pancreatic Surgery, Shizuoka Cancer Center, Japan)
- MO41-6 Significance of systematic inflammation-based score as a prognostic factor for intrahepatic cholangiocarcinoma
Shohei Hirano (Department of gastroenterology, Shinshu University, Japan)
- MO41-7 Impact of the anatomical location of intraductal papillary neoplasm of bile duct (IPNB) on clinicopathological features and outcomes
Satoru Tsuruta (Department of Gastroenterological Surgery, Hirosaki University graduate school of medicine, Japan)

Mini-Oral 42

June 29 (Sat.) 13:10-14:05 [Mini-Oral Room 2 (B2F Himawari)]

Liver 12

Moderators: Koichiro Hata (Dept of Surgery, Kyoto City Hospital, Japan)
Koichi Oishi (Department of Surgery, Chugoku Rosai Hospital, Japan)

- MO42-1 A case of focal nodular hyperplasia that mimicked a recurrent hepatocellular carcinoma
Naotaka Hashimoto (Department of Surgery, Hiroshima Red Cross Hospital and Atomic-bomb Survivors Hospital, Japan)
- MO42-2 Hepatic Compartment Syndrome: A Rare Complication of Blunt Liver Trauma - Case Report and Treatment Strategy
Feng-Hsu Wu (Division of General Surgery, Department of Surgery, Taichung Veterans General Hospital, Taichung, Taiwan)
- MO42-3 A case of the liver hyperplastic lesion not presenting nodular formation
Mizuo Hashimoto (Chubu Rosai Hospital, Japan)

- MO42-4 A case of hepatic anisakiasis mimicking cholangiocellular carcinoma
Yuto Kawate (Department of Gastroenterological Surgery, Kameda Medical Center, Japan)
- MO42-5 Surgical treatment for hepatocellular carcinoma in a patient with anti-HCV antibody positive hemophilia A
Masaki Takeshita (Department of Surgery, Toyama City Hospital, Japan)
- MO42-6 A resected case of metastatic liver carcinoid ten years after surgery for typical pulmonary carcinoid
Tomohiro Mizutani (Department of surgery, Takeda general hospital, Japan)
- MO42-7 A case of hepatic artery injury caused by the Pringle maneuver during liver resection
Yusuke Fujita (Department of surgery, Saitama city hospital, Japan)
- MO42-8 A case of salvage laparoscopic hepatectomy for local recurrence of hepatocellular carcinoma after multiple rounds of particle therapy
Motofumi Tanaka (Department of Gastroenterological Surgery, Hyogo Cancer Center, Japan)
- MO42-9 A resected case of ruptured hepatocellular carcinoma with portal vein tumor thrombus successfully treated with hepatic arterial infusion chemotherapy.
Shinya Watanabe (Department of surgery, Kasugai municipal hospital, Japan)

Mini-Oral 43

June 29 (Sat.) 13:10-13:55 [Mini-Oral Room 3 (B2F Himawari)]

Biliary 11

Moderators: Chihoko Nobori (Department of Surgery, Kindai University hospital, Japan)
Takuji Noro (Department of Surgery, Juntendo University Nerima Hospital, Japan)

- MO43-1 A Case of cholecystitis with Chilaititi syndrome
Yoshitomo Ashitate (Urakawa Red Cross Hospital, Japan)
- MO43-2 A case of anomaly of middle hepatic artery in laparoscopic cholecystectomy.
Reishi Toshiyama (NHO, Osaka National Hospital, Japan)
- MO43-3 The left-side gallbladder treated by laparoscopic cholecystectomy: a case report
Masato Mito (Digestive Surgery, Tachikawa general hospital, Japan)
- MO43-4 Experience with laparoscopic common bile duct exploration for choledocholithiasis
Masaru Tsuchiya (Department of Surgery, Toho University Sakura Medical Center, Japan / Department of Surgery, Misato Chuo General Hospital, Japan)
- MO43-5 Our bailout procedure for laparoscopic cholecystectomy for acute cholecystitis with severe inflammation
Yoshiteru Katsura (Department of Surgery, Suita Municipal Hospital, Japan)
- MO43-6 A case of laparoscopic cholecystectomy for acute cholecystitis associated with left-sided gallbladder accompanied by right-sided round ligament
Tomohiro Iguchi (Department of surgery, National Hospital Organization Fukuokahigashi Medical Center, Japan)
- MO43-7 Two cases of single incision laparoscopic cholecystectomy for gallstone attack with right ligamentum teres hepatis
Shunsaku Furuke (Department of surgery, Gunma Saiseikai maebashi hospital, Japan)

Mini-Oral 44

June 29 (Sat.) 13:10-13:55 [Mini-Oral Room 4 (B2F Himawari)]

Biliary 1

Moderators: Satoshi Ogiso (Department of Surgery, Kyoto University, Japan)

Munenori Takaoka (Department of General Surgery, Kawasaki Medical School, Japan)

- MO44-1 Robotic repair of postcholecystectomy biliary stricture
Kalayarasan Raja (JIPMER, Puducherry, India)
- MO44-2 Robot assisted Right Hepatectomy with Caudate lobectomy for Hilar Cholangiocarcinoma
Kalayarasan Raja (JIPMER, Puducherry, India)
- MO44-3 Robotic Radical Cholecystectomy for Early Gallbladder Carcinoma
Vaibhav Kumar Varshney (All India Institute of Medical Sciences, Jodhpur, India)
- MO44-4 A case of laparoscopic repair of B5 bile duct injury after laparoscopic cholecystectomy
Ryo Maemoto (Shimane prefectural central hospital, Japan)
- MO44-5 Delayed leakage of bile after laparoscopic cholecystectomy
Akio Matsumoto (Department of Surgery, Hamamatsu University School of Medicine, Japan)
- MO44-6 Laparoscopic surgery of Mirizzi syndrome with cholecystobiliary fistula: a video case report
Yutaro Matsunaga (Tokyo Women's Medical University, Japan)
- MO44-7 A case with elective hepatectomy and bile duct reconstruction for VBI in LC
Masahiro Shiihara (Tokyo Medical University, Ibaraki Medical Center, Japan)

Mini-Oral 45

June 29 (Sat.) 13:10-14:00 [Mini-Oral Room 5 (B2F Himawari)]

Pancreas 1

Moderators: Naoki Ikenaga (Department of Surgery and Oncology, Kyushu University, Japan)

Hitoe Nishino (Department of General Surgery, Chiba University, Japan)

- MO45-1 Pancreatectomy focused on the oncological and functional aspects based on preoperative CT images
Tomotaka Kato (Saitama Medical University International Medical Center, Japan)
- MO45-2 The fastest and best way to improve our surgical procedure for pancreaticoduodenectomy using anatomical profiling
Hiroki Kajioaka (Department of Surgery, NHO Iwakuni Clinical Center, Japan)
- MO45-3 Daily Hepatobiliary and Pancreatic Surgery Training at a Regional University
Noriyuki Tagai (Department of Surgery 1, University of Fukui, Japan)
- MO45-4 Precise Verbalization for Next Pancreaticoduodenectomy
- plus Illustration and Vascular practice -
Ryo Ataka (Department of Surgery, Otsu Red Cross Hospital, Japan)
- MO45-5 Our training routine and effort for board certification of expert surgeon for pancreaticoduodenectomy
Sho Tazuma (Kure Medical Center, Chugoku Cancer Center, Japan)

- MO45-6 How did I become a board certified expert surgeon of JHBPS at the age of 36. -The difference between the videos that I failed and succeeded-
Sho Yasuta (Department of Gastroenterological Surgery, Sendai Kousei Hospital, Japan)
- MO45-7 Difficult to Diagnosis of Groove Pancreatitis with Severe Gastric Outlet Obstruction
Naru Kim (Ewha Womans University Mokdong Hospital, Ewha Womans University College of Medicine, Seoul, South Korea)
- MO45-8 Standardization of pancreaticoduodenectomy -two-way approach to the superior mesenteric artery and reconstruction using the original pancreaticojejunostomy and the double elementary diet tube-
Koki Hayashi (Department of Surgery, Tamakyuryo Hospital, Japan)

Mini-Oral 46

June 29 (Sat.) 13:55-14:40 [Mini-Oral Room 1 (B2F Himawari)]

Pancreas 20

Moderators: Atsushi Urakami (Department of Surgery, Kawasaki Medical School General Hospital, Japan)
Suguru Yamada (Gastroenterological Surgery, Nagoya Central Hospital, Japan)

- MO46-1 Withdrawn
- MO46-2 Investigation of reliable markers for predicting postoperative pancreatic fistula after pancreaticoduodenectomy
Mitsuru Tashiro (Department of Surgery, NHO Nagoya Medical Center, Japan)
- MO46-3 Are pancreatic enzyme levels in pancreatic juice useful for predicting postoperative complications after pancreatoduodenectomy?
Naoya Imamura (Department of surgery, Miyazaki university faculty of medicine, Japan)
- MO46-4 Outcomes of 16 portal vein resection cases associated with pancreaticoduodenectomy
Yuta Yoshioka (Department of surgery, Hyogo prefectural awaji medical center, Japan)
- MO46-5 Propensity score analysis of jejunal limb decompression after pancreatoduodenectomy
Kazuharu Kukita (Department of surgery, Surgical oncology and science, Japan)
- MO46-6 The risk factors for late-occurring acute pancreatitis after pancreaticoduodenectomy
Mihoko Yamada (Division of Hepato-Biliary-Pancreatic Surgery, Shizuoka Cancer Center, Japan)
- MO46-7 Risk factor for postoperative pancreatic fistula after pancreaticoduodenectomy and impact of preoperative biliary drainage on postoperative complication
Kohei Nishio (Department of Hepato-Biliary-Pancreatic Surgery, Osaka Metropolitan University, Japan)

Mini-Oral 47

June 29 (Sat.) 13:55-14:40 [Mini-Oral Room 3 (B2F Himawari)]

Biliary 12

Moderators: Kosuke Matsui (Department of Hepato-Biliary Surgery, Kansai Medical University, Japan)
Yoriko Nomura (Department of Hepato-Biliary-pancreatic Surgery, National Hospital Organization Kyushu Medical Center, Japan)

- MO47-1 A case of duodenal papillary tumor with intestinal malrotation treated by pancreaticoduodenectomy.
Takahiro Yamanaka (Department of Surgery, Isesaki Municipal Hospital, Japan)

- MO47-2 Resection of Intrahepatic Cholangiocarcinoma a Decade After Pancreaticoduodenectomy for Distal Bile Duct Carcinoma
Kei Furuya (Department of Digestive Surgery, Kawasaki Medical School, Japan)
- MO47-3 A case of intraductal papillary neoplasm of the bile duct at the hepatic hilum with multiple recurrences in the remnant intrapancreatic bile duct
Masanori Akashi (Department of Surgery, Kurume University Hospital, Japan)
- MO47-4 A rare case of synchronous double cancer of papilla of Vater and distal bile duct
Noriki Mitsui (Department of Surgery, Gifu Municipal Hospital, Japan)
- MO47-5 A case of long-term survival after repeated surgical resection of liver and pulmonary oligometastasis from ampulla of Vater adenocarcinoma.
Shigemasa Suzuki (Department of Surgery, Gunma Prefecture Saiseikai Maebashi Hospital, Japan)
- MO47-6 A case of mixed adenocarcinoma and neuroendocrine carcinoma of the gallbladder
Tomohisa Kadomura (Department of Surgery, International University of Health and Welfare, Atami Hospital, Japan)
- MO47-7 A Case of Gallbladder Torsion
Hirotaka Ito (Department of surgery, Kasugai Municipal Hospital, Japan)

Mini-Oral 48

June 29 (Sat.) 13:55-14:40 [Mini-Oral Room 4 (B2F Himawari)]

Liver 13

Moderators: Kenichiro Araki (Division of Hepatobiliary and Pancreatic Surgery, Gunma University Graduate School of Medicine, Japan)

Hiroshi Imamura (Department of Hepatobiliary-Pancreatic Surgery, Juntendo University School of Medicine, Japan)

- MO48-1 Indocyanine Green Fluorescence Navigation in Laparoscopic Hepatobiliary Surgery from Cholecystectomy to Living Donor Right Hepatectomy: a Retrospective Single-center Study in Vietnam
Anh Hoang Ngoc Nguyen (108 Military Central Hospital, Hanoi, Vietnam)
- MO48-2 Surgical resection and Survival rate of patients with Barcelona Clinic Liver Cancer stage B hepatocellular carcinoma in Bhumibol Adulyadej hospital
Warakorn Jaseanchiun (Bhumibol Adulyadej Hospital, Bangkok, Thailand)
- MO48-3 The significance of combined signal intensity ratio of MRI and serum tumor marker as novel biomarker of the histological grade and prognosis of hepatocellular carcinoma
Takahiro Tomino (Department of Hepato-Biliary and Pancreatic Surgery, National Hospital Organization Kyushu Cancer Center, Japan)
- MO48-4 The treatment outcomes of Atezolizumab/Bevacizumab therapy for patients with unresectable advanced hepatocellular carcinoma
Daijiro Matoba (Department of Gastroenterological Surgery, Graduate School of Medicine, Osaka University, Japan)
- MO48-5 Standardization of perioperative management and work efficiency by clinical pathways in liver resection or laparoscopic liver resection
Akira Watanabe (Department of Gastroenterological Surgery, Gunma Prefectural Cancer Center, Japan)
- MO48-6 ALBI score and liver resection percentage determine postoperative liver regeneration after hepatectomy
Kazuhiro Takahashi (Department of GI and HBP Surgery, University of Tsukuba, Japan)

- MO48-7 Navigating Complications and Functional Lifespan: A Single-Center's Review of Hepatic Artery Infusion Pumps
Salvador Rodriguez Franco (University of Colorado Anschutz Medical Campus, Aurora, United States)

Mini-Oral 49

June 29 (Sat.) 14:05-14:55 [Mini-Oral Room 2 (B2F Himawari)]

Pancreas 21

Moderators: Tetsuo Ajiki (Department of Surgery, National Hospital Organization Kobe Medical Center, Japan)
Hideki Sasanuma (Department of Surgery, Jichi Medical University, Japan)

- MO49-1 Effects of Red Ginseng on Gut Microbiome after Pancreaticoduodenectomy
-A Randomized Controlled Trial
Youn Soo Seo (Yonsei university college of medicine, Seoul, South Korea)
- MO49-2 Significance of Geriatric Nutritional Risk Index for patients with pancreatic cancer who underwent pancreaticoduodenectomy.
Changgi Ahn (Department of Hepato-Biliary-Pancreatic Surgery, Osaka Metropolitan University, Japan)
- MO49-3 Preoperative zinc deficiency does not affect surgical morbidity after pancreatoduodenectomy
Chihoko Nobori (Department of Surgery, Kindai University Hospital, Japan)
- MO49-4 Efficacy and indication of neoadjuvant therapy for resectable pancreatic ductal adenocarcinoma; a single-institute retrospective study
Gaku Shimane (Department of Surgery, Keio University School of Medicine, Japan)
- MO49-5 Prognostic significance of occult vertebral fracture in patients undergoing pancreatic resection for pancreatic cancer
Shunta Ishizaki (Division of Hepatobiliary and Pancreas Surgery, Department of Surgery, The Jikei University School of Medicine, Japan)
- MO49-6 Sarcopenia with inflammation-based marker can predict survival in patients with pancreatic cancer undergoing pancreaticoduodenectomy
Masashi Utsumi (Department of Surgery, NHO Fukuyama Medical Center, Japan)
- MO49-7 Clinical significance of inflammation and nutritional markers like mGPS, NLR, and PNR on the patients with pancreatic cancer as a prognostic marker
Hideo Tomihara (Department of Gastroenterological Surgery, Sakai City Medical Center, Japan)
- MO49-8 Impaired Quadriceps Femoris Knee Extension Strength: Early Postoperative Events in Patients Undergoing Pancreatic Resection for Pancreatic Cancer
Hayato Ishida (Department of Surgery, Hiroshima Memorial Hospital, Hiroshima, Japan)

Mini-Oral 50

June 29 (Sat.) 14:10-15:10 [Mini-Oral Room 5 (B2F Himawari)]

Liver 14

Moderators: Yoshikuni Kawaguchi (Hepato-Biliary-Pancreatic Surgery Division, Department of Surgery, The University of Tokyo, Japan)
Yasuko Matsuo (Department of Surgery, Nara Medical University, Japan)

- MO50-1 Robotic anatomical isolated caudate lobectomy: Left-side approach
Yukihiro Okuda (Digestive surgery, Kyoto City Hospital, Japan)

- MO50-2 Comparison of laparoscopic partial liver resection for the superior and the inferior areas of segment 4
Akira Koizumi (Department of Surgery, Division of Hepato-Biliary-Pancreatic Surgery, Kobe University Graduate School of Medicine, Japan)
- MO50-3 A case of a liver metastasis diagnosed at 11 years after the resection of gastrointestinal stromal tumor of stomach
Kojiro Nakamura (Department of Surgery, Kyoto Medical Center, Japan)
- MO50-4 Safety and feasibility of robotic liver resection utilizing saline-linked cautery technique: A propensity score-matched analysis
Yusuke Uemoto (Department of Surgery, Kokura Memorial Hospital, Japan)
- MO50-5 Usefulness of port hopping technique in robot-assisted partial Segment 7 liver resection
Kiyohiko Omichi (Department of Surgery, Tokyo Metropolitan Bokutoh Hospital, Japan)
- MO50-6 The short-term outcomes of laparoscopic central hepatectomy: A comparison with open surgery
Takashi Masuda (Department of Gastroenterological and Pediatric Surgery, Oita University Faculty of Medicine, Japan)
- MO50-7 Short-term outcomes of robot-assisted hepatectomy in our hospital
Masanori Tsujie (Department of Surgery, Japan)
- MO50-8 Laparoscopic right anterior sectionectomy and central bisectionectomy for hepatocellular carcinoma: propensity score-matched analysis
Hisamune Sakai (Department of surgery, Kurume university school of medicine, Japan)
- MO50-9 The standardization of robot-assisted liver resection and surgical outcome in our hospital
Hayato Baba (Division of Hepatobiliary and Pancreatic Surgery, Cancer Institute Hospital, Japanese Foundation for Cancer Research, Japan)
- MO50-10 Laparoscopic liver resection for the right hepatic upper segment at our hospital
Nobuyasu Suzuki (Southern TOHOKU Research Institute for Neuroscience Southern TOHOKU General Hospital, Japan)

Mini-Oral 51

June 29 (Sat.) 14:40-15:25 [Mini-Oral Room 1 (B2F Himawari)]

Pancreas 22

Moderators: Tetsuya Ikemoto (Department of Digestive and Transplant Surgery, Tokushima University Hospital, Japan)

Yasuhiro Murata (Department of Hepatobiliary Pancreatic and Transplant Surgery, Mie University, Japan)

- MO51-1 Refractory hepatic lymphorrhea after pancreaticoduodenectomy successfully treated by percutaneous transhepatic lymphangiography
Hiroyuki Tsukayama (Department of Surgery, Saitama Sekishinkai Hospital, Japan)
- MO51-2 The effectiveness of hemostasis treatment using a covered stent for hemorrhage after pancreaticoduodenectomy.
Satoshi Amano (Department of Surgery, Iwate Medical University School of Medicine, Japan)
- MO51-3 Portal annular pancreas, report of 4 cases.
Takayuki Shimoyama (Department of Surgery, Ogaki Municipal Hospital, Japan)
- MO51-4 A case of pancreatic body cancer with needle tract seeding in the stomach wall after EUS-FNA
Kohta Iguchi (Department of Gastroenterological Surgery and Oncology, Kitano Hospital Medical Research Institute, Osaka, Japan)

- MO51-5 A case of gastrointestinal bleeding due to malignant portal vein obstruction by local recurrence of pancreatic cancer treated by portal vein and superior mesenteric artery stenting.
Akira Hamaguchi (Department of Digestive Surgery, Nippon Medical School Hospital, Japan)
- MO51-6 Continuous suture of duct-to-mucosa pancreaticojejunostomy
Masaaki Zaito (Japan Community Health care Organization (JCHO) Hokkaido Hospital / Tomakomai City Hospital, Japan)
- MO51-7 management strategy for post pancreaticoduodenectomy hemorrhage (PPH) to prevent mortality
Yuya Hori (Minami Wakayama Medical Center, Japan)

Mini-Oral 52

June 29 (Sat.) 14:40-15:25 [Mini-Oral Room 4 (B2F Himawari)]

Pancreas 23

- Moderators: Sojun Hoshimoto (Department of Hepatobiliary-Pancreatic and Gastrointestinal Surgery, International University of Health and Welfare Mita Hospital, Japan)
Hiromichi Kawaida (First Department of Surgery, University of Yamanashi, Japan)
- MO52-1 Status and short-term outcomes of staging laparoscopy for pancreatic cancer
Hajime Imamura (Department of Surgery, Nagasaki University Graduate School of Biomedical Sciences, Japan)
- MO52-2 Potential risk factors of positive peritoneal lavage cytology status for resected pancreatic cancer patients
Ryoichi Miyamoto (Department of Gastroenterological Surgery, Ibaraki Medical Center, Tokyo Medical University, Japan)
- MO52-3 Preoperative Factors Predicting Positive Peritoneal Cytology in Pancreatic Ductal Adenocarcinoma Patients : A Retrospective Analysis
Minoru Kitago (Department of Surgery, Keio University School of Medicine, Japan)
- MO52-4 Germline Genetic Landscape of Pancreatic Cancer in a Taiwanese Cohort
Chienhui Wu (Department of Surgery, National Taiwan University Hospital, Taipei, Taiwan)
- MO52-5 Clinicopathological characteristics of pancreatic ductal adenocarcinoma with a squamous component
Naoko Sekiguchi (Department of Gastroenterological Surgery, Osaka University, Japan)
- MO52-6 Is the soft tissue mass around arteries necessarily indicative of local recurrence in patients with resected pancreatic cancer?
Keisuke Toya (Department of Gastroenterological Surgery, Graduate School of Medicine, Osaka University, Japan)
- MO52-7 Clinicopathological features in patients who underwent pancreatectomy for pancreatic lesions without mass formation
Takuro Yamaguchi (Department of Surgery, Hiroshima general hospital, Japan)

Mini-Oral 53

June 29 (Sat.) 14:45-15:45 [Mini-Oral Room 3 (B2F Himawari)]

Biliary 13

Moderators: Satoshi Kuboki (Department of General Medical Science, Chiba University, Japan)

Hiroshi Wada (Department of Gastroenterological Surgery, Osaka International Cancer Institute, Japan)

MO53-1 Single Incision Cholecystectomy by a Junior Surgeon: Robotic Versus Laparoscopic Approach

Yeongsoo Jo (Ewha University College of Medicine, Seoul, South Korea)

MO53-2 Bilio-cutaneous tube: A promising biliary access in laparoscopic cholangioscopy and lithotripsy for intrahepatic stones?

Le Nguyen Khoi (Pham Ngoc Thach Medical University, Ho Chi Minh, Vietnam)

MO53-3 Comparison of surgical outcomes of biliary reconstruction methods in patients with recurrent common bile duct stone

Hee Joon Kim (Division of HPB surgery, Department of Surgery, Chonnam National University Medical School, Gwangju, South Korea)

MO53-4 Clinicopathological Differences Before And After Surgery In Patients Who Underwent Elective Laparoscopic Cholecystectomy Due To Gallstone Disease According To Obesity

Young Mok Park (Pusan National University School of Medicine, Busan, South Korea)

MO53-5 Intra-operative internal stent placement improves the peri-operative quality in laparoscopic choledocholithotomy for choledocholithiasis

Chin-Yee Mah (Division of General Surgery, Department of Surgery, Hualien Tzu Chi Hospital, Buddhist Tzu Chi Medical Foundation, Hualien, Taiwan)

MO53-6 Comparative Analysis of Robotic Single Site Cholecystectomy Outcomes in Novice and Expert surgeons

Eun Jeong Jang (Dong-A university hospital, Busan, South Korea)

MO53-7 Laparoscopic whole-layer cholecystectomy for polypoid and wall thickening lesion.

Keigo Hayashi (Department of General and Gastroenterological Surgery, Nakagami hospital, Japan)

MO53-8 A Review of Laparoscopic cholecystectomy in young patients.

Takahide Kawasaki (Department of gastrointestinal pediatric surgery, Oita University, Japan)

MO53-9 Treatment of acute cholecystitis in our hospital

Tomo Oiwa (Nagaoka Chuo General Hospital, Japan)

MO53-10 A novel real-time color-coded navigation surgery for cholecystitis after PTGBD

Kazuhiko Saito (Department of Gastroenterological and General Surgery, Showa University Department of Surgery, Yamanashi Red Cross Hospital, Japan)

Mini-Oral 54

June 29 (Sat.) 14:55-15:55 [Mini-Oral Room 2 (B2F Himawari)]

Liver 15

Moderators: Tomoyuki Abe (Department of Gastroenterological Surgery, Higashihiroshima Medical Center, Japan)

Shinichiro Takahashi (Department of Gastroenterological Surgery, Tokai University School of Medicine, Japan)

MO54-1 A case of hepatocellular adenoma in a young man.

Satoshi Okumura (Department of Surgery, Belland General Hospital, Japan)

- MO54-2 Hepatolithiasis in a patient with autosomal dominant polycystic kidney disease treated by major liver resection and hepaticojunostomy
Takako Fujii (Department of liver surgery, Yao tokushukai general hospital, Japan)
- MO54-3 Successful Treatment of a Large Infectious Hepatic Cyst Penetrating the Duodenum : A Case Study
Hisanobu Higashi (Department of Surgery, NHO Saitama Hospital, Japan)
- MO54-4 A case of direct vascular rupture from the liver to the left atrium in a liver transplant donor
Yuki Bando (University of Kyoto, Japan)
- MO54-5 A case of hepatic pseudolymphoma with laparoscopic S5 partial liver resection
Naho Ishimura (Gastroenterological Surgery of Ehime Prefectural Central Hospital, Japan)
- MO54-6 A case of successful transcatheter coil embolization for intractable ascites due to postoperative arterio-portal shunt
Kensuke Nakamura (Second Department of Surgery, Wakayama Medical University, Japan)
- MO54-7 A case of endovascular stenting for biliary bleeding from a pseudoaneurysm of the right hepatic artery following bile duct stenting
Hiroki Koga (Saga-Ken medical centre Koseikan, Japan)
- MO54-8 A case of sustained recurrence-free after multidisciplinary treatment for transverse colon cancer with multiple liver metastases discovered during pregnancy.
Sayaka Aoki (Department of gastroenterological surgery, Kameda General Hospital, Japan)
- MO54-9 A case of multiple liver metastases from a duodenal GIST with second-line treatment resistance
Masashi Inoue (Department of surgery, Higashihiroshima medical center, Japan)
- MO54-10 A case of early multiple lung metastasis after left hepatic lobectomy for massive hepatocellular carcinoma treated with Atezolizumab/Bevacizumab and maintained drug free after CR
Takahiro Shoda (Division of Hepatobiliary and Pancreatic Surgery, Integrative Center of General Surgery, Gunma University Hospital, Japan)

Mini-Oral 55

June 29 (Sat.) 15:10-16:00 [Mini-Oral Room 5 (B2F Himawari)]

HBP 1

Moderators: Yoichi Kawano (Department of Surgery, Nippon Medical School Hospital, Japan)
Aya Matsui (Department of Gastroenterological Surgery II, Hokkaido University Hospital, Japan)

- MO55-1 A case of acute abdomen due to endometriotic cyst diagnosed as a cystic tumor of the pancreas tail
Keigo Nakashima (Department of Gastroenterological Surgery, Hiroshima Prefectural Hospital, Japan)
- MO55-2 A case of pancreatic pancreaticoduodenectomy for pancreatic head cancer that developed after living donor liver transplantation
Ryoji Furuya (Department of Hepatobiliary and Pancreatic Surgery, University of Juntendo, Japan)
- MO55-3 A case of duodenal Gastrointestinal stromal tumor(GIST) with lymph nodes metastasis treated by emergent pancreaticoduodenectomy for gastrointestinal hemorrhagic shock
Mamoru Sato (Gastroenterological Surgery, Japan)
- MO55-4 A case report of resected intrahepatic cholangiocarcinoma exhibiting rhabdoid transformation
Keiichi Suzuki (Department of Surgery, NHO Tochigi Medical Center, Japan)

- MO55-5 A case of combined hepatocellular and cholangiocarcinoma derived from Fontan-associated liver disease
Daisuke Taguchi (Osaka University, Graduate School of Medicine, Department of Gastroenterological Surgery, Japan)
- MO55-6 A case of the gallbladder undifferentiated carcinoma
Junichi Yamakawa (Department of Surgery, Seirei Mikatahara General Hospital, Japan)
- MO55-7 A case of solitary IgG4-related cholecystitis after conversion surgery for gallbladder cancer
Yoshito Wada (Department of Surgery, Tobata Kyoritsu Hospital, Japan)
- MO55-8 Multimodal treatment including two carbon ion radiotherapy was effective against multiple liver metastasis from advanced sigmoid colon cancer : a case report.
Naoyuki Tokunaga (National Hospital Organization Fukuyama Medical Center, Japan)

Mini-Oral 56

June 29 (Sat.) 15:25-16:05 [Mini-Oral Room 1 (B2F Himawari)]

Liver 1

- Moderators: Ryoichi Goto (Department of Gastroenterological Surgery I, Hokkaido University Hospital, Japan)
Genki Watanabe (Department of Hepato-Biliary-Pancreatic Surgery, Osaka Metropolitan University Graduate School of Medicine, Japan)
- MO56-1 Extended left hepatectomy with hilar and caudate lobe resection with preserving MHV at segment 8 for perihilar cholangiocarcinoma; procedure to preserve liver volume and prevent liver congestion.
Poowanai Sarkhampee (Sunpasitthiprasong Hospital, Ubon Ratchathani, Thailand)
- MO56-2 Extended Left Hepatectomy with Non-Anatomical Liver Resections for Multifocal HCC after Downstaging
Bramhadatta Pattnaik (ALL INDIA INSTITUTE OF MEDICAL SCIENCES, BHUBANESWAR, BHUBANESWAR, India)
- MO56-3 Sequential hepatic vein embolization following portal vein embolization before right-sided major hepatic resection
Tung Thanh Lai (Department of Surgery, Kansai Medical University, Osaka, Japan / Department of Surgery, Hanoi Medical University, Hanoi, Vietnam)
- MO56-4 Standardization of robotic right hepatic lobe mobilization
Yutaka Nakano (Department of General Surgery, Chung Shan Medical University Hospital, Japan)
- MO56-5 The Past and Future of a Mid-Career hepato-biliary-pancreatic Surgeon
Atsushi Miyamoto (Second Department of Surgery, Wakayama Medical University, Japan)
- MO56-6 Withdrawn

Mini-Oral 57

June 29 (Sat.) 15:25-16:15 [Mini-Oral Room 4 (B2F Himawari)]

Pancreas 24

Moderators: Katsunori Imai (Department of Surgery, Saiseikai Kumamoto Hospital, Japan)
Masahiro Tanemura (Department of Surgery, Rinku General Medical Center, Japan)

- MO57-1 Treatment of delayed pancreatic leakage
Soichi Narumoto (Department of Surgery, Yokohama Rosai Hospital, Japan)
- MO57-2 Invention of pancreaticogastric anastomosis to prevent pancreatic fistula after pancreaticoduodenectomy
Kai Matsuo (Digestive Diseases Center, Showa University Koto Toyosu Hospital, Japan)
- MO57-3 Results of a new pancreatojejunal anastomosis that creates an Intentional Internal Drainage Hole (IIDH) method.
Shinji Hashimoto (Department of Gastroenterology, University of Tsukuba, Japan)
- MO57-4 Comparison between EUS-guided drainage and percutaneous drainage of postoperative peripancreatic fluid collection
Su Min Jeon (Department of Surgery, Division of HBP surgery & Liver Transplantation, Korea University College of Medicine, Seoul, South Korea)
- MO57-5 The clinical outcome of the three-loop method for pancreaticogastrostomy in pancreaticoduodenectomy
Masahiko Kubo (Department of Surgery, Osaka international cancer institute, Japan)
- MO57-6 Factors predicting Postoperative Pancreatic Fistula Following Pancreaticoduodenectomy: A Single Center Study
Lakshit Tomar (Indira Gandhi Institute of Medical Sciences, Patna, India)
- MO57-7 Early postoperative drainage fluid culture as a predictor of postoperative pancreatic fistula following Pancreaticoduodenectomy
Takuro Fushimi (Department of Surgery, Himeji Red Cross Hospital, Japan)
- MO57-8 Prevention for postoperative pancreatic fistula using a polyglycolic acid sheet during distal pancreatectomy
Atene Ito (Department of Surgery, Tsuyama Chuo Hospital, Japan)

Mini-Oral 58

June 29 (Sat.) 15:45-16:45 [Mini-Oral Room 3 (B2F Himawari)]

Pancreas 25

Moderators: Masakazu Hashimoto (Department of Gastroenterological Surgery, Hiroshima Prefectural Hospital, Japan)

Taiichi Wakiya (Department of Surgery, Jichi Medical University, Japan)

- MO58-1 One resected duodenal neuroendocrine carcinoma in a patient with Lynch syndrome who had a significant response to pembrolizumab
Go Ohira (Department of Hepato-Biliary-Pancreatic surgery, Osaka Metropolitan University of Graduate school of medicine, Japan)
- MO58-2 Curative resection for ruptured intraductal papillary mucinous carcinoma of the pancreas. A case report.
Yasuhiro Nunokawa (IMS Miyoshi General Hospital, Japan)

- MO58-3 The role of pancreatectomy in the treatment of metastatic renal cell carcinoma: a case report and literature review
Risa Muramatsu (Department of Surgery, Hakodate Goryoukaku Hospital, Japan)
- MO58-4 Case report: A Surgical Approach to Managing Pancreatic Cancer accompanied with large serous cystic neoplasm
Takayasu Azuma (Department of Hepato-Biliary-Pancreatic and Transplant Surgery, Fukushima Medical University, Japan)
- MO58-5 Insulinoma case series: Experience of a tertiary care center in Indonesia
Ridho Ardhi Syaiful (Department of Surgery, Faculty of Medicine, Universitas Indonesia, Dr. Cipto Mangunkusumo General Hospital, Jakarta, Indonesia)
- MO58-6 Partial resection of duodenum for duodenal GIST with angiectopia in a patient with neurofibromatosis type 1: A case report
Shintaro Maeda (Saitama Red Cross Hospital, general surgery, Japan)
- MO58-7 A case of IPMC detected by main pancreatic duct stenosis without mass
Takashi Sugio (Fukui Prefectural Hospital, Japan)
- MO58-8 Pancreaticoduodenectomy without pancreaticojejunostomy of severe atrophic pancreatic body and tail: A case report.
Taiki Sunakawa (Department of Hepatobiliary and Pancreatic Surgery, National Cancer Center Hospital East, Japan)
- MO58-9 A Study of Cases with Variation of Arteries in Pancreaticoduodenectomy
Hayama Satoshi (Department of surgery, IMS Sapporo Digestive Disease Central General Hospital, Japan)
- MO58-10 A case of pancreatic cancer with multiple lung metastases who obtained long-term Stable Disease by low dose gemcitabine
Hiromune Shimamura (Department of surgery, NHO Sendai Medical Center, Japan)

Mini-Oral 59

June 29 (Sat.) 15:55-16:50 [Mini-Oral Room 2 (B2F Himawari)]

Biliary 14

- Moderators: Ryuta Shintakuya (Department of Gastroenterological Surgery, Hiroshima University Hospital, Japan)
Akihiro Tanemura (Department of Hepatobiliary Pancreatic and Transplant Surgery, Mie University, Japan)
- MO59-1 A conversion surgery for unresectable locally advanced hilar cholangiocarcinoma treated with chemoradiotherapy: a case report
Rei Okada (Department of Surgery, School of Medicine, Toho University, Japan)
- MO59-2 A case of hilar cholangiocarcinoma postoperative recurrence treated with multidisciplinary therapy leading to curative re-resection
Nanako Nishida (Department of Gastroenterological Surgery, Kagoshima City Hospital, Japan)
- MO59-3 Two cases of right posterior sectionectomy for liver metastases of perihilar cholangiocarcinoma after central bisectionectomy with extra bile duct resection
Masahiro Fujisawa (Department of Hepato Biliary Pancreatic Surgery, Juntendo University, Japan)
- MO59-4 An autopsy case of occupational cholangiocarcinoma died of uncontrollable repeated cholangitis
Kosuke Hatta (Department of Hepato-Biliary-Pancreatic Surgery, Osaka Metropolitan University Graduate School of Medicine, Japan)

- MO59-5 A rare case of intrahepatic cholangiocarcinoma with high frequency microsatellite instability (MSI-High) showing hyperprogression after Pembrolizumab
Takayuki Tanaka (Department of Surgery Sasebo City General Hospital, Japan)
- MO59-6 A case of radical resection for pancreatic metastasis from gallbladder cancer.
Yuma Takeuchi (Department of Surgery, Uji-TOKUSHUKAI MEDICAL CENTER, Japan)
- MO59-7 IS THERE A ROLE FOR CYSTOENTEROSTOMY FOR HYDATID CYST IN PRESENT ERA
Surya Ramachandra Varma Gunturi (Nizams Institute of Medical Sciences, hyderabad, India)
- MO59-8 A case of xanthogranulomatous cholecystitis diagnosed preoperatively as gallbladder cancer, and coexisting bile duct cancer could not be diagnosed
Yosuke Kuroda (Department of Surgery, Iizuka Hospital, Japan)
- MO59-9 Conversion to open surgery in emergency laparoscopic cholecystectomy
Shingo Seo (Department of Surgery, Kure Kyosai Hospital)

Mini-Oral 60

June 29 (Sat.) 16:00-17:00 [Mini-Oral Room 5 (B2F Himawari)]

Pancreas 26

Moderators: Toshihiko Kohashi (Department of Hepato-Biliary-Pancreatic Surgery, Hiroshima City North Medical Center Asa Citizens Hospital, Japan)

Jiro Yoshimoto (Department of Digestive and General Surgery, Juntendo University Urayasu Hospital, Japan)

- MO60-1 Usefulness of ICG fluorescence method for the case of necrosectomy with right hemicolectomy due to ascending colon blood flow insufficiency
Jun Hanaoka (Department of gastrointestinal surgery, Ehime prefectural central hospital, Japan)
- MO60-2 Colonic complications in acute pancreatitis: A single institution experience and systematic review
Amos Nepacina Liew (Department of Hepatobiliary and Pancreatic Surgery, Monash Health, Melbourne, Australia)
- MO60-3 Surgical outcome of laparoscopic distal pancreatectomy (LDP) and introduction of retroperitoneal-first laparoscopic approach DP (Retlap-DP)
Junji Iwasaki (Department of Surgery, Shimane Prefectural Central Hospital, Japan)
- MO60-4 The surgical outcome of Warshaw technique in laparoscopic spleen preserving distal pancreatectomy
Yu Asakura (Osaka Saiseikai Nakatsu Hospital Department of Surgery, Japan)
- MO60-5 CHRONIC CALCIFIC PANCREATITIS: THE SURGICAL SOLUTION- selective use of FREY AND LPJ: OUTCOMES FROM TERTIARY REFERRAL HOSPITAL IN BIHAR, INDIA.
Ashish Kumar Sharma (Indira Gandhi institute of Medical Sciences, Patna, India)
- MO60-6 Safety and clinical significance of splenectomy for hematologic malignancies.
Kohdai Ueno (Department of Hepato-Biliary-Pancreatic Surgery, Tokyo Metropolitan Cancer and Infectious Diseases Center, Komagome Hospital, Japan)
- MO60-7 A pediatric case of traumatic pancreatic injury successfully treated with Spleen-preserving distal pancreatectomy.
Ryozan Naito (Division of Hepatobiliary and Pancreatic Surgery, Department of General Surgical Science, Gunma University, Japan)
- MO60-8 Short-term and long-term outcomes of middle pancreatectomy in our department
Kobayashi Kei (Department of Gastroenterological Surgery, Yokohama City University, Japan)

- MO60-9 Usefulness of middle pancreatectomy on prevention of diabetes onset and worsening: comparison with distal pancreatectomy.
Masataka Okuno (Department of Gastroenterological Surgery, Aichi Cancer Center Hospital, Japan)
- MO60-10 Safety and efficacy of laparoscopic transperitoneal versus retroperitoneal resection for benign retroperitoneal tumors: a retrospective cohort study
Ziqi Hou (West China Hospital, Sichuan university, Chengdu, China)

Mini-Oral 61

June 29 (Sat.) 16:05-16:55 [Mini-Oral Room 1 (B2F Himawari)]

HBP 2

Moderators: Yuichi Ishida (Department of Medical Insurance Guidance , JIKEI University Hospital, Japan)
Kojun Okamoto (Department of Gastroenterological Surgery, Saitama Medical University International Medical Center, Japan)

- MO61-1 Laparoscopic partial hepatectomy for hepatic mucormycosis: A case report
Masao Uemura (Department of Surgery, Japanese Red Cross Kumamoto Hospital, Japan)
- MO61-2 A case of hepatectomy for liver metastasis of breast cancer
Nagai Yasuo (Department of Gastroenterological Surgery, University of Okayama, Japan)
- MO61-3 A study of resected cases of primary duodenal carcinoma
Kenta Furukawa (Department of Surgery, Osaka Police Hospital, Japan)
- MO61-4 A case of retroperitoneal malignant mesothelioma with long-term survival after repeated hepatectomy
Hirofumi Shimoda (Department of Surgery, NHO Tokyo Medical Center, Japan)
- MO61-5 How to enhance HBP training for young surgeons
Shintaro Yamazaki (NHO National disaster center, Japan)
- MO61-6 Our Novel Training Method for Young Surgeon to learn Laparoscopic Cholecystectomy.
Koji Hayashi (Department of Surgery, Suita Municipal Hospital, Japan)
- MO61-7 The current status and future perspective of board-certified clinical geneticists in HBP surgeons in Japan: a nationwide questionnaire survey
Sojun Hoshimoto (Department of Hepato-Biliary-Pancreatic and Gastrointestinal Surgery, International University of Health and Welfare School of Medicine, Japan)
- MO61-8 Surgical site infection surveillance after hepato-biliary-pancreatic surgery
Kazuhiko Hashimoto (Department of Gastroenterological Surgery, Hyogo Prefectural Nishinomiya Hospital, Japan / Department of Infection Control, Hyogo Prefectural Nishinomiya Hospital, Japan)

Mini-Oral 62

June 29 (Sat.) 16:15-17:00 [Mini-Oral Room 4 (B2F Himawari)]

Pancreas research

Moderators: Keinosuke Ishido (Department of Gastroenterological Surgery, Hirosaki University Graduate School of Medicine, Japan)
Kazuaki Tokodai (Department of Surgery, Tohoku University Hospital, Japan)

- MO62-1 Tumor budding is an independent adverse prognostic factor in pancreatic ductal adenocarcinoma resected after chemoradiotherapy
Aoi Hayasaki (Department of Hepato-Biliary-Pancreatic and Transplant Surgery, Mie university, Japan)

- MO62-2 Exploration of bacterial infection dynamics by scanning electron microscopy of the drain lumen in two cases after pancreatectomy to prevent postoperative complications.
Takahito Hirai (Division of Gastroenterology and General Surgery, Department of Surgery, Showa University School of Medicine, Japan)
- MO62-3 Detection of KRAS Mutations in Intraoperative Peritoneal Lavage Cytology Samples Using ddPCR and their Clinical Significance in Pancreatic Cancer
Katsuhiro Hagiwara (Keio University School of Medicine, Japan)
- MO62-4 Tenascin C in Pancreatic Cancer-Associated Fibroblasts Promotes Epithelial Mesenchymal Transition and Correlates with Reduced Efficacy of Immune Checkpoint Inhibitors
Satoru Furuhashi (Department of Surgery, Hamamatsu University School of Medicine, Japan)
- MO62-5 A macroscopic peritoneal dissemination model of pancreatic ductal adenocarcinoma (PDAC) in mice using PANC-1 cell line
Yuki Matsui (Department of Surgery, Kansai Medical University, Japan)
- MO62-6 Current status of cancer genomic medicine in the biliary and pancreas cancers at a regional university hospital
Takeomi Hamada (Hepato-Biliary-Pancreas Surgery, Department Surgery, Faculty of medicine, University of Miyazaki, Japan)
- MO62-7 Analysis of the clinical impact of preoperative Carabapenemase-producing Enterobacteriaceae (CPE) colonization on the short-term outcomes of pancreaticoduodenectomy
Ye Won Jeon (Asan Medical Center, Seoul, South Korea)